



light is our link



new

2019 interactive digital catalogue



Our 2019 catalogue has been given an update and now comes in a brand new interactive digital edition.

You can access photos and videos and see how our decorations look when installed.

Scan the QR codes in the catalogue to be taken straight to the digital version.

Combine both the paper and digital versions to discover even more interactive content.



www.catainteractif.blachere-illumination.com

About Blachère illumination

2

- p2 - Innovation **BIO**PRINT
- p6 - Innovation Octoplus® / LED+
- p8 - Innovation Interactive
- p10 - The Blachère group
- p12 - The Blachère network
- p14 - Your project

17

The street range

- p17 - Éléance collection
- p25 - Blizzard collection
- p33 - Romantic collection
- p41 - Sphéérique collection
- p50 - SiLC & RGB collection

54

Trees & life-size collection, Interactive range

- p54 - Nordika Trees
- p56 - Augmented reality
- p58 - Manual interactivity
- p64 - Figurative collection
- p72 - Green range, trees and fountains
- p90 - Scene accessories

93

Garlands

- p95 - LED+ range - garlands, curtains, stalactites
- p107 - LED classic range - garlands, curtains, stalactites, fil lumière
- p131 - Indoor range

141

Decoration, Octoplus® & Accessories

- p141 - Decoration
- p175 - Illuminations - projectors and light strips
- p178 - Accessories - Octoplus®, connections, light fitting

innovation

the first BIODEGRADABLES motifs



Blachère remains committed to its eco-friendly approach and is going green.

In a **WORLD EXCLUSIVE**, from 2019 the structure of our 2D decorations is made of a **revolutionary biodegradable material that is organically sourced, certified as GMO-free and made from sugar cane at a French laboratory.**

By using this material, we are minimising daily waste production and conserving natural resources to reduce our environmental impact.

Our new revolutionary **BIOPRINT** material is:



BIODEGRADABLE

Decomposes naturally without polluting or harming the natural environment.



ORGANICALLY SOURCED

Material only includes organic elements.



CERTIFIED AS GMO-FREE

Does not contain genetically modified organisms. Made from sugar cane at a French laboratory.



RESISTANCE

IK10-rated against mechanical impact at 20°C. Can withstand high temperatures and is UV-resistant.

WHAT IS BIODEGRADABILITY?

Biodegradation is the **breakdown of organic matter by microorganisms.**

Substances are said to be biodegradable if external living organisms can cause them to decompose into separate elements **without harming the natural environment.**

Our decorations biodegrade slowly, meaning they can be **installed outdoors for long periods without this causing aesthetic or mechanical damage.** One advantage of this slowness is that it **minimises the greenhouse gases generated** when the complex molecules that make up our revolutionary material biodegrade.

While industrial composting is one way to sensibly manage this biomass **the eco-friendliest approach is to recycle the material.** By doing this, daily waste production can be minimised.


With Blachère Illumination, you can reduce **your environmental impact by being part of a circular economy.**

Our new **BIOPRINT** material is part of our wider eco-friendly approach which began many years ago, with all staff making tangible green contributions on a daily basis.

We are not limited by all that we do internally. On the contrary, we want to share it with the world.

Our approach is a **good match for eco-friendly urban policies.**

This is further proof of our commitment to supporting you, **so we can protect our planet and safeguard the future for everyone.**



innovation

composition of our BIOPRINT MOTIFS



BIODEGRADABLE BIOPRINT STRUCTURE


The entire structure onto which the lighting components are wired is made using **our revolutionary new BIOPRINT material available in different colours.**

RECYCLED ALUMINIUM FRAME

This sleek aluminium frame is used to maintain the **BIOPRINT** structure. After use, the aluminium in all our decorations is **collected and processed by an approved body.**

RECYCLED ELECTRIC COMPONENTS

All the garlands and other electric components we use in our decorations are **collected and recycled by ESR-Récylum** which is approved to process waste electrical and electronic equipment from commercial sources.



PRINTING ROBOT MANUFACTURING PROCESS

Our large-format printers are inspired by **rautomotive industry robots.**

Through this process, we are creating local production jobs and introducing **Made in France innovation to French industry.**

Goods' logistics chains can be shortened to produce where there is a need, in a society that is **focused on sustainable development.**

This means we can meet your needs by creating unique and bespoke pieces or producing small quantities to put together unusual projects for you.

Our **BIOPRINT** range has been **designed and made with creativity, innovation, design and respect for the environment in mind.**

All our clients can integrate this large-format printing innovation when they have their illuminations made.



innovation
100% MADE IN FRANCE
process by drawn

OUR ENVIRONMENTAL RESPONSIBILITIES:

LEDS ONLY

We were the first to use LEDs (Light-Emitting Diodes) and roll them out across all our decorations in 2008 .

LEDs have since become essential.

They last **ten times longer** and use a **tenth of the electricity**.

FSC PAPER AND IMPRIM'VERT® CERTIFICATION

The paper used for our catalogue comes from **FSC (Forest Stewardship Council) woods**. FSC products are guaranteed to come from **controlled and responsibly sourced resources**.

Imprim'Vert® certification aims to encourage printers to make tangible contributions to **reducing the impact of their work on the environment**.

WASTE RECYCLING AND CARBON FOOTPRINT

We have had **compactors** for cardboard and plastic installed at our company.

Two thirds of our waste is collected and recycled by a specialist company.

Since 2008, we have also been monitoring our carbon footprint with the help of the French Environment and Energy Management Agency (ADEME). Thanks to this, **we record all greenhouse gases generated by our activities - both on-site and elsewhere**.



GREEN ELECTRICITY

In a bid to help protect the environment and reduce our carbon footprint, Blachère Illumination is committed to taking an eco-friendly approach over the next three years. We are being supplied **with electricity produced from renewable energy** (hydro, geothermal, wind and solar) certified by our provider.

As a result, Blachère Illumination will generate around **500 fewer tonnes of CO2**.

A HOME FOR THE BEES

The "A Home for the Bees" initiative aims to help **protect the bee population and encourage colonies to develop**.


We offer communities the chance to **offset their illuminations' carbon omissions** by sponsoring a beehive - bees' work tool. In return, the grateful bees offer their sponsors the fruits of their labour - **their honey** - which is distributed in pots stamped with the image of the sponsoring town, city or shopping centre.

WIND FARMS AND RAINWATER HARVESTING

We have installed **four wind turbines** at our production site as well as **solar panels** to light the carpark. We also **collect rainwater** to water the company greenery.

innovation

connection system Octoplus®



Exclusive to Blachère Illumination

All our decorations now come with the Octoplus® system by Blachère which enables you to connect up different decorations from the range.

Thanks to their Octoplus® connectors, our decorations and most of our illuminated garlands can be quickly and easily assembled in different ways.

Each item marked Octoplus® can connect to other Octoplus® products.

This makes infinite combinations possible and simplifies electrical installation.



IP67 rating

Our 230V Octoplus® by Blachère connectors are IP67-rated in line with European standard EN60529 covering casing protection.

Two types of connectors

230V Octoplus® by Blachère connectors and **Safety Extra-Low Voltage 12/24V connectors** are available.

See our full range of Octoplus® by Blachère accessories on pages 182-183.



innovation

new **led+**
the brightest on the market



Exclusive Blachère Illumination

By considering practical use in their innovative designs, our R&D department have devised the all-new LED+ in both static and **slowflash** editions to make your projects come alive!
Our new and exclusive LED range is the outcome of a long-term collaboration with Nichia®, the world leader in LEDs.

See our full range of
LED+ garlands, icicles and curtain lights on pages 94 to 105
They can be connected with Octoplus® by Blachère accessories - see on pages 182-183.

The new technical features of LED+ are:



+ LUMINOUS

Design is optimised and registered to promote the luminous efficiency of our product.



LONGER LIFETIME

Thermal dissipation is maximised for longer LED life.

2
YEAR


GUARANTEE

Our exclusive and secured fabrication processes afford us to ensure our Leds efficiency during 2 years.



UNIFORM COLOUR

Phosphorus deposit is controlled for a uniform lighting effect.



innovation

what we offer **Interactivity**

Blachère offers a **full range of interactive products and mobile apps** developed by our R&D team. These can be used in town/city or shopping centre locations to create a unique client experience:

Mobile apps to control illuminations or incorporate augmented reality - where virtual elements and reality come together for a fun and extraordinary experience

Interactive arches with presence detectors

Scenes with moving characters

Giant characters with sounds and lights that can be controlled by the public..

These opportunities for interaction lead passers-by to stop, play around and go deeper. Things have moved on from **meditative illuminations to interactive ones that attract crowds and create a buzz.**

Benefits of our interactive products:

BUZZ 100% GUARANTEED!

Dare to be different! Surprise people!

With our interactive products, you will create a buzz, traffic will increase and visitors will come to enjoy **a fun and unforgettable lights experience.**

You are sure **to stand out from the crowd** and make a big impression.

YOUR TOWN/CITY LOOKS CONNECTED AND INNOVATIVE

Our R&D team offer a range of connected products and services to help you **showcase your smart city image.**

With options including LED control and augmented reality, **the digital revolution** has opened up new possibilities for illuminations that truly **meet user expectations.**

+30% MORE VISITORS

It's a well-known fact that lights attract crowds.


And when lighting is the star of the show, the attraction is even greater.

It ticks all the boxes.


During an event, **an average of 30% more** visitors flock to city centres and shopping centres.

POTENTIAL TO GO VIRAL

Photos shared online via our **PlayMagic** and **PlayColor** mobile apps feature your town/city/shopping centre logo which **boosts your web visibility.** French people have an average of 177 "friends" on social media, while other countries have 340. **These are all potential visitors!**



INTERACTIVE BLACHERE OFFER



Controllable by PUBLIC	✓	✓	✓	✓			✓		✓
Controllable by CUSTOMER					✓	✓		✓	
Necessary development & research							✓	✓	✓
Training & Tutorials	Immediate use: plug, it works!				Tutorial	Tutorial	Training	Training	Tutorial

corporate

Blachère Illumination group



Blachère Illumination is a family-run French company firmly rooted in its home region, but with future-oriented outlook for international development. We stand out from the crowd through our expertise and innovative design, creating exceptional lighting tailor-made to suit your image. Blachère Illumination: it's an art of living.



1973
Having started out working on sound systems, Jean-Paul Blachère set up the "illumination" project.
He introduced the first lamp motifs on wood panels, then on steel.



1987
Discovery of the ropelight.
First usage:
a new visual freedom.



2000
Illumination of the Eiffel Tower using Blachère Starflash to welcome the new millennium.



2001
Opening of the first Blachère UK branch.



2002
Widespread use of motifs on aluminium structures.
Beginning of the company's environmental commitment.



Blachère has developed a strong company culture and ethical values, as demonstrated by **our involvement in social, cultural and environmental programmes worldwide.**



BLACHÈRE FOUNDATION

Created in 2003 by Jean-Paul Blachère, the Blachère Foundation focuses on contemporary art and has supported almost 200 artists from the African continent and the diaspora.

Africa has taught us so much. "The company is a place where we can fix injustices, offer another image of Africa, highlight its creativity and learn lessons for waste and water management and for consumption patterns.

As I see it, humans have always been at the heart of the company. Life lessons have forced me to progress in this area, and it has sometimes been hard to bear. However, it is much easier now that the young have taken up the torch: Christine, Romain and Johan. We have the same global vision."

Artists in residence and exhibitions help attune us to artistic creation and open our minds to new horizons.

Each year, the Blachère Foundation welcomes nearly 18,000 visitors and around 4,000 students. Thanks to the Boutik space, the Blachère Foundation can offer work to nearly 150 artisans in Africa.

fondationblachere.org



GOOD PLANET FOUNDATION

The company has wanted to commit itself fully and get truly involved in the work of this foundation. 12 Blachère staff took charity leave during which they carried out activities that showed their solidarity, learning new things and experiencing rich human values.

The first session was held in Iquitos in the north of Peru and involved reforestation activities and putting in agroforestry gardens to combat deforestation.

A second trip went to Ladakh in India, where teams built a boarding school.



LES BONNES FÉES


This year, Blachère is working with Les Bonnes Fées [meaning The Fairy Godmothers], a charity that brings together the sixteen most famous Miss France winners from the last two decades. These women use their fame to raise money for specific programmes - specifically in the healthcare sector. Blachère is involved in funding essentials kits for mothers who are struggling. These are being distributed at French hospitals from 2019.



2008
Spread of the LED in all our motifs.



2014
Blachère Illumination returned to the Champs-Élysées. Following an initial project titled "All That Glitters", the avenue was decked out in theatrical red for "Flamboyance" which consumed 2000 euros worth of electricity over two months.



2016
Blachère is proud to receive the EPV (Entreprise du Patrimoine Vivant) label, awarding companies with industrial and artisan know-how of excellence.



2018
Augmented reality became available on smartphones, enabling people to combine virtual elements with reality for an extraordinary experience.



2019
BIOPRINT Innovation.
Our 2D decorations are made of a revolutionary biodegradable material that is organically sourced, certified as GMO-free and made from sugar cane.




corporate

Blachère Illumination group



With over 40 years' experience and a network of 24 branches worldwide, Blachère Illumination is a traditional company which has become the market leader in illuminations.

From the twinkling lights on the Eiffel Tower to welcome the new millennium, to the illumination of Champs Élysées, the most beautiful avenue in the world, Blachère Illumination has even made cities such as Amsterdam, Vienna, Moscow, Dubai, London and Rio. The company creates sublime light sculptures for over 150 countries, and its expertise is recognised worldwide.



Champs Elysées
Paris - France



Passages de Boulogne
Paris - France

24 branches
worldwide



350
international
employees

over
1,000 towns
illuminated in over
150 countries



Salerno - Italie



Haussmann
Paris - France



DIOR - Paris - France



MOM Park
Budapest
Hongrie



Nîmes - France



our 24 branches

United Kingdom
Italy
Spain
Hungary
Portugal
Austria
Central Europe
USA
Canada
Brazil
Colombia
Mexico

Netherlands
Belgium
Czech Republic
Romania
Sweden
Turkey
Asia
Switzerland
Middle East
Africa
Denmark
Russia

corporate

Blachère Illumination project quality



At Blachère Illumination, **the client is at the centre of everything we do.**

From design to delivery, we create bespoke projects that meet your expectations and abide by any financial, aesthetic or environmental limitations you may have. **We are also ISO 9001 certified.** To stand out from others in this increasingly competitive market, we seek innovative and bespoke solutions such as our **BIOPRINT process and interactive options.**

Our end goal is clear:

To make your project unique and tailored to you and to ensure it meets your expectations, needs and desires, so you can create a **unique experience for visitors** and see people come together, unite and delight in the magic of the illuminations...



**ENTREPRISE DU PATRIMOINE
VIVANT SINCE 2016**

For over 40 years, European leader Blachère has been demonstrating its exclusive know-how in the French illuminations market.

The French government has awarded us Entreprise du Patrimoine Vivant certification to recognise our commitment to conserving our living heritage. This distinction is given to companies that showcase artisan and industrial expertise and export French excellence abroad.

We are among one thousand French companies to be recognised in this way.

The award is the fruit of many people's efforts.

At our workshops in Apt (south-east France) where over 80 people work in high season, in areas from specialist ironwork to the most complex wiring, everything is done by hand - proving that France can still hold its head high when it comes to artisanal excellence.

48,000 decorations from the catalogue and almost 11,000 bespoke pieces left our workshops in 2018.



**ISO 9001 CERTIFICATION
RENEWED IN JULY 2018**

Blachère Illumination is **the only French illuminations company to have obtained ISO 9001 certification.**


ISO 9001 is an **international standard** based on a number of quality management principles, including a strong customer focus, the motivation and involvement of top management, the process approach and continual improvement.

At our company, quality is a mindset and a desire that is part of our search for continuous improvement, helping us meet client and stakeholder demands. Our products are given qualitative checks and tests at each stage of production.

Our ISO-9001-certified approach is **fully integrated into our management system.**



As a key player in the global market, Blachère has **the infrastructure and resources** to complete projects to **an unparalleled quality**.
You can rely on Blachère **to keep its promises** and create a buzz year after year.
We deliver **a complete project** with an **unrivalled service**.







NEW !
2019



ITL029W

◆	1,00m	Slowflash - Xled
◆	7,00m	
■	-	
⚡	220W	LED ● ●
☒	29,0kg	BIO ■
①	2	Flash ★

NEW !
2019



ITL031W

◆	0,90m	Slowflash - Xled
◆	4,00m	
■	-	
⚡	130W	LED ● ●
☒	14,4kg	BIO ■
①	2	Flash ★

NEW !
2019



ITL077W

◆	1,20m	Slowflash - Xled
◆	6,00m	
■	-	
⚡	160W	LED ● ●
☒	30,0kg	BIO ■
①	2	Flash ★

NEW !
2019



ITL054

◆	1,20m	Slowflash - Xled
◆	5,00m	
■	-	
⚡	135W	LED ●
☒	18,4kg	BIO ■
①	2	Flash ★



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



ITL043W

◆	2,00m	Flash
◆	4,60m	
■	-	
⚡	270W	LED ● ●
☒	28,2kg	BIO ■
①	1	Flash ★



PL209W

◆	3,00m	
◆	-	
■	1,10m	Flash - Xled
⚡	95W	LED ● ●
☒	9,6kg	BIO -
①	1	Flash *



PL113

◆	2,60m	
◆	-	
■	1,00m	Xled
⚡	115W	LED ● ●
☒	18,2kg	BIO -
①	1	Flash -

NEW !
2019



IPL029W

◆	3,50m	
◆	-	
■	1,00m	Slowflash - Xled
⚡	110W	LED ● ●
☒	12,6kg	BIO ■
①	1	Flash *

NEW !
2019



IPL087W

◆	3,00m	
◆	-	
■	1,00m	Slowflash - Xled
⚡	90W	LED ● ●
☒	11,0kg	BIO ■
①	1	Flash *

NEW !
2019



IPL031W

◆	2,00m	
◆	-	
■	0,90m	Slowflash - Xled
⚡	70W	LED ● ●
☒	7,0kg	BIO ■
①	1	Flash *



PL218W

◆	1,86m	
◆	-	
■	1,02m	Xled
⚡	40W	LED ●
☒	6,2kg	BIO -
①	1	Flash -

NEW !
2019



IPL081W

◆	1,85m	
◆	-	
■	1,10m	Slowflash - Xled
⚡	50W	LED ● ●
☒	6,5kg	BIO ■
①	1	Flash *

NEW !
2019



IPL082W

◆	1,20m	
◆	-	
■	0,60m	Slowflash - Xled
⚡	26W	LED ● ●
☒	3,4kg	BIO ■
①	1	Flash *



ITL033W

◆	1,60m	
◆	6,00m	Flash
■	-	
⚡	185W	LED ● ●
☑	27,0kg	BIO ■
ⓘ	2	Flash *



ITL059W

◆	1,22m	
◆	4,93m	Flash - Stars
■	-	
⚡	155W	LED ● ●
☑	23,0kg	BIO ■
ⓘ	2	Flash *



ITL032W

◆	0,90m	
◆	4,00m	Slowflash
■	-	
⚡	100W	LED ● ●
☑	16,0kg	BIO ■
ⓘ	2	Flash *



ITL030W

◆	0,90m	
◆	4,00m	Slowflash
■	-	
⚡	140W	LED ● ●
☑	18,0kg	BIO ■
ⓘ	2	Flash *



TL209W

◆	1,00m	
◆	6,00m	Flash - Xled
■	-	
⚡	180W	LED ● ●
☑	18,5kg	BIO -
ⓘ	2	Flash *



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



IPL030W

◆	2,07m		
◆	-	Slowflash	
■	1,00m		
⚡	60W	LED	● ●
☒	9,2kg	BIO	■
①	1	Flash	★



PL118

◆	2,00m		
◆	-	Flash	
■	0,71m		
⚡	40W	LED	● ●
☒	6,4kg	BIO	-
①	1	Flash	★



IPL033W

◆	3,00m		
◆	-	Flash	
■	1,00m		
⚡	85W	LED	● ●
☒	11,8kg	BIO	■
①	1	Flash	★



IPL032W

◆	2,07m		
◆	-	Slowflash	
■	1,00m		
⚡	50W	LED	● ●
☒	7,8kg	BIO	■
①	1	Flash	★



ITL013

◆	0,75m		
◆	0,90m		
■	-		
⚡	10W	LED	●
☒	2,6kg	BIO	■
①	1	Flash	-



ITL026

◆	1,05m		
◆	1,05m		
■	-		
⚡	35W	LED	●
☒	3,0kg	BIO	■
①	1	Flash	-



GX048LW

◆	0,73m		
◆	0,48m	Anim	
■	0,48m		
⚡	40W	LED	●
☒	4,3kg	BIO	-
①	1	Flash	-



G-LUSTR09

◆	0,90m		
◆	1,25m	Anim	
■	1,25m		
⚡	20W	LED	●
☒	11,0kg	BIO	-
①	1	Flash	★



PL330W

◆	1,50m		
◆	-		
■	0,70m		
⚡	35W	LED	● ●
☒	5,0kg	BIO	-
①	1	Flash	★



ITL035

◆	0,87m	
◆	5,28m	Flash - Stars
■	-	
⚡	100W	LED ●
☒	20,4kg	BIO ■
①	2	Flash ★



ITL061

◆	0,90m	
◆	3,50m	
■	-	
⚡	80W	LED ●
☒	12,0kg	BIO ■
①	1	Flash -



TL239

◆	1,05m	
◆	6,00m	Flash
■	-	
⚡	145W	LED ●
☒	20,0kg	BIO ■
①	2	Flash ★

● TL239B
● TL239R
● TL239W



TL238

◆	0,60m	
◆	4,60m	Flash
■	-	
⚡	100W	LED ●
☒	17,0kg	BIO -
①	2	Flash ★

● TL238B
● TL238R
● TL238W



TL245

◆	1,45m	
◆	4,00m	Flash
■	-	
⚡	53W	LED ●
☒	11,0kg	BIO -
①	2	Flash ★

● TL245B
● TL245R
● TL245W



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



PL216

◆	3,00m	
◆	-	Stars
■	0,87m	
⚡	60W	LED ●
☒	10,4kg	BIO -
①	1	Flash -



PND060

◆	3,80m	
◆	-	Stars
■	1,09m	
⚡	90W	LED ●
☒	13,0kg	BIO -
①	1	Flash -



PL224

◆	3,50m	
◆	-	Flash - Stars
■	0,91m	
⚡	80W	LED ●
☒	11,0kg	BIO -
①	1	Flash *



PL239

◆	3,00m	
◆	-	Flash
■	1,05m	
⚡	61W	LED ●
☒	9,4kg	BIO ■
①	1	Flash *
●	PL239B	● PL239W
●	PL239R	



IPL035

◆	2,71m	
◆	-	Flash - Stars
■	0,88m	
⚡	50W	LED ●
☒	10,2kg	BIO -
①	1	Flash *



GX074L

◆	1,50m	
◆	1,00m	Flash
■	1,00m	
⚡	50W	LED ●
☒	12,2kg	BIO ■
①	1	Flash *
●	GX074LB	● GX074LW
●	GX074LR	



TGL138

◆	0,80m	
◆	0,70m	Flash
■	0,70m	
⚡	30W	LED ●
☒	4,4kg	BIO -
①	1	Flash *
●	TGL138B	● TGL138W
●	TGL138R	



PL246

◆	1,20m	
◆	-	Flash
■	0,60m	
⚡	16W	LED ●
☒	2,8kg	BIO ■
①	1	Flash *
●	PL246B	● PL246W
●	PL246R	



PL247

◆	1,57m	
◆	-	Flash
■	1,10m	
⚡	30W	LED ●
☒	4,0kg	BIO ■
①	1	Flash *
●	PL247B	● PL247W
●	PL247R	



PL245

◆	2,00m	
◆	-	Flash
■	0,80m	
⚡	35W	LED ●
☒	5,2kg	BIO ■
①	1	Flash *
●	PL245B	● PL245W
●	PL245R	





blizzard

NEW !
2019



ITL069

◆	1,00m	
◆	3,00m	Slowflash - Stars
■	-	
⚡	120W	LED ●
☒	15,6kg	BIO ■
①	1	Flash ★

NEW !
2019



ITL072W

◆	1,00m	
◆	6,00m	Slowflash - Xled
■	-	- Stars
⚡	120W	LED ● ●
☒	20,0kg	BIO ■
①	2	Flash ★

NEW !
2019



ITL075B

◆	0,85m	
◆	5,00m	Slowflash - Xled
■	-	
⚡	154W	LED ● ●
☒	26,0kg	BIO ■
①	2	Flash ★



ITL036W

◆	0,90m	
◆	4,00m	Flash - Stars
■	-	
⚡	120W	LED ● ●
☒	18,8kg	BIO ■
①	2	Flash ★



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



ITL037B

◆	0,80m	
◆	4,14m	Slowflash - Stars
■	-	
⚡	95W	LED ● ●
☒	16,8kg	BIO ■
①	2	Flash ★



PL314

◆	2,50m	
◆	-	Comet
■	1,20m	
⚡	90W	LED ● ●
☒	13,2kg	BIO -
①	1	Flash -

NEW !
2019



IPL072W

◆	3,00m	
◆	-	Slowflash - Xled
■	1,00m	- Stars
⚡	60W	LED ● ●
☒	9,8kg	BIO ■
①	1	Flash *



PL333

◆	2,80m	
◆	-	Flash
■	1,27m	
⚡	65W	LED ● ●
☒	9,4kg	BIO -
①	1	Flash *

NEW !
2019



IPL069

◆	2,30m	
◆	-	Slowflash - Stars
■	0,90m	
⚡	65W	LED ●
☒	8,8kg	BIO ■
①	1	Flash *

NEW !
2019



IPL075B

◆	2,50m	
◆	-	Slowflash - Xled
■	0,85m	
⚡	77W	LED ● ●
☒	13,0kg	BIO ■
①	1	Flash *



PL168

◆	2,00m	
◆	-	Flash - Stars
■	0,71m	
⚡	75W	LED ● ●
☒	8,2kg	BIO -
①	1	Flash *

NEW !
2019



IPL083W

◆	2,00m	
◆	-	Slowflash - Stars
■	0,90m	
⚡	55W	LED ● ●
☒	6,4kg	BIO ■
①	1	Flash *



IPL036W

◆	2,07m	
◆	-	Flash - Stars
■	1,00m	
⚡	60W	LED ● ●
☒	9,4kg	BIO ■
①	1	Flash *

NEW !
2019



IPL084

◆	1,50m	
◆	-	Slowflash - Stars
■	0,60m	
⚡	30W	LED ●
☒	4,6kg	BIO ■
①	1	Flash *



IPL037B

◆	2,05m	
◆	-	Flash - Stars
■	0,80m	
⚡	50W	LED ● ●
☒	8,2kg	BIO ■
①	1	Flash *

3m



ITL016W

◆	3,10m	
◆	3,10m	Flash
■	-	
⚡	200W	LED ● ●
☒	25,0kg	BIO ■
①	2	Flash *



ITL016

◆	3,10m	
◆	3,10m	Flash
■	-	
⚡	200W	LED ●
☒	25,0kg	BIO ■
①	2	Flash *

2m



ITL017

◆	2,02m	
◆	2,02m	Flash - Stars
■	-	
⚡	135W	LED ●
☒	16,0kg	BIO ■
①	1	Flash *



ITL019

◆	2,00m	
◆	2,00m	Flash
■	-	
⚡	95W	LED ● ●
☒	13,2kg	BIO ■
①	1	Flash *



ITL018

◆	2,03m	
◆	2,03m	Flash - Xled
■	-	
⚡	80W	LED ●
☒	13,0kg	BIO ■
①	1	Flash *

1m



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



ITL046

◆	0,82m		
◆	0,70m		
■	-		
⚡	30W	LED	●
☒	3,4kg	BIO	■
①	1	Flash	-



ITL022

◆	0,97m		
◆	0,85m		
■	-		
⚡	30W	LED	●
☒	3,2kg	BIO	■
①	1	Flash	-



ITL022W

◆	0,97m		
◆	0,85m		
■	-		
⚡	30W	LED	●
☒	3,2kg	BIO	■
①	1	Flash	-



ITL021

◆	1,25m		
◆	1,25m		
■	-		
⚡	55W	LED	●
☒	5,2kg	BIO	■
①	1	Flash	-



ITL020W

◆	0,97m		
◆	0,85m	Flash	
■	-		
⚡	40W	LED	● ●
☒	4,2kg	BIO	■
①	1	Flash	*



ITL020B

◆	0,97m		
◆	0,85m	Slowflash	
■	-		
⚡	40W	LED	● ●
☒	4,2kg	BIO	■
①	1	Flash	*

NEW !
2019



ITL028B

◆	1,00m		
◆	6,00m		
■	-		
⚡	155W	LED	● ●
☒	34,0kg	BIO	■
ⓘ	2	Flash	★

Slowflash - Stars

NEW !
2019



ITL070B

◆	0,90m		
◆	4,00m		
■	-		
⚡	80W	LED	● ●
☒	13,6kg	BIO	■
ⓘ	2	Flash	★

Slowflash - Stars



TL240B

◆	0,90m		
◆	6,00m		
■	-		
⚡	132W	LED	● ●
☒	21,0kg	BIO	-
ⓘ	2	Flash	★

Flash - Stars

● TL240
● TL240W




TL244B

◆	0,90m		
◆	4,60m		
■	-		
⚡	56W	LED	● ●
☒	17,6kg	BIO	■
ⓘ	2	Flash	★

Flash - Stars

● TL244
● TL244W



TL246B

◆	1,10m		
◆	4,00m		
■	-		
⚡	76W	LED	● ●
☒	15,0kg	BIO	-
ⓘ	2	Flash	★

Flash - Stars

● TL246
● TL246W



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



PL240B

◆	3,00m		
◆	-		
■	0,90m		
⚡	52W	LED	● ●
☒	9,0kg	BIO	-
①	1	Flash	★

● PL240
● PL240W



PL248B

◆	2,30m		
◆	-		
■	1,00m		
⚡	55W	LED	● ●
☒	8,4kg	BIO	-
①	1	Flash	★

● PL248
● PL248W



PL244B

◆	2,30m		
◆	-		
■	0,90m		
⚡	30W	LED	● ●
☒	8,6kg	BIO	-
①	1	Flash	★

● PL244
● PL244W

NEW !
2019



IPL028B

◆	3,00m		
◆	-		
■	1,00m		
⚡	75W	LED	● ●
☒	10,8kg	BIO	■
①	1	Flash	★

Slowflash - Stars



PL249B

◆	2,00m		
◆	-		
■	0,83m		
⚡	21W	LED	●
☒	5,2kg	BIO	■
①	1	Flash	★

● PL249
● PL249W



PL250B

◆	1,77m		
◆	-		
■	0,92m		
⚡	24W	LED	● ●
☒	4,4kg	BIO	■
①	1	Flash	★

● PL250
● PL250W



PND064

◆	1,20m		
◆	-		
■	0,75m		
⚡	30W	LED	● ●
☒	5,0kg	BIO	■
①	1	Flash	★

Flash

NEW !
2019



IPL070B

◆	2,00m		
◆	-		
■	0,90m		
⚡	40W	LED	● ●
☒	5,6kg	BIO	■
①	1	Flash	★

Slowflash - Stars





NEW !
2019



ITL073W

◆	1,00m	
◆	7,00m	Slowflash - Stars
■	-	
⚡	140W	LED ●
☒	24,0kg	BIO ■
①	2	Flash ★

NEW !
2019



ITL070W

◆	0,90m	
◆	4,00m	Slowflash - Stars
■	-	
⚡	80W	LED ● ●
☒	13,6kg	BIO ■
①	2	Flash ★

NEW !
2019



ITL079W

◆	1,20m	
◆	5,00m	Slowflash - Stars
■	-	
⚡	130W	LED ● ●
☒	19,6kg	BIO ■
①	2	Flash ★



ITL039W

◆	0,60m	
◆	4,10m	Flash
■	-	
⚡	70W	LED ● ●
☒	12,0kg	BIO ■
①	2	Flash ★



ITL044W

◆	1,42m	
◆	4,65m	Flash
■	-	
⚡	115W	LED ● ●
☒	19,6kg	BIO ■
①	2	Flash ★



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



NEW!
2019



NEW!
2019



NEW!
2019



ITL027W

◆	1,00m	
◆	0,67m	
■	-	Flash
⚡	30W	LED ● ●
☒	3,2kg	BIO ■
①	1	Flash *

IPL070W

◆	2,00m	
◆	0,90m	
■	-	Slowflash - Stars
⚡	35W	LED ● ●
☒	5,6kg	BIO ■
①	1	Flash *

IPL039W

◆	2,00m	
◆	-	
■	0,72m	
⚡	35W	LED ● ●
☒	6,2kg	BIO ■
①	1	Flash *

IPL088W

◆	3,00m	
◆	-	
■	1,00m	Slowflash - Xled
⚡	70W	LED ● ●
☒	9,8kg	BIO ■
①	1	Flash *

IPL073W

◆	3,50m	
◆	-	
■	1,00m	Slowflash - Stars
⚡	70W	LED ●
☒	12,0kg	BIO ■
①	1	Flash *



TGL120

◆	0,80m	
◆	0,80m	
■	0,80m	
⚡	40W	LED ●
☒	13,0kg	BIO -
①	1	Flash -

TGL120W

◆	0,80m	
◆	0,80m	
■	0,80m	
⚡	39W	LED ●
☒	13,0kg	BIO -
①	1	Flash -

TGL121

◆	1,20m	
◆	1,20m	
■	1,20m	
⚡	58W	LED ●
☒	21,0kg	BIO -
①	1	Flash -

TGL121W

◆	1,20m	
◆	1,20m	
■	1,20m	
⚡	56W	LED ●
☒	21,0kg	BIO -
①	1	Flash -


TLE025

◆	0,70m	
◆	0,50m	
■	0,50m	
⚡	10W	LED ●
☒	2,2kg	BIO -
①	1	Flash -



ITL038W

◆	0,90m	
◆	6,00m	Flash
■	-	
⚡	90W	LED ● ●
☒	20,0kg	BIO ■
①	2	Flash *



ITL040

◆	1,28m	
◆	6,00m	Flash
■	-	
⚡	130W	LED ●
☒	23,6kg	BIO ■
①	2	Flash *



ITL056W

◆	0,85m	
◆	4,10m	Flash
■	-	
⚡	110W	LED ●
☒	15,6kg	BIO ■
①	2	Flash *

NEW !
2019



ITL075W

◆	0,80m	
◆	5,00m	Slowflash - Xled
■	-	
⚡	154W	LED ● ●
☒	26,0kg	BIO ■
①	2	Flash *



ITL034

◆	1,00m	
◆	4,20m	Flash
■	-	
⚡	80W	LED ●
☒	15,0kg	BIO ■
①	2	Flash *



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



IPL040

◆	3,00m		
◆	-	Flash	
■	0,90m		
⚡	65W	LED	●
☒	12,8kg	BIO	■
①	1	Flash	★



IPL056W

◆	2,05m		
◆	-	Flash	
■	0,79m		
⚡	60W	LED	●
☒	8,0kg	BIO	■
①	1	Flash	★



IPL034

◆	2,07m		
◆	-	Flash	
■	1,00m		
⚡	45W	LED	●
☒	6,8kg	BIO	■
①	1	Flash	★

NEW!
2019



IPL075W

◆	2,50m		
◆	-	Slowflash - Xled	
■	0,90m		
⚡	77W	LED	●
☒	13,0kg	BIO	■
①	1	Flash	★



IPL038W

◆	3,00m		
◆	-	Flash	
■	0,90m		
⚡	45W	LED	●
☒	10,0kg	BIO	■
①	1	Flash	★



GX014LW

◆	1,50m		
◆	1,80m	Flash	
■	1,80m		
⚡	160W	LED	●
☒	22,0kg	BIO	■
①	4	Flash	★



GX010L

◆	1,52m		
◆	1,32m	Flash	
■	1,32m		
⚡	130W	LED	●
☒	16,8kg	BIO	■
①	4	Flash	★

NEW !
2019



ITL074W

◆	0,60m		
◆	4,60m	Slowflash - Xled	
■	-		
⚡	140W	LED	● ●
☒	14,4kg	BIO	■
①	2	Flash	★



TL251W

◆	1,60m		
◆	6,00m	Flash	
■	-		
⚡	132W	LED	● ●
☒	25,0kg	BIO	-
①	2	Flash	★

● TL251
● TL251R



TL243W

◆	0,75m		
◆	4,60m	Flash	
■	-		
⚡	90W	LED	● ●
☒	13,0kg	BIO	-
①	2	Flash	★

● TL243
● TL243R



TL248W

◆	1,30m		
◆	4,00m	Flash	
■	-		
⚡	50W	LED	● ●
☒	14,0kg	BIO	-
①	2	Flash	★

● TL248
● TL248R

Joyeuses Fêtes

ITL009

◆	0,90m		
◆	3,50m		
■	-		
⚡	80W	LED	●
☒	12,0kg	BIO	■
①	1	Flash	-



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



PL251W

◆	3,00m	
◆	-	
■	1,00m	Flash
⚡	75W	LED ● ●
☒	11,8kg	BIO -
①	1	Flash *

● PL251
● PL251R



PL243W

◆	2,30m	
◆	-	
■	0,75m	Flash
⚡	37W	LED ● ●
☒	6,2kg	BIO -
①	1	Flash *

● PL243
● PL243R



PND036

◆	3,00m	
◆	-	
■	1,02m	
⚡	60W	LED ● ●
☒	10,5kg	BIO -
①	1	Flash -



PL177W

◆	3,00m	
◆	-	
■	1,08m	Flash
⚡	75W	LED ● ●
☒	10,0kg	BIO -
①	1	Flash *



IPL074W

◆	2,30m	
◆	-	
■	0,90m	Slowflash - Xled
⚡	65W	LED ● ●
☒	7,8kg	BIO ■
①	1	Flash *

NEW !
2019



PL254W

◆	0,60m	
◆	0,95m	
■	0,95m	Flash
⚡	7W	LED ●
☒	4,0kg	BIO -
①	5	Flash *

● PL254
● PL254R



PL253W

◆	1,20m	
◆	-	
■	0,60m	Flash
⚡	18W	LED ● ●
☒	3,2kg	BIO -
①	1	Flash *

● PL253
● PL253R



PL252W

◆	2,30m	
◆	-	
■	0,70m	Flash
⚡	33W	LED ● ●
☒	6,0kg	BIO -
①	1	Flash *

● PL252
● PL252R



TL249W

◆	1,00m	
◆	-	
■	0,70m	Flash
⚡	26W	LED ● ●
☒	3,5kg	BIO -
①	1	Flash *

● TL249
● TL249R





NEW !
2019



ITL078

◆	1,00m	Slowflash - Stars
◆	5,00m	
■	-	
⚡	150W	LED ●
☒	10,4kg	BIO ■
①	2	Flash *



ITL042W

◆	0,85m	Flash
◆	6,00m	
■	-	
⚡	150W	LED ●●
☒	20,0kg	BIO ■
①	2	Flash *

NEW !
2019



ITL057

◆	0,90m	Slowflash - Stars
◆	4,00m	
■	-	
⚡	90W	LED ●
☒	12,4kg	BIO ■
①	2	Flash *



ITL041B

◆	0,90m	Slowflash - Stars
◆	4,00m	
■	-	
⚡	85W	LED ●●
☒	15,5kg	BIO ■
①	2	Flash *



ITL058

◆	0,85m	Flash
◆	4,10m	
■	-	
⚡	140W	LED ●
☒	19,0kg	BIO ■
①	2	Flash *



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



ITL011

◆	1,20m		
◆	1,20m	Flash	
■	-		
⚡	30W	LED	●
☒	3,2kg	BIO	■
①	1	Flash	✴



IPL041B

◆	2,07m		
◆	-	Slowflash - Stars	
■	1,00m		
⚡	40W	LED	● ●
☒	8,0kg	BIO	■
①	1	Flash	✴



IPL042W

◆	3,00m		
◆	-	Flash	
■	0,85m		
⚡	75W	LED	● ●
☒	10,0kg	BIO	■
①	1	Flash	✴



IPL058

◆	2,05m		
◆	-	Flash	
■	0,80m		
⚡	75W	LED	●
☒	9,0kg	BIO	■
①	1	Flash	✴



IPL057

◆	2,00m		
◆	-	Slowflash - Stars	
■	0,90m		
⚡	45W	LED	●
☒	6,2kg	BIO	■
①	1	Flash	✴



TGL48W

◆	1,00m		
◆	1,00m	Stars	
■	1,00m		
⚡	95W	LED	●
☒	12,2kg	BIO	-
①	2	Flash	-

- TGL48
- TGL48B



ITL025W

◆	1,00m		
◆	1,00m	Flash	
■	-		
⚡	10W	LED	●
☒	2,0kg	BIO	■
①	1	Flash	✴



ITL024W

◆	1,00m		
◆	1,00m	Flash	
■	-		
⚡	12W	LED	●
☒	4,0kg	BIO	■
①	1	Flash	✴



ITL023W

◆	1,00m		
◆	1,00m	Flash	
■	-		
⚡	12W	LED	●
☒	4,0kg	BIO	■
①	1	Flash	✴

NEW !
2019



ITL070R

◆	0,90m	Slowflash - Stars
◆	4,00m	
■	-	
⚡	80W	LED ● ●
☒	13,6kg	BIO ■ ■
①	2	Flash ★

NEW !
2019



ITL071W

◆	0,90m	Slowflash - Stars
◆	4,60m	
■	-	
⚡	50W	LED ●
☒	12,8kg	BIO ■
①	2	Flash ★

NEW !
2019



ITL080W

◆	1,00m	Slowflash - Stars
◆	3,00m	
■	-	
⚡	55W	LED ●
☒	12,2kg	BIO ■
①	1	Flash ★



ITL060

◆	0,65m	LED ●
◆	3,90m	
■	-	
⚡	70W	BIO ■ ■
☒	11,4kg	Flash ★
①	1	



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



ITL045W

◆	1,24m	Flash
◆	3,76m	
■	-	
⚡	120W	LED ● ●
☒	13,0kg	BIO ■ ■
①	3	Flash ★



IPL043R

◆	1,30m	
◆	-	
■	0,90m	Slowflash
⚡	51W	LED ● ●
☒	12,0kg	BIO ■ ■
①	1	Flash *



IPL043W

◆	1,30m	
◆	-	
■	0,90m	Flash
⚡	51W	LED ●
☒	12,0kg	BIO ■
①	1	Flash *



IPL043B

◆	1,30m	
◆	-	
■	0,90m	Slowflash
⚡	51W	LED ● ●
☒	12,0kg	BIO ■ ■
①	1	Flash *



NEW!
2019

IPL071W

◆	2,30m	
◆	-	
■	0,90m	Slowflash - Stars
⚡	30W	LED ●
☒	6,4kg	BIO ■
①	1	Flash *



NEW!
2019

IPL070R

◆	2,00m	
◆	-	
■	0,90m	Slowflash - Stars
⚡	35W	LED ● ●
☒	5,6kg	BIO ■ ■
①	1	Flash *



TGL400LW

◆	1,00m	
◆	1,00m	
■	1,00m	Flash
⚡	100W	LED ● ●
☒	15,4kg	BIO -
①	2	Flash *



TGL400LB

◆	1,00m	
◆	1,00m	
■	1,00m	Flash
⚡	100W	LED ● ●
☒	15,4kg	BIO -
①	2	Flash *



TGL400LR

◆	1,00m	
◆	1,00m	
■	1,00m	Flash
⚡	100W	LED ● ●
☒	15,4kg	BIO -
①	2	Flash *



TGL400LG

◆	1,00m	
◆	1,00m	
■	1,00m	Flash
⚡	100W	LED ● ●
☒	15,4kg	BIO -
①	2	Flash *



NEW!
2019

IPL086W

◆	1,31m	
◆	-	
■	1,57m	Slowflash
⚡	25W	LED ●
☒	4,6kg	BIO ■
①	1	Flash *

NEW !
2019



ITL076W

◆	1,00m	
◆	6,00m	Slowflash - Xled
■	-	
⚡	140W	LED ● ●
☒	20,2kg	BIO ■
ⓘ	2	Flash *



ITL055R

◆	0,75m	
◆	4,00m	Slowflash
■	-	
⚡	105W	LED ● ●
☒	15,5kg	BIO ■
ⓘ	2	Flash *



TL241W

◆	1,50m	
◆	6,00m	Flash
■	-	
⚡	90W	LED ●
☒	23,0kg	BIO ■
ⓘ	3	Flash *

● TL241
● TL241R



TL252W

◆	1,20m	
◆	4,60m	Flash
■	-	
⚡	145W	LED ● ●
☒	24,0kg	BIO -
ⓘ	2	Flash *

● TL252
● TL252R



TL242W

◆	1,30m	
◆	4,00m	Flash
■	-	
⚡	110W	LED ● ●
☒	18,4kg	BIO -
ⓘ	2	Flash *

● TL242
● TL242R



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



PL241W

◆	3,10m	
◆	-	Flash
■	0,70m	
⚡	35W	LED ● ●
☒	7,0kg	BIO -
①	1	Flash *

● PL241
● PL241R



PL255W

◆	2,30m	
◆	-	Flash
■	1,20m	
⚡	50W	LED ● ●
☒	9,0kg	BIO -
①	1	Flash *

● PL255
● PL255R



PL242W

◆	2,30m	
◆	-	Flash
■	1,00m	
⚡	47W	LED ● ●
☒	8,8kg	BIO -
①	1	Flash *

● PL242
● PL242R



IPL055R

◆	2,05m	
◆	-	Slowflash
■	0,80m	
⚡	55W	LED ● ●
☒	7,5kg	BIO -
①	1	Flash *

NEW !
2019



IPL076W

◆	3,00m	
◆	-	Slowflash - Xled
■	1,00m	
⚡	70W	LED ● ●
☒	10,0kg	BIO -
①	1	Flash *



PL256W

◆	1,20m	
◆	-	Flash
■	0,60m	
⚡	15W	LED ● ●
☒	3,2kg	BIO -
①	1	Flash *

● PL256
● PL256R



PL257W

◆	1,60m	
◆	-	Flash
■	0,93m	
⚡	15W	LED ● ●
☒	2,8kg	BIO -
①	1	Flash *

● PL257
● PL257R



TGL139W

◆	1,50m	
◆	1,50m	
■	1,50m	
⚡	120W	LED ● ●
☒	18,0kg	BIO -
①	1	Flash *

● TGL139
● TGL139R



ITL014

◆	1,20m	
◆	0,90m	
■	-	
⚡	30W	LED ● ●
☒	3,4kg	BIO -
①	1	Flash -

NEW !
2019



IPL085W

◆	1,50m	
◆	-	Slowflash - Stars
■	0,60m	
⚡	35W	LED ● ●
☒	4,2kg	BIO -
①	1	Flash *

2D spheres



ITL053B



ITL053R



ITL053



ITL053W



ITL052B



ITL052R



ITL052



ITL052W



ITL051B



ITL051R



ITL051




ITL051W

Ref	◆	◆	■	⚡	⊠	①	Anim	LED	BIO	Flash
ITL051	0,30m	0,30m	-	5W	1,0kg	1	Flash	●	■	✴
ITL051B	0,30m	0,30m	-	5W	1,0kg	1	Slowflash	●	■	✴
ITL051R	0,30m	0,30m	-	5W	1,0kg	1	Slowflash	●	■	✴
ITL051W	0,30m	0,30m	-	5W	1,0kg	1	Slowflash	●	■	✴
ITL052	0,60m	0,60m	-	10W	1,6kg	1	Flash	●	■	✴
ITL052B	0,60m	0,60m	-	10W	1,6kg	1	Slowflash	●	■	✴
ITL052R	0,60m	0,60m	-	10W	1,6kg	1	Slowflash	●	■	✴
ITL052W	0,60m	0,60m	-	10W	1,6kg	1	Slowflash	●	■	✴
ITL053	1,00m	1,00m	-	20W	3,2kg	1	Flash	●	■	✴
ITL053B	1,00m	1,00m	-	20W	3,2kg	1	Slowflash	●	■	✴
ITL053R	1,00m	1,00m	-	20W	3,2kg	1	Slowflash	●	■	✴
ITL053W	1,00m	1,00m	-	20W	3,2kg	1	Slowflash	●	■	✴

3D foldable spheres (for an optimized storage)

Available in **blue, red, green, pink** LED, on request.
Also available in glitter finish.



TGL72LWW



TGL72LW



TGL71LWW



TGL71LW



TGL70LWW



TGL70LW



Info on the Switch PRX-B01 option enabling the user to manage switching on and programming



Ref	◆	◆	■	⚡	⊠	①	Anim	LED	BIO	Flash
TGL70LW	0,60m	0,60m	0,60m	30W	4,0kg	1	Flash	●	-	★
TGL70LWW	0,60m	0,60m	0,60m	30W	4,0kg	1	Flash	●	-	★
TGL71LW	1,00m	1,00m	1,00m	75W	10,9kg	1	Flash	●	-	★
TGL71LWW	1,00m	1,00m	1,00m	75W	10,9kg	1	Flash	●	-	★
TGL72LW	1,60m	1,60m	1,60m	165W	24,8kg	1	Flash	●	-	★
TGL72LWW	1,60m	1,60m	1,60m	165W	24,8kg	1	Flash	●	-	★

SilC

Smart illumination Control®



Control your illuminations with Silc !
Program your periods and schedules of lighting,
throughout the year.
Choose the color and the animation of your decorations
or garlands, according to your desires!

Three possibilities are offered to you :

- « Switch » option
- « Cameleon option for RGB motifs »
- « Cameleon option for RGB garlands »

For further information, please contact our sales
department.
+33 413 068 002.



SWITCH for all sorts of motifs



1 Fit out
motifs with
PRX-B01 box.

2 Download the app
Switch on your
smartphone and
sign in

3 Simply sort
the groups
for your lighting
installations by
street or
district.

4 Program the days
and times you want
your lights be
switched on.



What I do need for my project




40m max.



- RGB box for all motifs
PRX-B01
- Download Switch App.
AppStore & GooglePlay



CAMELEON for RGB motifs



1 Choose
RGB motifs
p52-53


2 Download the app
on your
smartphone
(Switch or
Cameleon)
and sign in

3 Simply sort
the groups
for your lighting
installations by
street or
district.

4 Program the days
and times you
want
your lights to
switch on, as well
as their colour and
animation!



What I do need for my project



40m max.

- **RGB motifs** p52-53
- Download Cameleon App.
AppStore & GooglePlay

CAMELEON for RGB garlands



1 Choose
RGB garland
p111


2 Download the app
on your
smartphone
(Switch or
Cameleon)
and sign in

3 Simply sort
the groups
for your lighting
installations by
street or
district.

4 Program the days
and times you want
your lights to
switch on, as well
as their colour and
animation!



What I do need for my project



40m max.

- **RGB garlands**
FL525 p 111
- **PRX10RGB** box p111
- Download Cameleon App.
AppStore & GooglePlay

RGB range



GX060RGB



SL006RGB



SLED18RGB



GX201LRGB

Ref	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
GX060RGB	5,00m	2,40m	2,40m	450W	182,4kg	17	RGB	RGB	-	-
SL006RGB	5,00m	3,00m	3,00m	215W	59,0kg	3	Stars - RGB	RGB	■	-
SLED18RGB	3,00m	1,15m	1,15m	135W	24,4kg	2	RGB	RGB	■	-
GX201LRGB	3,50m	1,20m	1,20m	85W	51,0kg	2	RGB	RGB	-	-



TL239RGB



TL240RGB



TL238RGB



TL246RGB



PL239RGB



PL245RGB



PL248RGB



PL253RGB



PL247RGB



TGL71LRGB

Ref	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
PL239RGB	3,00m	-	1,05m	84W	9,4kg	1	RGB	RGB	■	-
PL245RGB	2,00m	-	0,80m	52W	5,2kg	1	RGB	RGB	■	-
PL247RGB	1,57m	-	1,10m	30W	4,0kg	1	RGB	RGB	■	-
PL248RGB	2,30m	-	1,00m	55W	8,4kg	1	Stars - RGB	RGB	-	-
PL253RGB	1,20m	-	0,60m	18W	3,2kg	1	RGB	RGB	-	-
TGL71LRGB	1,00m	1,00m	1,00m	75W	10,9kg	1	RGB	RGB	-	-
TL238RGB	0,60m	4,60m	-	144W	17,0kg	2	RGB	RGB	-	-
TL239RGB	1,05m	6,00m	-	200W	20,0kg	2	RGB	RGB	■	-
TL240RGB	0,90m	6,00m	-	132W	21,0kg	2	Stars - RGB	RGB	-	-
TL246RGB	1,10m	4,00m	-	93W	15,0kg	2	Stars - RGB	RGB	-	-

The NORDIKA Christmas tree better than a real one!

Did you know that the oldest tree in the world is a Christmas tree?
It is just 4 metres tall, is called "Old Tjikko" and has been growing in Sweden for 9955 years!!!

A real Christmas tree takes **30 to 40 years to grow to 12 metres.**

By selecting our Nordika trees which can be used again and again, you can help stop such forty-year-old real trees having to be felled. **Our trees come pre-lit with a SlowGlow effect, are easy to put up and store away, and make perfect replicas** of their real cousins thanks to their design and **realistic look.**

With additional options including tree toppers, non-light decorations, lighting and stands, you can choose a new theme every year.

Be eco-friendly and choose the Nordika Christmas tree solution!!!



REALISTIC CHRISTMAS TREE BRANCHES



WOOD-EFFECT TRUNK



WOOD STAND AVAILABLE



AVAILABLE IN 5m, 8m and 12m

Wood stand available - ballast not included

5m



GX081LW

◆	5,00m	
◆	3,56m	Anim
◆	3,56m	
⚡	235W	LED
☒	257,0kg	BIO
1	42	Slowglow

8m



GX082LW

◆	8,00m	
◆	4,70m	Anim
◆	4,70m	
⚡	770W	LED
☒	1 112kg	BIO
1	107	Slowglow

12m



GX083LW

◆	12,00m	
◆	5,90m	Anim
◆	5,90m	
⚡	1 870W	LED
☒	2 750kg	BIO
1	194	Slowglow

innovation

Integrate **PLAYMAGIC** **Augmented reality** to your illuminations !

Offer your visitors a **whole world of games combining virtual and real worlds** for an **extraordinary entertainment experience** !

The concept is simple:

A universe of interactive 3D games featuring our virtual Blachère characters is superimposed over your lighting displays via
an easy-to-use mobile app, inspired by the town,
accessed by scanning the marker placed among the illuminations!

The game mobile app proposed is **subscription-based**
during the illuminations period,
with games updates each year.

Benefits of this service:

- Offer your visitors a uniquely entertaining experience thereby promoting an **image of the town as being connected, innovative and ahead of the game.**
- **Boost** your festive illuminations by attracting more and more visitors and **bringing the town centre to life.**
- **Create a buzz!** The app is stamped with the town's logo and **connected to social media**, ensuring greater web presence and making **your posts reach a wider audience. Free PR for the town**, aiming to increase the number of visitors.

Réf AR001 :

3 games pack (chosen from the five existing games) + Terminal

Réf AR002 :

5 games Pack + Terminal

Réf ARTOT01 :

Additional terminal

ARCOM :

Communication Pack for augmented reality

For further information and your customised projects, contact
our sales team **+33 (0)4 13 06 80 04**

#1 I scan
the QR code on the marker



Visitors **scan** the QR code with their mobile **the target on the marker** situated opposite **lighting motifs**.

The marker is **completely autonomous**, easy to set up and doesn't need **any connection**.

#2 I play in augmented reality



Free public access to the **interactive games application** stamped with **the logo of the town**, the app will only work **in the area surrounding the illuminations**.

Before, the town will have chosen **number of available games** and **illuminations areas** where visitors will be able to live **the augmented reality experience**.

#3 I share on social media



Users can **share** their photos on **social medias** increasing **web presence** of your **illuminations projects** and ensuring **free advertising**.



See the video



GX313L-A

◆	4,00m	
◆	3,80m	Anim
◆	3,80m	
⚡	330W	LED ●
☒	170,0kg	BIO -
①	4	Flash *



GX816L-A

◆	2,00m	
◆	1,90m	Anim
◆	1,90m	
⚡	77W	LED ●
☒	75,0kg	BIO -
①	2	Flash *



GX046L-A

◆	3,00m	
◆	2,00m	Anim
◆	1,16m	
⚡	80W	LED ● ●
☒	56,0kg	BIO -
①	4	Flash *



GX324L-A

◆	4,00m	
◆	3,02m	Anim
◆	2,49m	
⚡	160W	LED
☒	125,0kg	BIO
ⓘ	3	Flash



GX325L-A

◆	4,00m	
◆	2,97m	Anim
◆	2,17m	
⚡	165W	LED
☒	128,0kg	BIO
ⓘ	5	Flash

interactivity

Play with light
and create a buzz!

This year, we have an entire range of interactive designs which can be installed in towns or shopping centres, captivating both adults and children:

- interactive arches with motion sensors
- animated scenes
- giant characters with remote control

The idea is simple: select an animation on the remote control and the character comes to life with sound and light.

By making lighting interactive, passers-by take the time to stop and play with the characters and take control of the illuminations.

Thousands of photos and selfies are
shared on social media.

By creating a buzz, visitors increase, coming to discover the illuminations and enjoy an unforgettable lighting experience.



Your FanPages on social media will rack up the views, and you'll gain more and more likes.

Free communication
for your town
at the click
of a mouse.



Ref	◆	◆	■	↶	✉	①	Anim	LED	BIO	Flash
SC001	2,20m	2,60m	-	188W	27,4kg	1	Flash - Stars	●	-	★
SC002	2,20m	2,05m	-	88W	24,3kg	1	Flash - Xled	●●	-	★
SC003	2,20m	2,91m	-	66W	26,4kg	1	Flash - Stars	●●	-	★
SC004	1,60m	1,84m	-	81W	16,0kg	1	Flash	●●	-	★
SC005	1,70m	1,08m	-	41W	8,6kg	1	Flash	●	-	★
SC006	1,60m	1,29m	-	65W	11,8kg	1	Flash	●●	-	★
SC007	1,00m	1,81m	-	53W	10,3kg	1	Stars - Comet	●	-	-
SC008	1,10m	0,86m	-	15W	6,6kg	1	Comet	●●	-	-
SC009	1,10m	0,86m	-	15W	6,6kg	1	Comet	●●	-	-
SC010	1,10m	0,86m	-	15W	6,6kg	1	Comet	●●	-	-
SC011	1,50m	0,87m	-	42W	9,0kg	1		●	-	-
SC012	1,48m	0,65m	0,65m		19,7kg	1		-	-	-
SC013	1,48m	0,65m	0,65m		19,7kg	1		-	-	-

background



SC001



SC002




SC003

foreground



SC004



SC005



SC006



SC011



SC007



SC008



SC009




SC010

controls



SC012



SC013



NEW !
2019



GX070LR



SL019R

Ref	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
GX070LR	3,90m	3,60m	3,30m	253W	229,0kg	20	Flash	● ●	■ ■	✱
SL019R	2,75m	3,00m	2,24m	200W	190,0kg	5	Flash	● ●	■	✱

interactive arches


with presence detector



SL015



SL016



SL017



SL018

Ref	◆	◆	■	↶	☒	①	Anim	LED	BIO	Flash
SL015	4,50m	3,80m	-	115W	126,0kg	9	Flash	● ●	-	✴
SL016	4,55m	4,50m	-	65W	130,0kg	8	Flash	●	-	✴
SL017	4,80m	5,15m	-	310W	108,0kg	7	Flash - Comet	● ●	-	✴
SL018	4,60m	4,50m	-	360W	125,0kg	9	Flash - Comet	● ●	□	✴



#PLAY
MAGIC

See p56

GX025L

GX020L

SL019R

GX018L

GX019L

Ref	nom	◆	◆	■	↵	☒	①	Anim	LED	BIO	Flash
GX018L	Xmas alien	1,50m	1,27m	0,80m	25W	24,5kg	1		●	-	-
GX019L	Xmas cyclope	1,50m	1,22m	0,92m	35W	27,0kg	1		●	-	-
GX020L	Xmas robot	2,40m	1,88m	0,70m	65W	56,0kg	3		●	-	-
GX025L	Xmas fusée	2,45m	1,20m	1,20m	85W	50,0kg	1	Stars	●	-	-
SL019R		2,75m	3,00m	2,24m	200W	190,0kg	5	Flash	● ●	■	✴



Ref	nom	◆	◆	■	↵	☒	①	Anim	LED	BIO	Flash
GX039L	cheminée	2,20m	2,40m	0,70m	95W	56,0kg	1	Flash	●	-	☀
GX046L-A	mister HoHoHo	3,00m	2,00m	1,16m	80W	56,0kg	3	Anim - Flash	● ●	-	☀
GX046L	mister HoHoHo	3,00m	2,00m	1,16m	80W	56,0kg	3		● ●	-	-
GX321L	cheval à bascule 3D	1,80m	1,00m	2,00m	65W	44,5kg	1		●	-	-
GP-TRONE 1	Voir / See p91										



Ref	nom	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
GX031L	igloo 3D	1,20m	2,30m	2,20m	60W	28,0kg	1		●	-	-
GX047L	skate	2,30m	1,95m	1,10m	40W	44,0kg	1		● ●	-	-
GX204L	funky pingoo	1,60m	1,20m	0,60m	20W	19,0kg	1		● ●	-	-
GX205L	daddy bear	1,50m	2,20m	0,70m	25W	27,0kg	1		●	-	-
GX206L	baby bear	1,50m	1,40m	1,30m	40W	30,4kg	1		●	-	-
GX819L	père Noël debout 3D gm	3,50m	2,01m	1,31m	200W	88,0kg	2		● ●	-	-

GX324L
GX324L-A

GX009

GX823L

GX831L

GX003T-L

#PLAYMAGIC

See p56

Ref	nom	◆	◆	■	↵	☒	①	Anim	LED	BIO	Flash
GX003T-L	traineau mm	1,25m	2,80m	1,10m	305W	55,0kg	1		●●	-	-
GX009	renne bondissant	2,10m	2,30m	0,90m	87W	27,6kg	1		●	-	-
GX324L	pingoo	4,00m	3,02m	2,49m	160W	95,5kg	2	Flash	●●●	-	★
GX324L-A	pingoo animé	4,00m	3,02m	2,49m	160W	125,0kg	3	Anim	●●●	-	★
GX823L	floody 3D	2,00m	1,10m	1,10m	75W	34,5kg	1		●●●	-	-
GX831L	renne blanc pur gm 3D	3,00m	2,00m	0,84m	200W	36,0kg	2		●	-	-

trees & life-size collection
interactive

TREES & LIFE-SIZE COLLECTION - INTERACTIVE - 67



**#PLAY
MAGIC**

See p56



Ref	nom	◆	◆	■	↵	☒	①	Anim	LED	BIO	Flash
GX045L	santa cheminée	3,00m	2,25m	2,00m	100W	100,0kg	2		●	■	-
GX312L	cerf toons 3D	2,50m	1,40m	1,00m	45W	26,5kg	3		●	-	-
GX816L	teddy bear royal opéra 3D	2,00m	1,90m	1,90m	70W	45,0kg	1		●●	-	-
GX834L	traîneau du père Noël	1,34m	2,10m	1,20m	40W	80,0kg	1		●	-	-
SL005W	bjork tree blanc chaud	5,00m	3,30m	3,30m	100W	205,0kg	7	Flash	●	-	✱



Ref	nom	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
GX308L	boîte aux lettres	2,00m	0,90m	0,90m	180W	43,5kg	1	Flash - Stars	●	-	★
GX316L	monsieur pain d'épice 3D	1,84m	1,64m	0,20m	50W	26,0kg	1		●	-	-
GX317L	madame pain d'épice 3D	1,97m	1,35m	0,26m	45W	23,8kg	1		●	-	-
GX818L	père Noël carnagy 3D	3,50m	1,70m	1,70m	120W	63,0kg	2	Stars	●	-	-
PUPITRE1	voir p 60										



**#PLAY
MAGIC**

See p56



Ref	nom	◆	◆	■	↵	☒	①	Anim	LED	BIO	Flash
GX210LW	banc starlight	0,90m	2,35m	0,90m	30W	34,0kg	1	Flash	●	-	★
GX325L	rennoo 3D	4,00m	2,97m	2,17m	165W	96,0kg	4	Flash	●	-	★
GX325L-A	rennoo 3D animé	4,00m	2,97m	2,17m	165W	128,0kg	5	Anim	●	-	★
GX827L	marmotte et ski 3D	4,00m	2,60m	2,88m	140W	119,5kg	4		●	-	-
SL018	arche bonhomme de neige	4,60m	4,50m	-	360W	125,0kg	9	Flash - Comet	● ●	□	★



Ref	nom	◆	◆	■	↵	☒	①	Anim	LED	BIO	Flash
GX208L	princesse Xmas 3D	2,25m	2,20m	1,40m	40W	29,5kg	1	Flash	● ●	-	★
GX209L	prince Xmas 3D	2,25m	0,80m	0,60m	30W	21,5kg	1		● ●	-	-
GX211L	trône de Noël	2,20m	1,05m	1,00m	30W	50,0kg	1		● ●	-	-
GX322L	teddy 3D blanc et or	4,00m	3,80m	3,80m	330W	170,0kg	4		● ●	-	-
GX323L	letterbox	3,00m	1,33m	1,23m	100W	46,0kg	2	Flash	●	-	★
GX323L-A	letterbox animé	3,00m	1,33m	1,23m	110W	46,0kg	2	Anim	●	-	★

green range

elegance and tradition



GSV140B + FML180



GSV140 + FML180W

Ref	◆	◆	■	↺	☒	❶	Anim	LED	BIO	Flash
GSV140	1,40m	0,60m	0,60m	-	15kg	2	-	-	-	-
GSV140B	1,40m	0,60m	0,60m	-	15kg	2	-	-	-	-
FML180	rideau microLED à piles (non fournies) / microLED curtain on batteries (not included) - 4,5V - câble argent / silver cable							162 ●		18 ✨
FML180W	rideau microLED à piles (non fournies) / microLED curtain on batteries (not included) - 4,5V - câble vert / green cable							162 ●		18 ✨
SLED04	3,00m	1,17m	1,17m	100W	85,0kg	3		●	-	-
SLED05	3,00m	1,17m	1,17m	100W	85,0kg	3		●	-	-
SND02	5,00m	2,45m	2,45m	410W	190,0kg	4	Stars	● ●	-	-
SV500-L	5,00m	2,45m	2,45m	270W	283,0kg	4		●	-	-
SV1000-L	10,00m	4,90m	4,90m	952W	1 000,0kg	25		●	-	-



Find our green
garlands
p. 166/167



SND02



SLED05



SLED04 / SV500-L / SV1000-L



SLED014 / SLED015




SLED017G



SLED017BL

Ref	nom	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
SLED014	sapin étoile petit modèle	3,00m	1,30m	1,30m	105W	23,0kg	2	Flash	● ●	-	★
SLED015	sapin étoile grand modèle	5,00m	2,45m	2,45m	245W	87,5kg	4	Flash	● ●	-	★
SLED017BL	sapin tye and die bleu	5,00m	2,45m	2,45m	190W	87,0kg	4	Flash - Stars	● ●	-	★
SLED017G	sapin tye and die or	5,00m	2,45m	2,45m	190W	87,0kg	4	Flash - Stars	● ●	-	★



● SLED018L ● SLED18LB
● SLED18LR ● SLED18LW



SLED013G



SLED013R

Ref	nom	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
SLED013G	sapin clarté or	3,00m	1,15m	1,15m	40W	25,0kg	2	Flash - Stars	●	-	★
SLED013R	sapin clarté rouge	3,00m	1,15m	1,15m	40W	25,0kg	2	Flash - Stars	●	-	★
SLED018L	sapin liberty	3,00m	1,15m	1,15m	133W	24,4kg	2	Flash	●	■	★



SL005W



SL005



SL031



SL022W



SL026

Ref	nom	◆	◆	■	↶	☒	①	Anim	LED	BIO	Flash
SL005	bjork tree blanc pur	5,00m	3,30m	3,30m	100W	205,0kg	7	Flash	●	-	★
SL005W	bjork tree blanc chaud	5,00m	3,30m	3,30m	100W	205,0kg	7	Flash	●	-	★
SL022W		3,00m	2,40m	2,40m	120W	54,0kg	4	Flash	●	■	★
SL026		3,00m	2,40m	2,40m	300W	44,0kg	4	Flash	●	■	★
SL031		3,00m	2,40m	2,40m	70W	32,0kg	4	Flash	●	■	★





● SL006B
● SL006

● SL006W



SL024



SL025B

Ref	nom	◆	◆	■	↶	☒	①	Anim	LED	BIO	Flash
SL009W	sapin supernova blanc chaud	5,40m	3,00m	3,00m	140W	82,0kg	4	Flash	● ●	■	★
SL006B	sapin des neiges bleu	5,00m	3,00m	3,00m	215W	59,0kg	3	Flash - Stars	● ●	■	★
SL024		2,05m	1,68m	1,68m	90W	25,4kg	5	Flash	●	■	★
SL025B		2,00m	1,56m	1,56m	110W	24,8kg	4	Flash - Stars	● ●	■	★



GX060L / GX161L



GX120L



GX060L-W / GX161L-W



SLED010W

Ref	nom	◆	◆	■	↶	☒	①	Anim	LED	BIO	Flash
GX060L	sapin sphères 3D mm blanc pur	5,00m	2,40m	2,40m	360W	199,0kg	17		●	-	-
GX060L-W	sapin sphères 3D mm blanc chaud	5,00m	2,40m	2,40m	360W	199,0kg	17		●	-	-
GX161L	sapin sphères pliables 3D gm	10,00m	5,00m	5,00m	850W	650,0kg	64		●	-	-
GX161L-W	sapin sphères pliables 3D gm	10,00m	5,00m	5,00m	850W	650,0kg	64		●	-	-
GX120L		5,00m	2,30m	2,30m	220W	165,0kg	24		●	-	-
SLED010W		7,50m	3,40m	3,40m	302W	146,0kg	13	Flash	●	-	✴



GX001-L



GX001-LW



GX863L / GX864L



GX300L




GX015-L / GX015-LW / GX015-LN

Ref	nom	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
GX001-L	arbre géant blanc pur 3D	5,00m	5,00m	5,00m	315W	206,0kg	51		●	-	-
GX001-LW	arbre géant blanc chaud 3D	5,00m	5,00m	5,00m	315W	206,0kg	51		●	-	-
GX015-L	arbre 3D blanc pur mm	3,50m	1,95m	1,95m	55W	32,8kg	2		●	-	-
GX015-LN	arbre 3D blanc pur mm	3,50m	1,95m	1,95m	55W	32,8kg	2		●	-	-
GX015-LW	arbre 3D blanc chaud mm	3,50m	1,95m	1,95m	55W	32,8kg	2		●	-	-
GX863L	sapin cristal mm	5,76m	3,03m	3,03m	410W	210,0kg	47	Flash	●	-	★
GX864L	sapin cristal gm	10,76m	5,05m	5,05m	1 050W	580,0kg	101	Anim - Flash	●	-	★
GX300L	arbre mille éclats 3D	4,00m	4,00m	4,00m	150W	84,0kg	27	Comet	●	-	-




Ref	nom	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
GX203LW	fontaine bellagio	4,00m	4,00m	4,00m	200W	140,0kg	14	Flash	●	-	☀
SL023W	fontaine volutes	1,96m	3,43m	3,43m	280W	52,2kg	4	Flash	● ●	■	☀
SL027W	fontaine étoiles	1,96m	3,43m	3,43m	220W	53,6kg	4	Flash	● ●	■	☀
SLD144	jets d'eau	3,12m	5,00m	5,00m	415W	130,0kg	12	Comet	●	-	-



SLD144



SL023W



SL027W



NEW !
2019

GX016LW



● GX202LW ● GX202L ● GX202LR



SL300




SLD147 / VLD147





● GX201L ● GX201LR ● GX201LB ● GX201LW

Ref	nom	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
GX016LW		3,52m	5,00m	5,00m	524W	180,0kg	16	Flash - Xled	● ●	■	★
GX201L	spiralite	3,50m	1,20m	1,20m	55W	51,0kg	2	Flash	●	-	★
GX202LW	serpentine	4,00m	1,60m	1,60m	132W	35,0kg	9	Flash	● ●	-	★
SL300	ellipse Xled tube 3D	3,00m	1,20m	1,20m	75W	33,4kg	2	Xled	●	-	★
SLD147	fontaine alpage sur socle	3,00m	3,06m	3,06m	150W	51,2kg	3	Stars - Comet	● ●	-	★
VLD147	fontaine alpage sur poteau	3,00m	3,06m	3,06m	150W	53,0kg	3	Stars - Comet	● ●	-	★





GX085LW



GX017L

Ref	nom	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
GX017L	lanterne	2,00m	1,00m	1,00m	85W	37,0kg	1	Flash	● ●	■ ■	★
SL012	arche boule de Noël pm	1,30m	2,50m	-	25W	8,0kg	1	Flash	●	-	★
SL012W	arche boule de Noël pm	1,30m	2,50m	-	25W	8,0kg	1	Flash	●	-	★
SL013	arche boule de Noël gm	2,00m	3,50m	-	45W	9,0kg	1	Flash	●	-	★
SL013W	arche boule de Noël gm	2,00m	3,50m	-	45W	9,0kg	1	Flash	●	-	★
SL028R	boule de Noël rouge	1,90m	2,00m	2,00m	300W	42,0kg	4	Flash - Stars	● ● ●	■	★
GX085LW	carrousel	3,00m	2,40m	2,40m	170W	72,0kg	7	Flash	● ●	■ ■	★



Ref	nom	◆	◆	■	⚡	☒	①	Anim	LED	BIO	Flash
GX327L	boule de Noël 3D	1,10m	1,00m	1,00m	25W	7,2kg	1	Flash	○	-	⚡
GX327LW	boule de Noël 3D	1,10m	1,00m	1,00m	25W	7,2kg	1	Flash	●	-	⚡
GX207L	paquet cadeau RGB	1,00m	0,60m	0,60m	40W	8,5kg	1	Flash - RGB	RGB	-	⚡
GX326LB	cadeau bleu 3D	1,00m	1,20m	0,73m	20W	8,8kg	1		○ ●	-	-
GX326LG	cadeau rouge 3D	1,00m	1,20m	0,73m	20W	8,8kg	1		● ●	-	-
GX326LV	cadeau vert 3D	1,00m	1,20m	0,73m	20W	8,8kg	1		●	-	-
GX835BL	paquet cadeau bleu 3D	1,20m	0,90m	0,90m	80W	17,0kg	1		●	-	-
GX835RL	paquet cadeau rouge 3D	1,20m	0,90m	0,90m	80W	17,0kg	1		●	-	-
GX835VL	paquet cadeau vert 3D	1,20m	0,90m	0,90m	80W	17,0kg	1		●	-	-
PUPITRE1	pupitre buzzer personnalisable	1,00m	0,40m	0,40m			1		-	-	-



Ref	◆	ø	①
① GP130	1,00m	-	● 2
② GP131	1,00m	-	● 2
③ GP132	0,50m	-	● 2
④ GP133	0,50m	-	● 2
⑤ B14-1	-	140 mm	● 16
⑥ B14-2	-	140 mm	● 16
⑦ B20-1	-	200 mm	● 9
⑧ B20-2	-	200 mm	● 9
⑨ B28-1	-	280 mm	● 2
⑩ B28-2	-	280 mm	● 2

Ref					①
GP500	White cotton carpet roll	30,00m	2,60m	-	○ 1
GP510R	red carpet roll	10,00m	2,00m	-	● 1
GP-TRONE1	Passive throne gold and red	1,90m	0,92m	0,84m	● ● 1
BARR01	Opera fence	1,20m	2,00m	-	○ 1
GP506-B	Fence in white pine tree	0,80m	1,80m	-	○ 1
JDK50R	Gold and red gift	0,55m	0,45m	0,45m	● ● 1
GPG200OR / GPG200BL / GPG200R		1,75 - 2,00m	-	-	- 1
GPG2175OR / GPG175BL / GPG175R		1,50 - 1,75m	-	-	- 1
GPG150OR / GPG150BL / GPG150R		1,25 - 1,50m	-	-	- 1
GPG125OR / GPG125BL / GPG125R		1,00 - 1,25m	-	-	- 1

Garlands

A unique range allowing you flexibility in your illumination project.

Our LEDs: first distributor of the LED technology in 2003 for festive lighting, we have unique experience in the conception and manufacturing management of our LEDs. Our state-of-the-art factories produce more than 150 million LEDs every year using our exclusive and patented manufacturing process.

Two qualities of LED are today available to fit to your needs:



latest innovation in 2016 by Blachere Illumination (+ light, + life span, + intensity, + efficiency).



our standard quality, the work horse of our range, luminous and stable.



Scan the QR codes in the catalogue to be taken straight to the digital version.

www.catainteractif.blachere-illumination.com

Our quality: color consistency and the use of quality materials carried out through long-standing partnership with the world leader in LED (Nichia Japan).

Our guarantee of safety : compliance with international standards and regular testing by independent laboratories.

Our environmental commitment : the constant review of our working practice for low energy consumption and a reduction of our carbon footprint.

Our innovations 2016 : to make our decorations interactive, to play with the illuminations by controlling them remotely, to constantly make our products more powerful and effective : this creativity and the innovation are placed at your service to give the user the optimum experience.

innovation

new **led+**

Exclusive Blachere Illumination

By considering practical use in their innovative designs, our R&D department have devised the all-new LED+ in both static and slowflash editions to **make your projects come alive!** Our new and exclusive LED range is the outcome of a long-term collaboration with Nichia®, the world leader in LEDs. The range is:

- + bright
- + robust
- + long-lasting
- + consistent in terms of colour


The new technical features of LED+:

► **Design is optimised and registered**
to promote the luminous efficiency of our product.

► **Thermal dissipation is maximised**
for longer LED life

► **Phosphorus deposit is controlled**
for a uniform lighting effect.

2 YEAR GUARANTEE









ledClassic

Garlands


Curtains

Stalactitlights

Sparklight® led+ garlands with slow flash



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... see page 182



product info

The brightest LED on the market !

New construction for optimized power.
More robust for a longer life.

Compatible with the entire LED+ range.


Power supply and connection options with the Octoplus by Blachere® accessories p182-183

2 YEAR GUARANTEE

Conditions: Contact us

► with slowflash


◆	LED	SLOWFLASH	P (W)	ca	□	■
20,00 m	108 ○	52 ☀	11,5	100m	FL590BF+	FL590F+
20,00 m	108 ●	52 ☀	11,5	100m	FL590WBF+	FL590WF+
20,00 m	108 ●	52 ☀	11,5	100m		FL590BLF+
20,00 m	108 ●	52 ☀	11,5	100m		FL590RF+
1,50m	230V power supply cable		690W max	see p182	FY08-B+	FY08+
0,30m	Bridge rectifier		690W max	see p182	FY043A-B+	FY043A+



Sparklight® led+ garlands static



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... see page 182



product info

The brightest LED on the market !

New construction for optimized power.
More robust for a longer life.

Compatible with the entire LED+ range.

Power supply and connection options with the Octoplus by Blachere® accessories p182-183

2 YEAR GUARANTEE

Conditions: Contact us

► static



◆	LED	P (W)	📏	□	■
20,00 m	160 ○	11,5	100m	FL590-B+	FL590+
20,00 m	160 ●	11,5	100m	FL590W-B+	FL590W+
20,00 m	160 ●	11,5	100m		FL590BL+
20,00 m	160 ●	11,5	100m		FL590R+
1,50m	230V power supply cable	690W max	see p182	FY08-B+	FY08+
0,30m	Bridge rectifier	690W max	see p182	FY043A-B+	FY043A+



Joylight® led+ curtains with slow flash



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... see page 182



► with slowflash

◆	◆	LED	SLOWFLASH	III	P (W)	ca	□	■
1,50 m	2,00 m	150 ○	60 ☀	15	17	27	FL74BF+	FL74F+
1,50 m	2,00 m	150 ●	60 ☀	15	17	27	FL74WBF+	FL74WF+
3,00 m	2,00 m	240 ○	120 ☀	15	25	18	FL70BF+	FL70F+
3,00 m	2,00 m	240 ●	120 ☀	15	25	18	FL70WBF+	FL70WF+
5,00 m	2,00 m	360 ○	180 ☀	15	65	9	FL75BF+	FL75F+
5,00 m	2,00 m	360 ●	180 ☀	15	65	9	FL75WBF+	FL75WF+
7,00 m	2,00 m	510 ○	240 ☀	15	70	9	FL72BF+	FL72F+
7,00 m	2,00 m	510 ●	240 ☀	15	70	9	FL72WBF+	FL72WF+
10,00 m	2,00 m	690 ○	360 ☀	15	80	8	FL79BF+	FL79F+
10,00 m	2,00 m	690 ●	360 ☀	15	80	8	FL79WBF+	FL79WF+
1,50m	230V power supply cable		see p182		690W max		FY08-B+	FY08+
0,30m	Bridge rectifier		see p182		690W max		FY043A-B+	FY043A+



product info

The brightest LED on the market !

New construction for optimized power.
More robust for a longer life.

Compatible with the entire LED+ range.

Power supply and connection options with the Octoplus by Blachere® accessories p182-183

2 YEAR GUARANTEE

Conditions: Contact us



led+

ledClassic

Garlands



Curtains

Stalactitlights

Joylight® led+ curtains static



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... see page 182



► static

◆	◆	LED	□	P (W)	□	□	■
1,50 m	2,00 m	210 ○	15	20	25	FL74-B+	FL74+
1,50 m	2,00 m	210 ●	15	20	25	FL74W-B+	FL74W+
3,00 m	2,00 m	360 ○	15	30	16	FL70-B+	FL70+
3,00 m	2,00 m	360 ●	15	30	16	FL70W-B+	FL70W+
5,00 m	2,00 m	540 ○	15	67	8	FL75-B+	FL75+
5,00 m	2,00 m	540 ●	15	67	8	FL75W-B+	FL75W+
7,00 m	2,00 m	750 ○	15	69	9	FL72-B+	FL72+
7,00 m	2,00 m	750 ●	15	69	9	FL72W-B+	FL72W+
10,00 m	2,00 m	1050 ○	15	77	9	FL79-B+	FL79+
10,00 m	2,00 m	1050 ●	15	77	9	FL79W-B+	FL79W+
1,50m	230V power supply cable		see p182	690W max		FY08-B+	FY08+
0,30m	Bridge rectifier		see p182	690W max		FY043A-B+	FY043A+



product info

The brightest LED on the market !

New construction for optimized power.
More robust for a longer life.

Compatible with the entire LED+ range.

Power supply and connection options with the Octoplus by Blachere® accessories p182-183

2 YEAR GUARANTEE

Conditions: Contact us





ledClassic

Garlands


Curtains

Stalactitlights

Stalactitlight® led+ with slow flash or static



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... see page 182



product info

The brightest LED on the market !

New construction for optimized power.
More robust for a longer life.

Compatible with the entire LED+ range.

Power supply and connection options with the Octoplus by Blachere® accessories p182-183

2 YEAR GUARANTEE

Conditions: Contact us



◆ max	◆	LED	SLOWFLASH	⌈⌋⌋	P (W)	🔌	□
▶ with slowflash							
0,80 m	4,50 m	120 ○	60 🌞	48	16	20	FL390BF+
0,80 m	4,50 m	120 ●	60 🌞	48	16	20	FL390WBF+
1,50m	230V power supply cable		see p182		690W max		FY08-B+
0,30m	Bridge rectifier		see p182		690W max		FY043A-B+
▶ static							
0,80 m	4,50 m	180 ○	-	48	16	20	FL390-B+
0,80 m	4,50 m	180 ●	-	48	16	20	FL390W-B+
1,50m	230V power supply cable		see p182		690W max		FY08-B+
0,30m	Bridge rectifier		see p182		690W max		FY043A-B+



Sparklight® EXTENDO led+ garland static



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+... type see page 182



► static

◆	LED	P (W)	☐	■	
4,00 m	80 ○	6	25	FL51+	
4,00 m	80 ●	6	25	FL51W+	
1,50m	230V power supply cable	690W max	see p182		FY08+
0,30m	Bridge rectifier	690W max	see p182	FY043A+	



product info

The garland which grows with the tree.

Less damage to your trees and the product thanks to the 'EXTENDO' led+ garland.

Compatible with the entire LED+ range.

Power supply and connection options with the Octoplus by Blachere® accessories p182-183


2 YEAR GUARANTEE

Conditions: Contact us



**ledClassic****Garlands** Curtains Stalactitlights Fil lumière Indoor Deco

Sparklight® garlands with flash or static



◆	LED	FLASH	P (W)			
▶ with flash						
20,00 m	90 ○	30	8	100m		512-FX
20,00 m	90 ●	30	8	100m		512W-FX
20,00 m	150 ○	50	15,5	100m	511B-FX	511-FX
20,00 m	150 ●	50	15,5	100m	510BW-FX	510W-FX
20,00 m	150 ●	50	15,5	100m		510B-FX
20,00 m	150 ●	50	15,5	100m		510R-FX
20,00 m	150 ●	50	15,5	100m		510P-FX
▶ 100% flash garland						
20,00 m	-	80	5	100m		510-FX
▶ static						
20,00 m	200 ○	-	15	100m	508-B	508
20,00 m	200 ●	-	15	100m	508W-B	508W
20,00 m	200 ●	-	15	100m		508B
20,00 m	120 ○	-	8	100m		512C
20,00 m	120 ●	-	8	100m		512CW



product info

Proven reliability

Can be divided into
2 sections of 10m

Increased number of flashing LEDs
on this range of garlands :

1 flashing LED out of 4 !


Quick-fit accessories, multi-socket
connectors, animation kit : see
pages 182-183



**ledClassic**

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Sparklight® 24V garlands with flash or static



◆	LED	FLASH	P (W)		■
▶ with flash					
20,00 m	168 ○	28 ☀	5	5	FL502-FX
20,00 m	168 ●	28 ☀	5	5	FL502W-FX
20,00 m	168 ●	28 ☀	5	5	FL502B-FX
20,00 m	168 ●	28 ☀	5	5	FL502R-FX
▶ static					
20,00 m	196 ●		5	5	501W



product info

Ensure the safety of your light decorations within reach of the public with this 24 volt range.





▶ static

◆	LED	P (W)		■
20,00 m	196 ●	5	5	501CW
Switch-mode power supply 24V dc 25W				PRTR24V

New : For a permanent installation within reach of public, use our 24V pro garland in rubber cable CW



RGB controllable garland (SiIC system)



product info

Customise the colour and animation of your trees,

According to month, week or for a particular event at any time of year.
For a tree of 8 to 10m :
-20 x FL525RGB twigs for 10 radians of 7m (2 x 3,50),
-one PRX10RGB box
-the SiIC cameleon application on you smartphone.
More info on the SiIC system on pages 88/89.

Maximum colour range thanks to RGB LED technology

◆	LED	P (W)	LED	■
3,75 m	25 RGB	7,5	2	FL525RGB


Cameleon Control box	No of outputs	No of pixels	P (W)	input voltage	output voltage	Ref
	10	10 x 50 = 500	150	230V	5V	PRX10RGB



Joylight® curtains with flash or static



◆	◆	LED	FLASH	III	P (W)	100	□
▶ with flash							
0,80 m	2,00 m	140 ○	28 ○	14	14	30	21CBFX
0,80 m	2,00 m	140 ●	28 ○	14	14	30	21CWBFX
1,50 m	2,00 m	210 ○	30 ○	15	15	25	24CBFX
1,50 m	2,00 m	210 ●	30 ○	15	15	25	24CWBFX
1,50 m	2,00 m	210 ●	30 ○	15	15	25	24CRFX
1,50 m	2,00 m	210 ●	30 ○	15	15	25	24CBLFX
3,00 m	2,00 m	420 ○	56 ○	14	33	16	20CBFX
3,00 m	2,00 m	420 ●	56 ○	14	33	16	20CWBFX
3,00 m	2,00 m	420 ●	56 ○	14	33	16	20CRFX
3,00 m	2,00 m	420 ●	56 ○	14	33	16	20CBLFX
5,00 m	2,00 m	900 ○	90 ○	15	55	12	25CBFX
5,00 m	2,00 m	900 ●	90 ○	15	55	12	25CWBFX
5,00 m	2,00 m	900 ●	90 ○	15	55	12	25CRFX
5,00 m	2,00 m	900 ●	90 ○	15	55	12	25CBLFX
7,00 m	2,00 m	1200 ○	120 ○	15	55	12	22CBFX
7,00 m	2,00 m	1200 ●	120 ○	15	80	8	22CWBFX
10,00 m	2,00 m	1350 ○	135 ○	15	84	8	29CBFX
10,00 m	2,00 m	1350 ●	135 ○	15	84	8	29CWBFX
▶ static							
1,50 m	2,00 m	342 ○	-	18	30	20	24C-B
1,50 m	2,00 m	342 ●	-	18	30	20	24CW-B
3,00 m	2,00 m	540 ○	-	18	35	15	20C-B
3,00 m	2,00 m	540 ●	-	18	35	15	20CW-B
5,00 m	2,00 m	900 ○	-	18	65	9	25C-B
5,00 m	2,00 m	900 ●	-	18	65	9	25CW-B
7,00 m	2,00 m	1080 ○	-	18	72	9	22C-B
7,00 m	2,00 m	1080 ●	-	18	72	9	22CW-B
10,00 m	2,00 m	1350 ○	-	18	58	10	29C-B
10,00 m	2,00 m	1350 ●	-	18	58	10	29CW-B



product info

Make your project dynamic with this product's flash animation.

Ideal for decorating facades
Trees or for cross-street motifs.


Up to 30 curtains on the same
power supply.

Compatible with the entire range

Power supply and connection
options with the Octoplus by
Blachere® accessories p182-183



ECO curtains static



► static

◆	◆	LED	□	P (W)	□	□
1,50 m	2,00 m	210 ○	15	16	18	ECO24C-B
1,50 m	2,00 m	210 ●	15	16	18	ECO24CW-B
3,00 m	2,00 m	360 ○	15	25	15	ECO20C-B
3,00 m	2,00 m	360 ●	15	25	15	ECO20CW-B
5,00 m	2,00 m	576 ○	16	40	12	ECO25C-B
5,00 m	2,00 m	576 ●	16	40	12	ECO25CW-B
7,00 m	2,00 m	750 ○	15	65	10	ECO22C-B
7,00 m	2,00 m	750 ●	15	65	10	ECO22CW-B
10,00 m	2,00 m	1050 ○	15	90	6	ECO29C-B
10,00 m	2,00 m	1050 ●	15	90	6	ECO29CW-B



product info

Unbeatable value for money with proven reliability

Ideal for decorating facades
Trees or for cross-street motifs.

Up to 30 curtains on the same
power supply.

This range is not compatible with
the Octoplus® by Blachere® ac-
cessories p 182/183.






ledClassic

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Joylight® 24V curtains with flash



► with flash

◆	◆	LED	FLASH	□	P (W)	□	□
3,00 m	2,00 m	300 ○	60 ✨	15	12,5	2	FL203-FX
3,00 m	2,00 m	300 ●	60 ✨	15	12,5	2	FL203W-FX
3,00 m	2,00 m	300 ●	60 ✨	15	12,5	2	FL203B-FX
3,00 m	2,00 m	300 ●	60 ✨	15	12,5	2	FL203R-FX
3,00 m	2,00 m	300 ●	60 ✨	15	12,5	2	FL203P-FX



product info

Increased number of flashing LEDs on this range of garlands with

1 flashing LED out of 5

Ensure the safety of the public with 24V range






ledClassic

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

"Scintillance Champs Elysées" curtains



product info

Recreate the most beautiful avenue in the world where ever you are !

Product and animation developed exclusively for the Champs Elysées now available for all our customers.

Blachère illumination official supplier of the « Champs Elysées » Committee


◆	◆	LED	FLASH	□	P (W)	□	□
7,00 m	2,10 m	456 ●	96 ☀	12	30	10	FL216W-CE



**ledClassic**

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Joylight® Slowglow curtains



◆	◆	LED Slowglow	□	P (W)	□	□
1,50 m	2,00 m	120 ○	15	16	13	24SG
1,50 m	2,00 m	120 ●	15	16	13	24WSG
3,00 m	2,00 m	180 ○	15	15	12	20SG
3,00 m	2,00 m	180 ●	15	15	12	20WSG
5,00 m	2,00 m	210 ○	15	17	12	25SG
5,00 m	2,00 m	210 ●	15	17	12	25WSG
7,00 m	2,00 m	225 ○	15	17	12	22SG
7,00 m	2,00 m	225 ●	15	17	12	22WSG
10,00 m	2,00 m	270 ○	15	15	13	29SG
10,00 m	2,00 m	270 ●	15	15	13	29WSG



product info

Very good value for money for a new type of animation, with a gentle falling snow falling effect.


Ideal for decorating your facades.

Compatible with the entire range.

Power supply and connection possibilities with the Octoplus by Blachere® accessories p182-183



Ceilings with flash and static



inox micro wire



product info

Cover up to 180 sqm on only one power supply, our economical solution !


The 24V/100w transformer for outdoor use supplied with the 414-fx and 414W-FX garlands allows two sets to be connected to a single transformer.

Each string is doubled with a micro steel wire for better resistance and range.


◆	◆	LED	FLASH	III	P (W)	III	■
▶ with flash							
30,00 m	2,00 m	588 ○	98 ☀	7	30	3	414-FX
30,00 m	2,00 m	588 ●	98 ☀	7	30	3	414W-FX
▶ static							
30,00 m	2,00 m	686 ○		7	30	3	414
30,00 m	2,00 m	686 ●		7	30	3	414W



Stalactitlight® with flash and static



352-FX / 352W-FX / 352R-FX / 352B-FX / 354-FX / 354W-FX
352 / 352W / 354 / 354W



353C / 353CW

◆	◆	LED	FLASH	⏏	P (W)	🔌	□
▶ with flash							
0,57 m	4,50 m	156 ○	48 ⚡	48	13	15	352-FX
0,57 m	4,50 m	156 ●	48 ⚡	48	13	15	352W-FX
0,57 m	4,50 m	156 ●	48 ⚡	48	13	15	352R-FX
0,57 m	4,50 m	156 ●	48 ⚡	48	13	15	352B-FX
1,00 m	4,50 m	180 ○	60 ⚡	36	12	15	354-FX
1,00 m	4,50 m	180 ●	60 ⚡	36	12	15	354W-FX
▶ static							
0,57 m	4,50 m	180 ○		48	12	15	352
0,57 m	4,50 m	180 ●		48	12	15	352W
1,00 m	4,50 m	240 ○		36	12	15	354
1,00 m	4,50 m	240 ●		36	12	15	354W
1,50 m	4,50 m	320 ○		32	16	15	353C
1,50 m	4,50 m	320 ●		32	16	15	353CW



product info

An absolute must since its creation, this product is a **best-seller** owing to its **reliability**.

New construction : Can be divided into 10m sections for greater adaptability.

Compatible with the entire range.


Power supply and connection possibilities with the Octoplus by Blachere® accessories p182-183



**ledClassic**

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Fir tree Stalactites with flash & decorations



◆	◆	LED	FLASH	⏏	P (W)	🔌	ø 140mm	□
0,57 m	4,50 m	156 ○	48 ✨	48	13	15	○	GP138L
0,57 m	4,50 m	156 ●	48 ✨	48	13	15	●	GP139L-W



Pack of 4	Pack of 4	Pack of 4	Pack of 4	Pack of 4	Pack of 4
DKOD-01	DKOD-02	DKOD-03	DKOD-04	DKOD-05	DKOD-06



product info

An animated and modular light decoration, ideal for decorating facades or cross-street motifs.

Decoration composed of a green or white christmas garland stalactite cross street motif with a choice of pendant motifs depending on the desired theme.

Pendant motifs in packs of 4.

Compatible with the entire range.


Power supply and connection possibilities with the Octoplus by Blachere® accessoires p182-183



Fil lumière® led+ (LED rope light)



1m / 50 Led



ø	LED	P (W)/roll	roll of 25m
13,00	50 Led au m ○	80	NLED51+
13,00	50 Led au m ●	80	NLED51W+
13,00	50 Led au m ●	80	NLED52+
13,00	50 Led au m ●	80	NLED54+
13,00	50 Led au m ●	75	NLED56+
13,00	50 Led au m ●	75	NLED57+
13,00	50 Led au m ●	80	NLED58+


Fil lumière® Platinum (LED rope light)



1m / 30 Led



inverted 320° LED cone vertical position



The use of inverted cone LED (see diagram) enables Blachère LED Garlands and Fil lumière products to offer exceptional luminosity

ø	LED	P (W)/m	roll of 50m
12,00	30 Led au m ○	4	NLEDU51
12,00	30 Led au m ●	4	NLEDU51W
12,00	30 Led au m ●	4	NLEDU52
12,00	30 Led au m ●	4	NLEDU53
12,00	30 Led au m ●	4	NLEDU54
12,00	30 Led au m ●	4	NLEDU56



product info

Fil lumière® LED+ and Platinum :

Ideal for highlighting facade.

Supplied with 3 special LED power supplies, 3 end caps, 3 connectors.
Strictly for professional use
Cannot be retailed in shops






ledClassic

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Sparklight® garlands



product info


The indoor range has been specially developed for indoor decoration, shopping centres, shops, reception lobbies, etc.

Top-of-the-range finishings with finer PVC silver cable

◆	LED	P (W)	□	■
20,00 m	120 ○	8	16	DKO521
20,00 m	120 ●	8	16	DKO521W



Joylight® curtains with slow flash or static



◆	◆	LED	SLOWFLASH	⌈⌋	P (W)	🔌	■
▶ with flash							
1,00 m	2,00 m	150 ○	45 ☀	15	15	13	DKO23F NEW
1,00 m	2,00 m	150 ●	45 ☀	15	15	13	DKO23WF NEW
1,50 m	2,00 m	165 ○	45 ☀	15	15	15	DKO24F
1,50 m	2,00 m	165 ●	45 ☀	15	15	15	DKO24WF
3,00 m	2,00 m	270 ○	90 ☀	15	19,5	11	DKO20F
3,00 m	2,00 m	270 ●	90 ☀	15	19,5	11	DKO20WF
5,00 m	2,00 m	432 ○	144 ☀	15	30	5	DKO25F
5,00 m	2,00 m	432 ●	144 ☀	15	30	5	DKO25WF
▶ static							
1,50 m	2,00 m	210 ○		15	15	15	DKO24-B
1,50 m	2,00 m	210 ●		15	15	15	DKO24W-B
3,00 m	2,00 m	360 ○		15	19,5	11	DKO20-B
3,00 m	2,00 m	360 ●		15	19,5	11	DKO20W-B
5,00 m	2,00 m	576 ○		16	30	5	DKO25-B
5,00 m	2,00 m	576 ●	-	16	30	5	DKO25W-B



product info

The indoor range has been specially developed for indoor decoration, shopping centres, shops, reception lobbies, etc.

Top-of-the-range finishings with finer PVC silver cable






ledClassic

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Stardust curtain with flash



► with flash

◆	◆	LED	SLOWFLASH	□	P (W)	□	■
8,00 m	1,00 m	700	100	5	40	3	DKO2W-B3



product info

Galvanize your project with the flash animation of this product.

The indoor range has been specially developed for indoor decoration, shopping centres, shops, reception lobbies, etc.

Top-of-the-range finishings with finer PVC silver cable.

Compatible with the entire range.


Power supply and connection possibilities with the Octoplus® by Blachere® accesories p182/183.



**ledClassic**

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Stalactitlight® with slow flash or static



product info

Galvanize your project with the flash animation of this product.

The indoor range has been specially developed for indoor decoration, shopping centres, shops, reception lobbies, etc.

Top-of-the-range finishings with finer PVC silver cable.


Compatible with the entire range.

Power supply and connection possibilities with the Octoplus® by Blachere® accessories p182/183.

◆	◆	LED	SLOWFLASH	□	P (W)	□	■
▶ with flash							
0,35 m	3,00 m	60 ○	20 ☼	12	5	30	DKO362F
0,35 m	3,00 m	60 ●	20 ☼	12	5	30	DKO362WF
1,30 m	3,90 m	120 ○	40 ☼	24	10	25	DKO361F
1,30 m	3,90 m	120 ●	40 ☼	24	10	25	DKO361WF
▶ static							
0,35 m	3,00 m	80 ○	-	12	5	30	DKO362
0,35 m	3,00 m	80 ●	-	12	5	30	DKO362W
1,30 m	4,00 m	160 ○	-	24	10	25	DKO361
1,30 m	4,00 m	160 ●	-	24	10	25	DKO361W



Hanging bouquets


NEW



product info

The hanging bouquets are flash animated with a gold or silver decoration, visible by day.

Each light cluster has an individual hook.

Operates with indoor transformer **PRTR24VI**, sold separately.

Ø	Colour	LED	FLASH	P (W)	
0,80 m	Silver	441 ○	63 ☀	25	FCL080A
0,80 m	Gold	441 ●	63 ☀	25	FCL080G
Indoor transformer for FCL bouquet				30	PRTR24VI




led+

ledClassic


Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Nostalgia stalactite



		LED			P (W)		
1,00 m	4,50 m	48	48	15	20	12	FL361W

Nostalgia garland



	LED	FLASH		P (W)		
m	120	20	35	10	15	570W-FX






product info

Garlands and stalactite « ready to install »

Ø 2mm steel wire with PVC sheathed.



Nostalgia XL suspended bulbs



suspension and
safety wire



product info

Ideal for tree decorations or suspended on ropes, these oversized bulbs also twinkle.

A very trendy retro effect !
Pack of 4 bulbs or individual bulb.

Aluminium lamp cap (stainless).

◆	◆	💡	micro LED	FLASH	P (W)	■
2,00 m	2,00 m	ø28cm - H 50cm	400 🟡	200 🌟	8	FL930BB
1 bulb - connection on FYPRT9 only (not supplied)			100 🟡	50 🌟	2	G-FL930BB
230V -> 24V transformer with Octoplus connector see p 183						FYPRT9







led*Classic*

Garlands Curtains Stalactitlights Fil lumière Indoor **Deco**

Hanging flame effect balls



FL920FL



G-FL920FL



product info

Ideal for tree decorations or suspended on ropes.

Simulate the warm light of candles with a new flame animation

A very trendy retro effect.

Pack of 5 spheres or individual.

◆	◆	●	P (W)	□
1,50 m	3,00 m	5 ● ø20cm	15	FL920FL
1 ball ø20cm - linking on FYPRTR9 only (not supplied)		1 ● ø20cm	3	G-FL920FL
230V -> 24V transformer with Octoplus connector see p 183				FYPRTR9






led*Classic*

Garlands Curtains Stalactitlights Fil lumière Indoor **Deco**

Xmas pendant motifs



FL910CAD



FL910ET



FL910NO

◆	◆	decoration x6	LED	FLASH	P (W)	■
3,00 m	2,00 m	20x25cm	174 ○	42 ✨	16	FL910CAD
3,00 m	2,00 m	15x25cm	120 ○	30 ✨	16	FL910ET
3,00 m	2,00 m	25x23,5cm	204 ○	48 ✨	16	FL910NO



product info

Ideal for tree decorations or suspended on ropes,

These backlit printed Plexiglas two faced decorations are coloured by day and flash animated by night.

Pack of 6 decorations







led*Classic*

Garlands Curtains Stalactites Fil lumière Indoor **Deco**

Xled pendant motifs



FXL920E



FXL920S



product info


Ideal for tree decorations or suspended on ropes,

Exclusive Xled animation !

Pack of 5 decorations.

Hang the decorations by their suspension wire

◆	◆	decoration x5	LED SMD	P (W)	■
3,00 m	1,50 m	ø25cm	270 ○	25	FXL920E
3,00 m	1,50 m	23x20cm	270 ○	25	FXL920S







led*Classic*

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

X-Led® animated sparkles



FYPRT9

G-FL900E



product info

Now available in warm white !!

Exclusive to Blachere, registered design, X-Led animated sparkles is a brand best seller.

Smooth animation. Daytime effect provided by the milky white polycarbonate.

Light and easy to mount on all kinds of trees or on rope using the hooks supplied.

Pack of 10 or individual.

◆	◆	ø	2D LED sparkles	P (W)	□
3,00 m	2,00 m	25,00	10 ○	30	FL900E
3,00 m	2,00 m	25,00	10 ●	30	FL900EW
3,00 m	2,00 m	25,00	10 ●●●●●	30	FL900EM
1 2D sparkle ø25cm connected on FYPRT9 only (not supplied) 230V -> 24V transformer with Octoplus connector see p183			1 ○	3	G-FL900 FYPRT9







ledClassic

Garlands Curtains Stalactites Fil lumière Indoor Deco

Double drop double-sided X-Led® stems



FXL08-B22



FY04FXL



product info

A smooth double-drop animation, exclusive to Blachere, registered design, bringing success to the brand especially with the Champs Elysées project.

Double-sided stems for 360 degree brightness.

Multiple uses on facades, cross-stress motifs or tree decorations.

Multi-output accessory
FY04FXL : 20 stems on a single power supply !

◆	◆	LED	III	P (W)	ca	■
0,50 m	2,70 m	320 ○	5	12	2	FXL055
0,80 m	2,70 m	480 ○	5	17	2	FXL085

X-Led stem for B22/230V socket FY03B22 accessories on page 183

◆	LED	P (W)	■
0,80 m	96 ○	2	FXL08-B22






led*Classic*

Garlands Curtains Stalactitlights Fil lumière Indoor **Deco**

Light stems with flash



product info

Very light weight products that can be suspended from all kinds of branches.


Flash animation.

◆	◆	LED	FLASH	III	P (W)	III	■
1,20 m	1,20 m	480 ○	120 ✨	6	50	3	950-FX
1,20 m	1,20 m	480 ●	120 ✨	6	50	3	950W-FX



**ledClassic**Garlands Curtains Stalactitlights Fil lumière Indoor **Deco**

Light cascade



product info

This sophisticated new product, **equally beautiful by day**, offers a **cascade effect animation**.

Super-simple to mount with hook, ideal for decorating candelabras and facades.

Accessories sold separately.

◆	LED	P (W)	📏	□
1,20 m	480 ○	8	2	BRIN480
1,20 m	480 ●	8	2	BRIN480W
2m extension lead				FY04W-PVC
Switch-mode power supply 24V dc 25W				PRTR24V
Y connector				FY030M-B





**ledClassic**

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Folding sphere and star pendant motifs



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... see page 182



product info

These new folding pendant motifs have slow flash animation and are beautiful by day.

Compatible with the entire range.

Power supply and connection possibilities with the Octoplus® by Blachere® accessories p182-183

◆	Ø	LED	FLASH	P (W)	□
0,60 m	0,60 m	70 ○	6 ✨	4	G-SPHERE
0,60 m	0,60 m	41 ○	4 ✨	4	G-STAR
1,50 m	230V power supply cable			see p182	FY08-B+
0,30 m	bridge rectifier			see p182	FY043A-B+



Frosty bouquet



product info

The frosty bouquets are X-Led animated with a drop effect and a sophisticated silver pearl decoration, visible by day.

To ensure that installation is easy and safe, **each light cluster has an individual hook.**

Operates with switched-mode **PRTR24V** power supply.

Accessories sold separately.

Ø	x-LED	□	P (W)	□
0,70 m	84 ○	12	8	BRIN10N
switch-mode power supply 24V dc 25W				PRTR24V






ledClassic

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Pearl luminous twigs



product info

The luminous twigs are flash animated with a pearl decoration on a sophisticated white stucture.

Visible by day.

Ideal for decoration in pots or facades.

Sold in sets of 3 twigs

◆	LED	FLASH	P (W)	□
1,50 m	100 ○	20 ☀	30	BRIN3
1,50 m	100 ●	20 ☀	30	BRIN3W






ledClassic

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Multi-motifs twigs (set of 3)



FY030M accessory



► static

◆	LED	P (W)	■
3x 1,80 m	3x 161 ○	3x 5	BRIN180
3x 1,80 m	3x 161 ●	3x 5	BRIN180W
24V – 3 output transformer for BRIN180/180W			FY04BRIN
double output Y connector			FY030M



Product used for Dior façade,
Avenue Montaigne - Paris



product info

Save 40 % on installation time !


Tree wiring quick and easy thanks to the double-output Y connector FY030M





Operates with 24V transformer 24V FY04BRIN.

3 output for twigs BRIN180/180W supplied with 3 x 2m extension leads for connecting up to **6 sets of 3 branches on a single power supply.**



Swag garland (unit)



Ø	◆	LED	P (W)		
0,35 m	3,00 m	400 	30	6	GP303W
0,35 m	4,00 m	500 	38	4	GP304W

product info


Great classic of traditional street decorations.

Quick-fit accessories, extension leads, multi-socket connectors :
See pages 182/183.



Find our
green trees
p. 72/73

Synthetic pre-lighted fir tree garlands (set of 2)



Ø	◆	LED	FLASH	P (W)	☐	☐
0,30 m	2,70 m	180 ●	60 ☼	11	10	GP134LWFX
0,30 m	2,70 m	240 ●	-	11	10	GP134L-W




product info

Great classic of traditional street decorations.

Quick-fit accessories, extension leads, multi-socket connectors :
See pages 182/183.



Braid garlands



« Ready-to-fit ».

Strong lighting density
Supplied on Ø 3mm sheathed steel
wire rope.


Quick-fit accessories,
Multi-socket connectors,
Animation kit :
See pages 182/183.

Ø	◆	LED	FLASH	P (W)	🔌	□
▶ with flash						
12,00 cm	7,50 m	210 ○	30 🌟	13	13	TSL3FX
12,00 cm	7,50 m	210 ●	30 🌟	13	13	TSL3WFX
▶ static						
6,00 cm	7,50 m	240 ○	-	13	13	TSL2
6,00 cm	7,50 m	240 ●	-	13	13	TSL2W



Set : (FY08+) + (FY023-B+) + Nicia garlands 558W-FX

Nicia® garlands with flash



Ø	◆	LED	FLASH	P (W)		<input type="checkbox"/>
6,00 cm	6,00 m	432 	48 	23	9	558-FX
6,00 cm	6,00 m	432 	48 	23	9	558W-FX



product info

« Ready-to-fit ».

Strong lighting density
Supplied on Ø 3mm sheathed steel wire rope.

Quick-fit accessories,
Multi-socket connectors,
Animation kit :
See pages 182/183.



**ledClassic**

Garlands Curtains Stalactitlights Fil lumière Indoor Deco

Garlands with B22 sockets



◆	description		B22
9 m	garland of 20 sockets	■ 2 x 1,5 mm ²	G1C
15 m	garland of 40 sockets	■ 2 x 1,5 mm ²	G2C

Roll of garlands with B22 & E27 sockets



◆	description		B22	E27
100 m	roll of garland 1 socket/m (100 sockets)	■ 2 x 1,5 mm ²	G098C	-
100 m	roll of garland 2 sockets/m (200 sockets)	■ 2 x 1,5 mm ²	G099C	GE099C
100 m	roll of garland 3 sockets/m (300 sockets)	■ 2 x 1,5 mm ²	G100C	GE100C
50 m	roll of garland 4 sockets/m (200 sockets)	■ 2 x 1,5 mm ²	G112C	-
50 m	roll of garland 5 sockets/m (250 sockets)	■ 2 x 1,5 mm ²	G113C	-
100 m	roll of garland 3 sockets/m (300 sockets)	□ 2 x 1,5 mm ²	G100C-B	-



product info

Customise your garland with different bulbs suggested on p173 and make up your own eye-catching effect.

Replace your old incandescent bulbs with LED bulbs, new technology with vintage look but more economical so more ecological

Ideal for your summer decorations ; creating a festival atmosphere

Starflash® bulbs



Must be fitted on garland with B22 socket minimum IPX4 with waterproof seal.



description	socket	packing	P (W)	max joule	reference
pure white ○	B22	unit	1 W	0,5 joules	F722-L
pure white ○	B22	unit	1,3 W	2 joules	F732-L

B22 & E27 bulbs






Must be fitted on garland with B22 socket minimum IPX4 with waterproof seal.



LDL11 B22/E27 range (registered design)



LDL11 B22/E27 range

			
description	B22	E27	B22
type of globe	polycarbonate	polycarbonate	polycarbonate
ø of globe	45 mm	45 mm	45 mm
voltage	230V	230V	230V
intensity	3,68VA	3,68VA	3,68VA
wattage	16 mA max/ 0,5W	16 mA max/ 0,5W	16 mA max/ 0,5W
packing	set of 25	set of 25	set of 25
use	outdoor	outdoor	outdoor
pure white	LDL11-B22	LDL11-E27	LDLH11
warm white	LDL11W-B22	LDL11W-E27	LDLH11W
amber	LDL12-B22	LDL12-E27	LDLH12
red	LDL13-B22	LDL13-E27	LDLH13
blue	LDL14-B22	LDL14-E27	LDLH14
green	LDL16-B22	LDL16-E27	LDLH16
pink	LDL18-B22	-	LDLH18

Bulbs : low power consumption - Note use the appropriate power (20 mA i.e 5 VA) to calculate the rating of your network (cable cross-sectional area, circuit breaker, power required etc.)
Use 0,5W per bulbs to calculate the power consumption.



Rounded projectors for trees (set of 2)



dimensions	LED	voltage	P (W)	reference
180 x 55 x 24 mm	6X ●	24V	5W	PRJA-W ● NEW
switch-mode power supply 24V dc 25W (for a set of 2)				PRTR24V ● NEW
Elastic strap for PRJA-W projectors				FYSDOW ● NEW
Protective and adhesive foam (set of 10)				FYSDOW ● NEW



product info

Illuminate the trunks or the branches of your trees using our rounded micro-projectors ! Micro but very powerful !

Total security for the public (24V) and for the trees (elastic straps + protective foam).

Led projectors



transformer	LED	spacing between projectors	voltage	P (W)	packing	reference
included	○	1 m	230V/12V	12W	set of 3	PRJP-01+
included	●	1 m	230V/12V	12W	set of 3	PRJP-01W+

These 3 mini-projectors 24V allow a quick and simple lighting of your bushes, shrubs, window boxes...



DMX controllable LED projectors



dimensions	LED	spreading angle	voltage	weight	P (W)	reference
320 x 212 x 195 mm	18 RGB	45°	230V	5kg	70W	PRJP3-DMX
Interface DMX box including 12V power supply (to be installed in waterproof housing – not included) 512 channel output. Animation stage on a SD Card or a USB stick (not supplied)						PR-DMX




product info

Synchronise your remote projectors / RGB blocks by means of Wifi relays.

Is part of your system a long way from another part ?
The Wifi relay system allows simultaneous control of both.

Contact us.

DMX controllable RGB wall washer



◆	LED	spreading angle	voltage	weight	P (W)	reference
58 cm	18 RGB	45°	230V	2,6kg	45W	PRJR1-DMX
110 cm	24 RGB	45°	230V	6,7kg	80W	PRJR2-DMX
◆						reference
3 m	230V DMX power supply					FY1AL-DMX
6 m	DMX extension lead					FY5P-DMX
6 m	DMX signal extension lead					FY5S-DMX

New range of RGB strip lights.
Perfect for facades or monument illuminations.

Use of the SMD RGB led for a better lighting result.

Independent controller bringing greater autonomy thanks to the 10 pre-programmed animations or DMX interface box ref PR-DMX.

For more information, please contact us.

Octopus by Blachere®

Exclusivity

Octopus by Blachere® 230V connector, protection rating IP67, according to the European standard EN60529 on the degree of protection provided by enclosures.



Safety extra-low voltage connector 12/24V


Octopus is the connector that enables **fast and multiple connection** between our decorations and most of our range of garlands.

Each item that is marked “Octopus” can therefore **be connected** to another “Octopus” item.

This means **the combination of items is infinite** just by simplifying the electrical connections.

Octopus® : Example of use No1

To install on steel wire with PVC sheath




For a transverse motif

Ref.	Quantity	Page
FY08-B+	1	182
FY043A-B+	1	182
FY01-3B+	1	182
FL390WBF+	1	182
FYT-B+	2	182
ITL021	2	29



Octopus®: Example of use No2

To install on steel wire with PVC sheath




For a width of 4.50m

Ref.	Quantity	Page
FY08-B+	1	182
FY043A-B+	1	182
FY01-2B+	1	182
354CW	1	125
FYT-B+	2	182
FYPRTR9	2	183
G-FL900	2	151











Octopus[®]: Example of use No3



Ref.	Quantity	Page
FY08-B+	1	182
FY043A-B+	1	182
FY01-3+	2	182
BTX8	1	182
508W	10	107
FY030+	4	182
FYPRT9	1	183
G-FL900	1	151
FY03B22	1	183
FXL08-B22	1	153
F722-L	1	172



Diagram/Picture	Description	Obs.	■	□
	Power cable 230V - 1.5m - HO5RN-F - 2x1mm ² with male plug and female Octoplus connector	Euro	FY08+	FY08-B+
		UK	FY08-UK+	FY08-BUK+
		Swiss	FY08-S+	FY08-BS+
		Wieland	FY08-W	FY08-BW
	AC/DC bridge rectifier (compulsory) for LED+ with Octoplus connector (M+F)	1A/230W	FY041A+	FY041A-B+
		3A/690W	FY043A+	FY043A-B+
	Octoplus extension 230V - HO5RN-F - 2x1mm ²	1m	FY01-1+	FY01-1B+
		2m	FY01-2+	FY01-2B+
		3m	FY01-3+	FY01-3B+
		5m	FY01-5+	FY01-5B+
		10m (2X5m)	FY01-10+	FY01-10B+
	Set of 5 end-caps plugs		FY1C+	FY1CB+
	T connector 230V		FYT+	FYT-B+
	Y connector 230V		FY030+	FY030-B+
	W connector 230V		FY031+	FY031-B+
	Collector - 230V - HO5RN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total		FY023+	FY023-B+

Diagram/Picture	Description	Obs.	■	□
	IP66 multi-socket box with 4 Octopus (F) outputs and one Octopus (M) input	690 W max	BTX4	BTX4-B
	IP66 multi-socket box with 8 Octopus (F) outputs and one Octopus (M) input	690 W max	BTX4	BTX8-B
	230V adaptor Sparklight and Stalactites (connector 2017 -> connector 2018)	-	FY230F2	FY230F2-B
	230V adaptor Sparklight and Stalactites (connector 2018 -> connector 2017)	-	FY230M1	FY230M1-B
	B22 bushing with M/F Octopus connector	5W max	FY03B22	FY03B22-B
	Elasticated "SPECIAL TREE" connector to let the tree grow without any restrictions	set of 5	FY07A	.
	230V -> 24V transformer with Octopus connector	10W max	FYPTR9	FYPTR9B
	Wieland female socket (install at top of candelabra) + 6m of HO5RN-F power cable	-	FY06-P	-
	20cl tube of silicone sealant for full sealing of connectors (extreme environment)	-	NLC60	-
	IP66 quick connector for HO5RN-F cable	-	BT04	-
	Protective and adhesive foam	set of 10	FY-MOUS	-

**Ref: C001**

16A waterproof housing IP44 with 30mA, differential circuit-breaker equipped with a waterproof power plug.
(for poles)



input
230V AC




output
230V DC

Ref: C006

230V - IP55 protection housing with insulated transformer (for a large quantity of Spark Light /Octoplus) with 8 AC/DC Octoplus rectified outputs.
(Ideal to reduce leakage current).
Note : box subject to modification according to availability

Fixing accessories for motifs

Example of a standard street crossing with \varnothing 4 mm cable



D001 Core grip \varnothing = 4 mm - set of 10

D011 Core grip \varnothing = 6 mm - set of 10

D002 Cable clamp \varnothing = 4 mm - set of 10

D012 Cable clamp \varnothing = 6 mm ttt- set of 10

D033 Piton with round eye 150mm - per pair

D004 Duplex tensioner at \varnothing 30 mm

D005 Cable \varnothing = 4 mm - roll of 100 m


D015 Iron cable \varnothing = 4 mm - sheathed \varnothing 6 mm - roll of 100 m

D006 Cable \varnothing = 6 mm - roll of 100 m

D016 Iron cable \varnothing = 6 mm - sheathed \varnothing 8 mm - roll of 100 m

KMGM Quick spring clasp \varnothing 8mm x L:80mm

Example of a street crossing in insulated glass fibre



MA001 Aluminium and steel pole-mounted cross street fastener - per pair (A4T)


MA002 Galvanised steel shackle - per unit (MT60)

MA003 Aluminium and steel terminals - per pair (11T2)



MA004 Galvanised steel tensioner - per unit (T60)

MA007 Polyester Fibre kit PVC sheathed 1 m - alu & iron fastener x 2 - per pair

MA010 Electric connection of insulation

**Ref: PIX01**

Horizontal bracket
H: 0,90 m - L: 1,10 m
inter distance max: 1,00 m -
max load: 25 kg

**Ref: FIX02 (pair)**

Fastening for
transverse / pole motifs



In inverted cone

1 PIX03 (up)
1 PIX04 (down)
2 curtains H : 5m



In cylinder

2 PIX03
2 curtains H : 5m




In Christmas tree

1 PIX04 (up)
1 PIX02 (down)
1 curtain H : 3m



Free composition

2 PIX03
1 FL74WBF+
1 FL900E



PIX02 / PIX03



PIX04

Circular brackets

Put together low-price 3D decorations
on your columns with our circular brackets
(inner diameter adjustable)

Ref.	ø	Perimeter	pole ø	usable with
PIX04	25 cm	0,80 m	60 à 120 mm	Curtains p99, 101, 113, 119, 121
PIX02	60 cm	1,90 m	60 à 200 mm	
PIX03	130 cm	4,00 m	60 à 200 mm	

Pole fixing

"Order your FIX01 fixing to colour match your lamp columns!!!

Let us know the corresponding RAL and get a customised quotation. Contact our sales department for information"


FIX01 (pair)

Fastening for
transversal / pole motifs



FIX01P (pair)

Strengthened fastening devices for poles
(storm conditions) (wind area 3)



FIX01 (pair)

Fastening devices for poles
with 2P+T IP54 socket



Pole fixing



FIX01M (pair)

Fastening devices
for façades



FIX01MC (pair)

Fastening devices
for curved pole



Each fastening must be individually
strapped twice (see diagram).
For motifs exceeding a height of 3.5m, it is
essential to use three fasteners per motif.

Ref: D007

Strapping box including 1 cutting
pliers and 1 stappin pliers.

Ref: D008


Stainless steel strap Roll of 50m
thickness : 0,7mm

Ref: D009

Staple-clip for steel strapset of 100

Ref: D010

Black protection stripe for Stainless steel
strap - L: 10 ml / 10 mm



D008



D007

D009

D010

Electrical accessories for Led Fil lumière®



Electrical accessories for LED Platinum fil lumière®



NLC95-12 fil lumière® Led power cord kit

The kit includes : 1 rubber power lead of 1m with plug and polarised connector + integrated AC/DC bridge rectifier, 1 power lead spin, 1 full spin, 1 pot of glue and 1 end cap.



NLC51L

Glueable L connector



NLC92-12

Standardised glueable central "spins"



NLC54-12

Glueable insulation and cap

Fixing accessories for Led fil lumière®



NLC56 - NLC57 - NLC55



NLC59



NLC61 - Pot of glue

Repair kit for Led Platinum fil lumière® - 230V - IP55 - ø 12mm



For Blachère Illumination motifs only

NLKL01-12	10 m of fil lumière®	white Led	○ (type NML41),	2 power leads,	glue,	10 connectors,	5 end caps
NLKL02-12	10 m of fil lumière®	blue Led	● (type NML42),	2 power leads,	glue,	10 connectors,	5 end caps
NLKL06-12	10 m of fil lumière®	red Led	● (type NML46),	2 power leads,	glue,	10 connectors,	5 end caps
NLKL01W12	10 m of fil lumière®	warm white Led	● (type NML41W),	2 power leads,	glue,	10 connectors,	5 end caps

Legends

	Motifs : red BIO PRINT
	Motifs : blue BIO PRINT
	Motifs : gold BIO PRINT
	Motifs : white BIO PRINT
	Garlands : white cable
	Garlands : black cable
	Garlands : green cable
	Garlands : silver cable
	Garlands : brown cable
	Pure white Led
	Warm white Led
	Blue Led
	Red Led
	Amber Led
	Pink Led
	Green Led
	Multicoloured Led
	Pure white Led flash
	Warm white Led flash
	number of Led
	wattage
	number of strings
	number of garlands that can be connected end-to-end
	height
	length
	width
	voltage
	weight
	number of parts
	BIO PRINT
	animated products
	indoor/outdoor use
	type of cable
	supply voltage
	protection rating
	power supply included
	shock resistance index
	octopus by blachere® exclusive range

Garlands Index

352.....125	508-B.....107	DK020-B.....133	FL203W-FX.....117	FL75WBF+.....99	FY043A+.....101	G1C.....171	NLED54+.....129
354.....125	508B.....107	DK020F.....133	FL216W-CE.....119	FL75WF+.....99	FY043A+.....105	G2C.....171	NLED56+.....129
414.....123	508W.....107	DK020W-B.....133	FL361W.....141	FL79-B+.....101	FY043A+.....182	GE099C.....171	NLED57+.....129
508.....107	508W-B.....107	DK020WF.....133	FL390-B+.....103	FL79B+.....101	FY04BRIN.....165	GP134L-W.....167	NLED58+.....129
20C-B.....113	510-FX.....107	DK023F.....133	FL390BF+.....103	FL79BF+.....99	FY04FXL.....153	GP134LWFX.....167	NLEDU51.....129
20CBFX.....113	510B-FX.....107	DK023WF.....133	FL390W-B+.....103	FL79F+.....99	FY04W-PVC.....157	GP138L.....127	NLEDU51W.....129
20CBFLX.....113	510BW-FX.....107	DK024-B.....133	FL390WBF+.....103	FL79W-B+.....101	FY06-P.....183	GP139L-W.....127	NLEDU52.....129
20CRFX.....113	510P-FX.....107	DK024F.....133	FL502-FX.....109	FL79W+.....101	FY07A.....183	GP303W.....167	NLEDU53.....129
20CW-B.....113	510R-FX.....107	DK024W-B.....133	FL502R-FX.....109	FL79WBF+.....99	FY08-B+.....95	GP304W.....167	NLEDU54.....129
20CWBFX.....113	510W-FX.....107	DK024WF.....133	FL502W-FX.....109	FL79WF+.....99	FY08-B+.....97		NLEDU56.....129
20SG.....121	511-FX.....107	DK025-B.....133	FL502W-FX.....109	FL900E.....151	FY08-B+.....99	K	NLKL01-12.....190
20WSG.....121	511B-FX.....107	DK025F.....133	FL51+.....105	FL900EM.....151	FY08-B+.....101	KMG.....185	NLKL01W12.....190
21CBFX.....113	512-FX.....107	DK025W-B.....133	FL51W+.....105	FL900EW.....151	FY08-B+.....103		NLKL02-12.....190
21CWBFX.....113	512C.....107	DK025WF.....133	FL525RGB.....111	FL910CAD.....147	FY08-B+.....159	L	NLKL06-12.....190
22C-B.....113	512CW.....107	DK02W-B3.....135	FL590-B+.....97	FL910ET.....147	FY08-B+.....182	LDL11-B22.....173	
22CBFX.....113	512W-FX.....107	DK0361.....137	FL590F+.....97	FL910NO.....147	FY08-B+.....182	LDL11-E27.....173	P
22CW-B.....113	558-FX.....169	DK0361F.....137	FL590BF+.....95	FL920FL.....145	FY08-BUK+.....182	LDL11W-B22.....173	PIX01.....186
22CWBFX.....113	558W-FX.....169	DK0361W.....137	FL590BL+.....97	FL930BB.....143	FY08-BW.....182	LDL11W-E27.....173	PIX02.....187
22SG.....121	570W-FX.....141	DK0361WF.....137	FL590BLF+.....95	FXL055.....153	FY08-S+.....182	LDL12-B22.....173	PIX03.....187
22WSG.....121	950-FX.....155	DK0362.....137	FL590F+.....95	FXL08-B22.....153	FY08-UK+.....182	LDL12-E27.....173	PRX04.....187
24C-B.....113	950W-FX.....155	DK0362F.....137	FL590R+.....97	FXL085.....153	FY08-W.....182	LDL13-B22.....173	PR-DMX.....177
24CBFX.....113		DK0362W.....137	FL590RF+.....95	FXL920E.....149	FY08+.....95	LDL13-E27.....173	PRJA-W.....175
24CBFLX.....113	B	DK0362WF.....137	FL590W-B+.....97	FXL920S.....149	FY08+.....97	LDL14-B22.....173	PRJP-01+.....175
24CRFX.....113	BRIN10N.....161	DK0D-01.....127	FL590W+.....97	FY-MOUS.....175	FY08+.....99	LDL14-E27.....173	PRJP-01W+.....175
24CW-B.....113	BRIN180.....165	DK0D-02.....127	FL590WBF+.....95	FY01-1+.....182	FY08+.....101	LDL16-B22.....173	PRJP3-DMX.....177
24CWBFX.....113	BRIN180W.....165	DK0D-03.....127	FL590WF+.....95	FY01-10+.....182	FY08+.....105	LDL16-E27.....173	PRJR1-DMX.....177
24SG.....121	BRIN3.....163	DK0D-04.....127	FL70-B+.....101	FY01-10B+.....182	FY08+.....182	LDL18-B22.....173	PRJR2-DMX.....177
24WSG.....121	BRIN3W.....163	DK0D-05.....127	FL70+.....101	FY01-1B+.....182	FY1AL-DMX.....177	LDLH11.....173	PRTR24V.....109
25C-B.....113	BRIN480.....157	DK0D-06.....127	FL70BF+.....99	FY01-2+.....182	FY1C+.....182	LDLH11W.....173	PRTR24V.....157
25CBFX.....113	BRIN480W.....157		FL70F+.....99	FY01-2B+.....182	FY1CB+.....182	LDLH12.....173	PRTR24V.....161
25CBFLX.....113	BT04.....183	E	FL70W-B+.....101	FY01-3+.....182	FY203F2.....183	LDLH13.....173	PRTR24V.....175
25CRFX.....113	BTX4.....183	ECO20C-B.....115	FL70W+.....101	FY01-3B+.....182	FY203F2-B.....183	LDLH14.....173	PRTR24VI.....139
25CW-B.....113	BTX4-B.....183	ECO20CW-B.....115	FL70WBF+.....99	FY01-5+.....182	FY230M1.....183	LDLH16.....173	PRX10RGB.....111
25CWBFX.....113	BTX8.....183	ECO22C-B.....115	FL70WF+.....99	FY01-5B+.....182	FY230M1-B.....183	LDLH18.....173	
25SG.....121	BTX8-B.....183	ECO22CW-B.....115	FL72-B+.....101	FY01+3B+.....182	FY5P-DMX.....177		T
25WSG.....121		ECO24C-B.....115	FL72+.....101	FY023-B+.....182	FY5S-DMX.....177		TSL2.....169
29C-B.....113	C	ECO24CW-B.....115	FL72BF+.....99	FY023+.....182	FYPRTR9.....143	MA001.....185	TSL2W.....169
29CBFX.....113	C001.....184	ECO25C-B.....115	FL72F+.....99	FY030-B+.....182	FYPRTR9.....145	MA002.....185	TSL3FX.....169
29CW-B.....113	C006.....184	ECO25CW-B.....115	FL72W-B+.....101	FY030+.....182	FYPRTR9.....151	MA003.....185	TSL3WFX.....169
29CWBFX.....113		ECO29C-B.....115	FL72W+.....101	FY030M.....165	FYPRTR9.....183	MA004.....185	
29SG.....121	D	ECO29CW-B.....115	FL72WBF+.....99	FY030M-B.....157	FYPRTR9B.....183	MA007.....185	
29WSG.....121	D001.....185		FL72WF+.....99	FY031-B+.....182	FYSOW.....175	MA010.....185	
352-FX.....125	D002.....185	F	FL74-B+.....101	FY031+.....182	FYT-B+.....182		
352B-FX.....125	D004.....185	F722-L.....172	FL74+.....101	FY03B22.....183	FYT+.....182	N	NLC51L.....190
352R-FX.....125	D005.....185	F732-L.....172	FL74B+.....99	FY03B22-B.....183		NLC54-12.....190	
352W.....125	D006.....185	FCL080A.....139	FL74BF+.....99	FY041A-B+.....182	G	NLC55.....190	
352W-FX.....125	D007.....189	FCL080G.....139	FL74F+.....99	FY041A+.....182	G-FL900.....151	NLC56.....190	
353C.....125	D008.....189	FIX01.....188	FL74W-B+.....101	FY043A-B+.....95	G-FL920FL.....145	NLC57.....190	
353CW.....125	D009.....189	FIX01M.....189	FL74W+.....101	FY043A-B+.....97	G-FL930BB.....143	NLC59.....190	
354-FX.....125	D010.....189	FIX01MC.....189	FL74WBF+.....99	FY043A-B+.....99	G-SPHERE.....159	NLC60.....183	
354W.....125	D011.....185	FIX01P.....188	FL74WF+.....99	FY043A-B+.....101	G-STAR.....159	NLC61.....190	
354W-FX.....125	D012.....185	FIX01P-2.....188	FL75-B+.....101	FY043A-B+.....103	G098C.....171	NLC92-12.....190	
414-FX.....123	D015.....185	FIX02.....186	FL75+.....101	FY043A-B+.....159	G099C.....171	NLC95-12.....190	
414W.....123	D016.....185	FL203-FX.....117	FL75BF+.....99	FY043A-B+.....182	G100C.....171	NLED51+.....129	
414W-FX.....123	D033.....185	FL203B-FX.....117	FL75F+.....99	FY043A+.....95	G100C-B.....171	NLED51W+.....129	
501CW.....109	DK0521.....131	FL203P-FX.....117	FL75W-B+.....101	FY043A+.....97	G112C.....171	NLED52+.....129	
501W.....109	DK0521W.....131	FL203R-FX.....117	FL75W+.....101	FY043A+.....99	G113C.....171		



Find the videos of our products on our interactive catalogue

Motifs Index

A	GX019L.....64	GX325L-A.....58	IPL085W.....47	ITL056W.....36	PL245R.....23	SC007.....61	TGL121.....35	TL246W.....30
AR001.....56	GX020L.....64	GX326LB.....90	IPL086W.....45	ITL057.....42	PL245RGB.....53	SC008.....61	TGL121W.....35	TL248.....38
AR002.....56	GX025L.....64	GX326LG.....90	IPL087W.....19	ITL058.....42	PL245W.....23	SC009.....61	TGL138.....23	TL248R.....38
ARTOT01.....56	GX031L.....66	GX326LV.....60	IPL088W.....35	ITL059W.....20	PL246.....23	SC010.....61	TGL138B.....23	TL248W.....38
ARCOM.....56	GX039L.....65	GX327L.....90	IPL040.....37	ITL060.....44	PL246B.....23	SC011.....61	TGL138R.....23	TL249.....39
	GX045L.....68	GX327LW.....90	ITL009.....38	ITL061.....22	PL246R.....23	SC012.....61	TGL138W.....23	TL249R.....39
	GX046L.....65	GX816L.....68	ITL011.....43	ITL069.....26	PL246W.....23	SC013.....61	TGL139.....47	TL249W.....39
B	GX046L-A.....58	GX816L-A.....58	ITL013.....21	ITL070B.....30	PL247.....23	SL005.....76	TGL139R.....47	TL251.....38
B14-1.....91	GX047L.....66	GX818L.....69	ITL014.....47	ITL070R.....44	PL247B.....23	SL005W.....76	TGL139W.....47	TL251R.....38
B14-2.....91	GX048LW.....21	GX819L.....66	ITL016.....28	ITL070W.....34	PL247R.....23	SL006.....79	TGL400LB.....45	TL251W.....38
B20-1.....91	GX060L.....80	GX823L.....67	ITL016W.....28	ITL071W.....44	PL247RGB.....53	SL006B.....79	TGL400LG.....45	TL252.....46
B20-2.....91	GX060L-W.....80	GX827L.....70	ITL017.....28	ITL072W.....26	PL247W.....23	SL006RGB.....52	TGL400LR.....45	TL252R.....46
B28-1.....91	GX060RGB.....52	GX831L.....67	ITL018.....28	ITL073W.....34	PL248.....31	SL006W.....79	TGL400LW.....45	TL252W.....46
B28-2.....91	GX070LR.....62	GX834L.....68	ITL019.....28	ITL074W.....38	PL248B.....31	SL009.....78	TGL48.....43	TLE025.....35
BARR01.....91	GX074L.....23	GX835BL.....90	ITL020B.....29	ITL075B.....26	PL248RGB.....53	SL009R.....78	TGL48B.....43	
	GX074LB.....23	GX835RL.....90	ITL020W.....29	ITL075W.....36	PL248W.....31	SL009W.....78	TGL48W.....43	
F	GX074LR.....23	GX835VL.....90	ITL021.....29	ITL076W.....46	PL249.....31	SL012.....88	TGL70LW.....49	
FML180.....72	GX074LW.....23	GX863L.....83	ITL022.....29	ITL077W.....18	PL249B.....31	SL012W.....88	TGL70LWW.....49	
FML180W.....72	GX081LW.....55	GX864L.....83	ITL022W.....29	ITL078.....42	PL249W.....31	SL013.....88	TGL71LRGB.....53	
	GX082LW.....55		ITL023W.....43	ITL079W.....34	PL250.....31	SL013W.....88	TGL71LW.....49	
	GX083LW.....55		ITL024W.....43	ITL080W.....44	PL250B.....31	SL015.....63	TGL71LWW.....49	
G	GX085LW.....89		ITL025W.....43		PL250W.....31	SL016.....63	TGL72LW.....49	
G-LUSTRO9.....21	GX120L.....80	IPL028B.....31	ITL026.....21	J	PL251R.....39	SL017.....63	TGL72LWW.....49	
GP-TRONE1.....91	GX161L.....80	IPL029W.....19	ITL027W.....35	JDK50R.....91	PL251W.....39	SL018.....63	TGL209W.....20	
GP130.....91	GX161L-W.....80	IPL030W.....21	ITL028B.....30		PL252R.....39	SL019R.....62	TL238.....22	
GP131.....91	GX201L.....87	IPL031W.....19	ITL029W.....18	P	PL252W.....39	SL022W.....77	TL238B.....22	
GP132.....91	GX201LB.....87	IPL032W.....21	ITL030W.....20	PL113.....19	PL253.....39	SL023W.....85	TL238R.....22	
GP133.....91	GX201LR.....87	IPL033W.....21	ITL031W.....18	PL118.....21	PL253R.....39	SL024.....79	TL238RGB.....53	
GP500.....91	GX201LRGB.....52	IPL034.....37	ITL032W.....20	PL168.....27	PL253RGB.....53	SL025B.....79	TL238W.....22	
GP506-B.....91	GX201LW.....87	IPL035.....23	ITL033W.....20	PL177W.....39	PL253W.....39	SL026.....77	TL239.....22	
GP510R.....91	GX202L.....87	IPL036W.....27	ITL034.....36	PL209W.....19	PL254.....39	SL027W.....85	TL239B.....22	
GPG125BL.....91	GX202LR.....87	IPL037B.....27	ITL035.....22	PL216.....23	PL254R.....39	SL028R.....88	TL239R.....22	
GPG125OR.....91	GX202LW.....87	IPL038W.....37	ITL036W.....26	PL218W.....19	PL254W.....39	SL031.....77	TL239RGB.....53	
GPG125R.....91	GX203L.....84	IPL039W.....35	ITL037B.....26	PL224.....23	PL255.....47	SL300.....87	TL239W.....22	
GPG150BL.....91	GX203LR.....84	IPL041B.....43	ITL038W.....36	PL239.....23	PL255R.....47	SLD144.....85	TL240.....30	
GPG1500R.....91	GX203LW.....84	IPL042W.....43	ITL039W.....34	PL239B.....23	PL255W.....47	SLD147.....87	TL240B.....30	
GPG150R.....91	GX204L.....66	IPL043B.....45	ITL040.....36	PL239R.....23	PL256.....47	SLD010W.....81	TL240RGB.....53	
GPG175BL.....91	GX205L.....66	IPL043R.....45	ITL041B.....42	PL239RGB.....53	PL256R.....47	SLD013G.....75	TL240W.....30	
GPG175OR.....91	GX206L.....66	IPL043W.....45	ITL042W.....42	PL239W.....23	PL256W.....47	SLD013R.....75	TL241.....46	
GPG175R.....91	GX207L.....90	IPL055R.....47	ITL043W.....18	PL240.....31	PL257.....47	SLD014.....74	TL241R.....46	
GPG200BL.....91	GX208L.....71	IPL056W.....37	ITL044W.....34	PL240B.....31	PL257R.....47	SLD015.....74	TL241W.....46	
GPG200OR.....91	GX209L.....71	IPL057.....43	ITL045W.....44	PL240W.....31	PL257W.....47	SLD017BL.....74	TL242.....46	
GPG200R.....91	GX210LW.....70	IPL058.....43	ITL046.....29	PL241.....47	PL314.....27	SLD017G.....74	TL242R.....46	
GSV140.....72	GX211L.....71	IPL069.....27	ITL051.....48	PL241R.....47	PL330W.....21	SLD018L.....75	TL242W.....46	
GSV140B.....72	GX300L.....83	IPL070B.....31	ITL051B.....48	PL241W.....47	PL333.....27	SLD018LB.....75	TL243.....38	
GX001-L.....82	GX308L.....69	IPL070W.....35	ITL051R.....48	PL242.....47	PND036.....39	SLD018LR.....75	TL243R.....38	
GX001-LW.....82	GX312L.....68	IPL070R.....45	ITL051W.....48	PL242R.....47	PND060.....23	SLD018LW.....75	TL243W.....38	
GX003T-L.....67	GX313L-A.....58	IPL071W.....45	ITL052.....48	PL242W.....47	PND064.....31	SLD04.....73	TL244.....30	
GX009.....67	GX316L.....69	IPL072W.....27	ITL052B.....48	PL243.....39	PUPITRE1.....90	SLD05.....73	TL244B.....30	
GX010L.....37	GX317L.....69	IPL073W.....35	ITL052R.....48	PL243R.....39		SND02.....73	TL244W.....30	
GX014LW.....37	GX321L.....65	IPL074W.....39	ITL052W.....48	PL243W.....39		SLD18RGB.....52	TL245.....22	
GX015-L.....83	GX322L.....71	IPL075B.....27	ITL053.....48	PL244.....31		SV1000-L.....73	TL245B.....22	
GX015-LN.....83	GX323.....71	IPL075W.....37	ITL053B.....48	PL244B.....31	S	SV500-L.....73	TL245R.....22	
GX015-LW.....83	GX323L-A.....71	IPL076W.....47	ITL053R.....48	PL244W.....31	SC001.....61		TL245W.....22	
GX016LW.....86	GX324L.....67	IPL081W.....19	ITL053W.....48	PL245.....23	SC002.....61		TL246.....30	
GX017L.....89	GX324L-A.....59	IPL082W.....19	ITL054.....18	PL245B.....23	SC003.....61		TL246B.....30	
GX018L.....64	GX325L.....70	IPL083W.....27	ITL055R.....46		SC004.....61		TL246RGB.....53	
		IPL084.....27			SC005.....61	T		
					SC006.....61	TGL120.....35		
						TGL120W.....35		



Find the videos of
our products on our
interactive catalogue

