



 blachere[®]
illumination

TABLE OF CONTENTS

1 2D collections

18 — 83

2 Volumes & interactivity

84 — 154

3 Garlands

155 — 194

4 Decorations

195 — 231

5 Orchestra & technical informations

232 — 252

6 Motifs infos & contacts

253 — 256

 Height  Length  Width  Voltage  Weight  Recycled bottles needed to create a decoration Print colour  Flash colour

Head office & workshop

Blachere Illumination S.A.S.
Zone industrielle Les Bourguignons
84400 Apt • France

Direct export office
Tel: + 33 (0) 413 068 002
Fax: + 33 (0) 490 747 367

Mail: sales@blachere-illumination.com
Web: www.blachere-illumination.com

Design • Design dpt Blachere

Contact

• Florence: tel +33 (0) 490 747 642
florence@blachere-illumination.com
• Marion: tel +33 (0) 490 747 330
marion@blachere-illumination.com
• Irène: tel +33 (0) 490 747 396
i.baravet@blachere-illumination.com
• Géraldine: tel +33 (0) 490 747 323
geraldine@blachere-illumination.com
• Cathy: tel +33 (0) 490 747 325
cathy@blachere-illumination.com
• Marie: tel +33 (0) 490 747 044
marie@blachere-illumination.com

Cover • Design dpt Blachere

Photographers

• Michel Djaoui
• Lionel Moulet
• Jérémie Pitot
• Odile Pascal
• Brice Toul
• Eric Soltan
• Camille Moirenc



Print • Manufacture d'Histoire Deux-Ponts

All rights reserved

Not a contract document. The sizes and wattages of motifs may be subject to change for technical reasons. Non-contractual images.

All our products are CE marked meaning that they meet electrical security norms and electromagnetic requirements.

All our motifs, designs and graphics are protected by the INPI, the OMPI and current industrial and intellectual property laws.

Reproduction of any kind, in full or part, is strictly forbidden without written authorisation of blachere illumination s.a.s..

get inspired at www.blachere-illumination.com

FROM LIGHTING TO TRANSPARENCY

“In a world where we feel like we’re losing our bearings, where what we once took for granted now seems fragile, where truth is sometimes hard to discern, it’s really important to us that we provide you with more than just lighting, by being completely transparent about what we do.

At a time of energy crises, colossal ecological challenges, increasingly demanding expectations in terms of innovation, and in honour of our 50th anniversary, it is with great pride that we look back at the progress we’ve made while remaining confident as we look toward the future. Many boast of being the first, the best, the strongest.

And we’re fine with that. Because here at Blachere, our only goal is to light up cities, the places where we live with creativity, love and sincerity.”

Johan Hugues & Romain Allain-Launay , Co-CEO Blachere Illumination



It all started in 1973, in Apt, when Jean-Paul Blachère lit up his first street. The locals' smiles and reactions confirmed that lighting has a unique magical power.

Lighting became his profession, one that he has pursued with dedication, creating a unique know-how and heritage that he has passed on.

For 50 years, we have been designing, creating and producing decor and illuminations in over 80 countries across the globe with as much enthusiasm as that very first day.

400 employees work every day to enhance cities around the world.



A BEAUTIFUL STORY



Wherever our projects take us, we work with the same attention to illuminate the smallest village as the largest capital.

We understand and adapt to the needs and challenges of all cities, from Mexico to the US and Sweden.

Thanks to locally-based teams in 27 subsidiaries dotted around the world, we can meet the expectations of each city and the culture of each country so that our installations are as unique as they are practical.

27 subsidiaries
1000 city illuminations in
more than 80 countries
as well as 800 shopping
centres worldwide



LIGHT UP
THE WHOLE WORLD?



WWF

The Club Entreprendre pour la Planète unites SMEs that are already committed to the environment and moved by a common desire to help preserve the environment and biodiversity. We are now supporting the WWF's work by sponsoring the REDONNER DU SOUFFLE A LA MEDITERRANEE project, dedicated to protecting marine ecosystems.

At the same time, common sense and goodwill are central to our culture at the company, and we apply it to achieve a significant and sustainable reduction in our carbon footprint.

Prime examples of our daily commitments are: turning our communication tools paperless, recycling our waste, generating green electricity via our wind farm, installing solar panels and updating our car fleet with hybrid vehicles.

we are a member of the club «Entreprendre pour la Planète» of WWF



BLACHERE FOUNDATION

Our corporate foundation was created in 2004 by Jean-Paul Blachère and supports contemporary African creation and promotes artists from the continent. It presents exhibitions and hosts artists in residence at its art centre. It also arranges creative workshops in Africa and Europe and enters major African biennale exhibitions, including Dakar.



OUR
COMMITMENTS



Istanbul, Turkey



Amsterdam, The Netherlands



Rotterdam, The Netherlands



Hudson Yards, New York, USA

ACHIEVEMENTS



Oslo, Norway




Zagreb, Croatia



Catez, Croatia



5th Avenue, New-York, USA



Everything is starting with a pencil stroke... creation is the basis of all our projects.

In France and around the world, more than 30 designers imagine our decorations with care and passion.

They design the decorations of your cities and living spaces, proposing a hundred or so new designs each year to surprise you again and again.

Thanks to our innovations, we have found the right balance between ancestral know-how and industrialization:


From artistic ironwork to the most meticulous wiring, more than 6,000 custom-made decorations take shape in our workshops each year : The «Haute Couture» of illuminations.

At the same time, our catalogue decorations from our Summer and Winter collections are printed using plastic bottles manufactured in our workshop with 10 large-format robot printers. 350,000 eco-friendly decorations have been printed since 2016.

10 large-format robot printers

4 sites of production

400 people in our international workshops



FACE EACH
CHALLENGE TOGETHER



Eco-responsibility is at the heart of our corporate strategy, and we are constantly thinking about innovation and the use of eco responsible materials more than ever before.

Even if some of our ideas are off-the-cuff, our innovations are covered to numerous patents and all our creations are protected.

In order to respond with creativity and practicality to the new challenges posed by energy-saving needs and ecological issues, we continually design and produce ingenious solutions and tools.

After Bioprint, a recyclable and biodegradable material based on sugar cane, we are transitioning to a 100% Recyprint range of 300 decorations made from recycled plastic bottles.

Half of our research and development budget is allocated to ecoresponsible innovations..

We have removed 80% of the aluminium in our 2D decorations, 100% Led low consumption for 20 years.

Our 100% LED lighting components are also recycled after use and are all connectable via our Octoplus fast connection system.


In addition to our eco-responsible structures, we have devised some ingenious tools: TEMPO, SWITCH+ and ORCHESTRA which make it possible to time, control and program decorations in both small towns and buzzing cities, resulting in cost-savings of over 50%!

RECYPRINT STRUCTURE
plastic bottles

ALUMINIUM FRAME
recycled

INTERCONNECTIVITY
Octoplus & steering box

RECYCLED ELECTRIC COMPONENTS
recycled



REFINED CREATIVITY

RECYPRINT

a plastic transformed into magical decorations



500 billion plastic bottles are produced each year, and many are discarded in the countryside or our oceans

At Blachere, we have found a way to transform PET (polyethylene terephthalate) into decors that are as stunning as they are innovative! Recycled bottles are sorted by colour and then ground into flakes. The resulting granules are then injected into our 3D printers to produce a unique blue decoration. This method helps to limit greenhouse gas emissions and prevent as many plastic bottles as possible from polluting land and seascapes.

Our innovations are protected by numerous patents.


Recyprint emits 10 times less CO2 than aluminum.

1,590,332 bottles have already been recycled into Christmas decorations.




SORTING WASTE


can be child's play



By encouraging today's youth to recycle is a major challenge that we have answered with creativity and fun. We have made this vital step a fun and playful collective act thanks to creating containers in the form of funny animals (p.110-111).



COLLECTION *DESIGN*



The DESIGN Collection features modern lines and geometric motifs. It imaginatively combines graphic new trends with Christmas tradition.






COLLECTION
DESIGN



Quadrille chain
ITL161W * * *
ITL161 * * *
◆ 1.25m - ◆ 6.00m
⚡ 90W - ⚙ 25.5kg - ⚡ 116
slowflash




Coimbra double
ITL226W * * *
◆ 0.90m - ◆ 4.00m
⚡ 105W - ⚙ 16.0kg - ⚡ 111
Xled, flash & slowflash




Line jf
ITL232W * * *
◆ 1.00m - ◆ 4.00m
⚡ 135W - ⚙ 16.0kg - ⚡ 83
Xled & stars



Quadrille arc
ITL129W * * *
ITL129 * * *
◆ 1.20m - ◆ 4.00m
⚡ 100W - ⚙ 18.0kg - ⚡ 132
stars & slowflash



Quadrille curve
ITL130W * * *
ITL130 * * *
◆ 1.00m - ◆ 3.00m
⚡ 80W - ⚙ 15.1kg - ⚡ 114
stars & slowflash




Coimbra banner
IPL202W * * *
◆ 2.80m - ◆ 0.80m
⚡ 60W - ⚙ 12.0kg - ⚡ 43
flash, Xled & slowflash




Coimbra petit
IPL203W * * *
◆ 1.50m - ◆ 0.60m
⚡ 20W - ⚙ 4.0kg - ⚡ 22
flash & slowflash



Line VL
VL046 * * *
◆ 3.00m - ◆ 2.00m - ◆ 2.00m
⚡ 246W - ⚙ 35.0kg - ⚡ 235
Xled & flash



Coimbra
IPL226W * * *
◆ 2.00m - ◆ 0.90m
⚡ 53W - ⚙ 8.0kg - ⚡ 56
flash, Xled & slowflash



Coimbra unit
ITL218W * * *
◆ 1.00m - ◆ 1.00m
⚡ 30W - ⚙ 4.4kg - ⚡ 42
Xled & flash



Coimbra roll
IPL231W * * *
◆ 1.20m - ◆ 1.10m
⚡ 30W - ⚙ 5.0kg
Xled, flash & slowflash



Quadrille petit
IPL130W *
IPL130 *
◆ 1.20m - ◆ 0.60m
≈ 20W - ▲ 4.0kg - ⚡ 33
Stars & slowflash

Serenade
IPL143W *
IPL143 *
◆ 1.50m - ◆ 0.60m
≈ 25W - ▲ 3.9kg - ⚡ 34
Stars, flash & slowflash

Quadrille
IPL129W *
IPL129 *
◆ 2.00m - ◆ 0.90m
≈ 40W - ▲ 7.6kg - ⚡ 57
Stars & slowflash

Quadrille banner
IPL131W *
IPL131 *
◆ 2.80m - ◆ 0.80m
≈ 50W - ▲ 9.7kg - ⚡ 80
Stars & slowflash



Quadrille roll
IPL230W *
IPL230 *
◆ 1.30m - ◆ 1.10m
≈ 22W - W 5.0kg - ⚡ 31
Xled, stars & flash


Ritournelle
IPL158W *
◆ 2.00m - ◆ 0.90m
≈ 65W - ▲ 8.0kg - ⚡ 54
Xled, slowflash & flash

Romane
IPL101W *
◆ 2.30m - ◆ 0.70m
≈ 50W - ▲ 6.6kg - ⚡ 55
Xled, stars & slowflash


Quadrille grand
IPL144W *
IPL144 *
◆ 3.00m - ◆ 1.00m
≈ 50W - ▲ 10.5kg - ⚡ 93
Xled, stars & slowflash



Line banner
IPL199W *
IPL199 *
◆ 2.80m - ◆ 0.80m
≈ 55W - ▲ 10.6kg - ⚡ 83
Xled, stars & flash




Line grand
IPL201W *
IPL201 *
◆ 2.30m - ◆ 0.90m
≈ 50W - ▲ 8.6kg - ⚡ 67
Xled, stars & flash




Line
IPL200W *
IPL200 *
◆ 2.00m - ◆ 0.90m
≈ 50W - ▲ 8.5kg - ⚡ 83
Xled, stars & flash



Line banner
IPL199 *
IPL199W *
◆ 2.80m - ◆ 0.80m
≈ 55W - ▲ 10.6kg - ⚡ 83
Xled, stars & flash



Line grand
IPL201 *
IPL201W *
◆ 2.30m - ◆ 0.90m
≈ 50W - ▲ 8.6kg - ⚡ 67
Xled, stars & flash



Line
IPL200 *
IPL200W *
◆ 2.00m - ◆ 0.90m
≈ 50W - ▲ 8.5kg - ⚡ 83
Xled, stars & flash




Quadrille chain
ITL161 * □
ITL161W * □
◆ 1,25m - ◆ 6,00m
⊘ 90W - ▲ 25,5kg - ⚡ 116
Xled, stars & flash




Quadrille JF
ITL233 * □
◆ 0,80m - ◆ 4,50m
⊘ 118W - ▲ 19,0kg - ⚡ 166
Xled, stars & flash



Quadrille arc
ITL129 * □
ITL129W * □
◆ 1,20m - ◆ 4,00m
⊘ 100W - ▲ 18,0kg - ⚡ 132
stars & slowflash




Quadrille curve
ITL130 * □
ITL130W * □
◆ 1,00m - ◆ 3,00m
⊘ 80W - ▲ 15,1kg - ⚡ 114
stars & slowflash




Quadrille banner
IPL131 * □
IPL131W * □
◆ 2,80m - ◆ 0,80m
⊘ 50W - ▲ 9,7kg - ⚡ 79
stars & slowflash



Quadrille
IPL129 * □
IPL129W * □
◆ 2,00m - ◆ 0,90m
⊘ 40W - ▲ 7,6kg - ⚡ 57
stars & slowflash



Quadrille grand
IPL144 * □
IPL144W * □
◆ 3,00m - ◆ 1,00m
⊘ 50W - ▲ 10,5kg - ⚡ 31
Xled



Quadrille petit
IPL130 * □
IPL130W * □
◆ 1,20m - ◆ 0,60m
⊘ 20W - ▲ 4,0kg - ⚡ 93
stars & slowflash



Quadrille roll
IPL230 * □
IPL230W * □
◆ 1,30m - ◆ 1,10m
⊘ 2W - ▲ 5,0kg - ⚡ 45
Xled, stars & flash



COLLECTION *CLASSIC*



The CLASSIC Collection boasts our essentials: With understated curves and sophisticated arabesques, this collection comes in various different shades for a colourful and elegant Christmas.



COLLECTION
CLASSIC



Rhapsody double
ITL033W * * □
◆ 1.60m - ◆ 6.00m
⚡ 185W - ⚖ 28.6kg - 📏 235
flash




Bolchoi
ITL077W * * □
◆ 1.20m - ◆ 6.00m
⚡ 160W - ⚖ 25.3kg - 📏 235
Xled & Slowflash




Flora Double
ITL135 * * □
◆ 1.00m - ◆ 6.00m
⚡ 130W - ⚖ 26.0kg - 📏 187
stars & Slowflash



Harmony double
ITL089W * * □
◆ 1.00m - ◆ 6.00m
⚡ 85W - ⚖ 21.3kg - 📏 187
Xled, stars & Slowflash




Flora
IPL135W * * □
◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚖ 13.3kg - 📏 94
stars & slowflash




Lyre
IPL115W * * □
◆ 2.00m - ◆ 0.90m
⚡ 40W - ⚖ 7.2kg - 📏 63
slowflash




Harmony
IPL089W * * □
◆ 3.00m - ◆ 1.00m
⚡ 55W - ⚖ 9.2kg - 📏 98
Xled, stars & slowflash



Asterie
IPL110W * * □
IPL110 * * □
◆ 2.00m - ◆ 0.85m
⚡ 30W - ⚖ 5.1kg - 📏 60
slowflash




Liano
IPL087W * * □
◆ 3.00m - ◆ 1.00m
⚡ 95W - ⚖ 12.8kg - 📏 76
Xled & slowflash



Mazurka
IPL031W * * □
◆ 2.00m - ◆ 0.90m
⚡ 55W - ⚖ 7.4kg - 📏 53
Xled & slowflash







Samba
IPL081W * * □
◆ 2.25m - ◆ 1.30m
⚡ 45W - ⚖ 6.9kg - 📏 43
Xled & slowflash



Libretto
IPL082W * * □
◆ 1.20m - ◆ 0.60m
⚡ 30W - ⚖ 3.6kg - 📏 33
Xled & slowflash







Cajun jf
ITL043W * * * □
◆ 1.55m - ◆ 4.60m
⚡ 270W - ⚖ 28.2kg - 📏 175
flash



Milo arc
ITL127W * □
ITL127 * □
◆ 1.20m - ◆ 4.00m
⚡ 110W - ⚖ 17.4kg - 📏 116
Stars & flash




Milo arc
ITL127 * □
ITL127W * □
◆ 1.20m - ◆ 4.00m
⚡ 110W - ⚖ 17.4kg - 📏 116
Stars & flash




Bolero arc
ITL132W * * * □
◆ 1.20m - ◆ 4.00m
⚡ 130W - ⚖ 19.5kg - 📏 162
Xled & slowflash




Milo banner
IPL128W * □
IPL128 * □
◆ 2.80m - ◆ 0.80m
⚡ 50W - ⚖ 8.8kg - 📏 43
stars & flash




Twist
IPL133 * □
◆ 1.20m - ◆ 0.60m
⚡ 35W - ⚖ 3.9kg - 📏 33
slowflash



Asterie
IPL110 * □
IPL110W * * □
◆ 2.00m - ◆ 0.85m
⚡ 30W - ⚖ 5.1kg - 📏 60
slowflash




Milo
IPL127W * □
IPL127 * □
◆ 2.00m - ◆ 0.90m
⚡ 50W - ⚖ 7.2kg - 📏 41
stars & flash




Milo banner
IPL128 * □
IPL128W * □
◆ 2.80m - ◆ 0.80m
⚡ 50W - ⚖ 8.8kg - 📏 43
stars & flash



Bolero
IPL108W * * * □
◆ 2.30m - ◆ 0.90m
⚡ 65W - ⚖ 8.1kg - 📏 70
Xled & slowflash



Cajun
IPL132 * * * □
◆ 2.30m - ◆ 0.70m
⚡ 65W - ⚖ 8.1kg - 📏 70
Xled & slowflash



Milo
IPL127 * □
IPL127W * □
◆ 2.00m - ◆ 0.90m
⚡ 50W - ⚖ 7.2kg - 📏 41
stars & flash




Mae double
ITL159B
ITL159R
ITL159W

◆ 0.90m - ◆ 4.00m
⚡ 80W - ▲ 12.4kg - 📏 99
Xled & slowflash

Joyeuses Fêtes


Jf
ITL061
ITL009

◆ 0.90m - ◆ 3.50m
⚡ 80W - ▲ 10.8kg - 📏 106




Ewan
ITL166B
ITL166R
ITL166W

◆ 1.00m - ◆ 3.00m
⚡ 70W - ▲ 11.1kg - 📏 98
Xled, flash & slowflash




Jupiter
IPL147B
IPL147R
IPL147W

◆ 3.50m - ◆ 1.00m
⚡ 55W - W 12.0kg - 📏 98
Xled & slowflash




Halley
IPL148B
IPL148R
IPL148W

◆ 3.00m - ◆ 1.00m
⚡ 70W - W 10.0kg - 📏 68
Xled, flash & slowflash



Russel
IPL146B
IPL146R
IPL146W

◆ 2.30m - ◆ 0.90m
⚡ 55W - ▲ 7.2kg - 📏 74
Xled & slowflash



Zephyr
IPL075B
IPL075W

◆ 2.50m - ◆ 0.90m
⚡ 60W - W 8.2kg - 📏 76
Xled & slowflash




Mae
IPL159B
IPL159R
IPL159W

◆ 2.00m - ◆ 0.90m
⚡ 50W - ▲ 6.7kg - 📏 50
Xled & slowflash



Mae double
ITL159R
ITL159B
ITL159W

◆ 0.90m - ◆ 4.00m
⚡ 80W - ⚖ 12.4kg - 📏 99
Xled & slowflash




Ewan
ITL166R
ITL166B
ITL166W

◆ 1.00m - ◆ 3.00m
⚡ 70W - ⚖ 11.1kg - 📏 98
Xled, flash & slowflash




Mae double
ITL159W
ITL159R
ITL159B

◆ 0.90m - ◆ 4.00m
⚡ 80W - ⚖ 12.4kg - 📏 166
Xled & slowflash




Ewan
ITL166W
ITL166R
ITL166B

◆ 1.00m - ◆ 3.00m
⚡ 70W - ⚖ 11.1kg - 📏 98
Xled, flash & slowflash




Jupiter
IPL147R
IPL147B
IPL147W

◆ 3.50m - ◆ 1.00m
⚡ 55W - ⚖ 12.0kg - 📏 98
Xled & slowflash




Halley
IPL148R
IPL148B
IPL148W

◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚖ 10.0kg - 📏 68
Xled, flash & slowflash




Russel
IPL146R
IPL146B
IPL146W

◆ 2.30m - ◆ 0.90m
⚡ 55W - ⚖ 7.2kg - 📏 74
Xled & slowflash




Mae
IPL159R
IPL159W
IPL159B

◆ 2.00m - ◆ 0.90m
⚡ 50W - ⚖ 6.7kg - 📏 50
Xled & slowflash




Jupiter
IPL147W
IPL147R
IPL147B

◆ 3.50m - ◆ 1.00m
⚡ 55W - ⚖ 12.0kg - 📏 98
Xled & flash



Halley
IPL148W
IPL148R
IPL148B

◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚖ 10.0kg - 📏 68
Xled & flash



Russel
IPL146W
IPL146R
IPL146B

◆ 2.30m - ◆ 0.90m
⚡ 55W - ⚖ 7.2kg - 📏 74
Xled & flash



Mae
IPL159W
IPL159B
IPL159R

◆ 2.00m - ◆ 0.90m
⚡ 50W - ⚖ 6.7kg - 📏 50
Xled & flash





Clelia double
ITL120
ITL120W
ITL120R
ITL120B

◆ 1.00m - ◆ 6.00m
⚡ 115W - ⚡ 23.4kg - ⚡ 178
slowflash



Clelia double
ITL120W
ITL120R
ITL120B
ITL120

◆ 1.00m - ◆ 6.00m
⚡ 115W - ⚡ 23.4kg - ⚡ 178
slowflash




Clelia double
ITL120R
ITL120B
ITL120W
ITL120

◆ 1.00m - ◆ 6.00m
⚡ 115W - ⚡ 23.4kg - ⚡ 178
slowflash




Clelia double
ITL120B
ITL120R
ITL120W
ITL120

◆ 1.00m - ◆ 6.00m
⚡ 115W - ⚡ 23.4kg - ⚡ 178
slowflash



Clelia
IPL120
IPL120W
IPL120R
IPL120B

◆ 3.00m - ◆ 1.00m
⚡ 60W - ⚡ 11.2kg - ⚡ 90
slowflash



Clelia
IPL120R
IPL120
IPL120W
IPL120B

◆ 3.00m - ◆ 1.00m
⚡ 60W - ⚡ 11.2kg - ⚡ 90
slowflash



Tivano
PL250W
PL250B
PL250

◆ 1.77m - ◆ 0.92m
⚡ 24W - ⚡ 4.6kg
stars & flash




Tivano
PL250B
PL250W
PL250

◆ 1.77m - ◆ 0.92m
⚡ 24W - ⚡ 4.6kg
stars & flash



Clelia
IPL120W
IPL120
IPL120R
IPL120B

◆ 3.00m - ◆ 1.00m
⚡ 60W - ⚡ 11.2kg - ⚡ 90
slowflash




Clelia
IPL120B
IPL120W
IPL120
IPL120R

◆ 3.00m - ◆ 1.00m
⚡ 60W - ⚡ 11.2kg - ⚡ 90
slowflash



Boa
PL344
PL344W

◆ 0.60m - ◆ 0.95m
⚡ 10W - ⚡ 5.3kg
flash




Tivano
PL250
PL250W
PL250B

◆ 1.77m - ◆ 0.92m
⚡ 24W - ⚡ 4.6kg
stars & flash



COLLECTION *ALTO*



The ALTO Collection's decoration is inspired by the variation and precision of ice crystals in cold or warmer tones.

Close your eyes and imagine you're surrounded by ice in the midst of snowy forests or out on the ski slopes for that freezing-cold Christmas.



COLLECTION
ALTO




Thorn chain
ITL163  \blacklozenge 1.25m - \blacklozenge 6.00m
 € 111W - \blacktriangle 26.5kg - \blacksquare 194
Xled, flash & slowflash




Venturo double
ITL160  \blacklozenge 1.00m - \blacklozenge 6.00m
 € 130W - \blacktriangle 26.2kg - \blacksquare 197
flash




Apeliote
ITL167  \blacklozenge 1.20m - \blacklozenge 4.00m
 € 150W - \blacktriangle 22.5kg - \blacksquare 166
stars & slowflash




Asia curve
ITL126  \blacklozenge 1.00m - \blacklozenge 3.00m
 € 100W - \blacktriangle 16.3kg - \blacksquare 194
stars & slowflash



Venturo
IPL160  \blacklozenge 3.00m - \blacklozenge 1.00m
 € 65W - \blacktriangle 11.0kg - \blacksquare 99
flash



Thorn
IPL150  \blacklozenge 2.00m - \blacklozenge 0.90m
 € 40W - \blacktriangle 6.0kg - \blacksquare 62
Xled & flash




Asia
IPL126  \blacklozenge 1.50m - \blacklozenge 0.60m
IPL126W  € 40W - \blacktriangle 5.4kg - \blacksquare 62
slowflash



Wild
IPL149B  \blacklozenge 2.30m - \blacklozenge 0.90m
 € 55W - \blacktriangle 7.5kg - \blacksquare 68
slowflash



Althair
IPL122  \blacklozenge 1.50m - \blacklozenge 0.70m
 € 30W - \blacktriangle 4.2kg - \blacksquare 54
stars & slowflash




Serenade
IPL143  \blacklozenge 1.50m - \blacklozenge 0.60m
IPL143W  € 25W - \blacktriangle 3.9kg - \blacksquare 31
stars



Venus double
ITL028B    \blacklozenge 1.00m - \blacklozenge 6.00m
 \curvearrowright 150W - \blacktriangle 25.3kg - \blacksquare 184
stars & slowflash



Forest
ITL105    \blacklozenge 1.20m - \blacklozenge 5.00m
 \curvearrowright 110W - \blacktriangle 24.7kg - \blacksquare 214
Xled, stars & slowflash




Charleston double
ITL035    \blacklozenge 0.87m - \blacklozenge 5.28m
 \curvearrowright 100W - \blacktriangle 19.9kg - \blacksquare 147
flash



Charleston
IPL035   \blacklozenge 2.71m - \blacklozenge 0.88m
 \curvearrowright 50W - \blacktriangle 10.3kg - \blacksquare 74
stars & flash



Wood
IPL124   \blacklozenge 2.00m - \blacklozenge 0.90m
 \curvearrowright 15W - \blacktriangle 5.0kg - \blacksquare 49
slowflash



Twister
IPL070W    \blacklozenge 2.00m - \blacklozenge 0.90m
 \curvearrowright 35W - \blacktriangle 6.5kg - \blacksquare 51
stars & slowflash




Venus
IPL028B    \blacklozenge 3.00m - \blacklozenge 1.00m
 \curvearrowright 75W - \blacktriangle 12.1kg - \blacksquare 94
stars & slowflash




Flora
IPL135    \blacklozenge 3.00m - \blacklozenge 1.00m
 \curvearrowright 70W - \blacktriangle 13.3kg - \blacksquare 94
stars & slowflash



Twister
IPL070B    \blacklozenge 2.00m - \blacklozenge 0.90m
IPL070W    \curvearrowright 35W - \blacktriangle 6.5kg - \blacksquare 51
IPL070R    stars & slowflash



Grand mia
ITL101
ITL101W
◆ 2.00m - ◆ 2.00m
⚡ 150W - ⚖ 18.0kg - 📏 216
slowflash



Snow
ITL016
ITL016W
◆ 3.10m - ◆ 3.10m
⚡ 200W - ⚖ 25.7kg - 📏 244
flash



Mia
ITL102
ITL102W
◆ 1.00m - ◆ 1.00m
⚡ 45W - ⚖ 5.8kg - 📏 73
slowflash




Maena
ITL103
◆ 1.10m - ◆ 0.80m
⚡ 30W - ⚖ 4.1kg - 📏 41
flash




Dendra
ITL022
ITL022W
◆ 1.00m - ◆ 0.85m
⚡ 30W - ⚖ 3.0kg - 📏 41



Givre
ITL020B
ITL020W
◆ 1.00m - ◆ 0.85m
⚡ 40W - ⚖ 4.5kg - 📏 47
slowflash



Aiguille
ITL021
◆ 1.25m - ◆ 1.25m
⚡ 55W - ⚖ 4.6kg - 📏 65



Lily
ITL115
ITL115W
◆ 0.50m - ◆ 0.40m
⚡ 16W - ⚖ 4.0kg - 📏 20



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)



Alyzé double
ITL072W * * □
◆ 1.00m - ◆ 6.00m
⚡ 120W - ▲ 24.5kg - 📏 203
Xled & stars



Grand blizzard
ITL118W * * □
◆ 1.00m - ◆ 5.00m
⚡ 135W - ▲ 24.0kg - 📏 224
Stars



Sirocco
ITL119W * * □
◆ 1.20m - ◆ 4.00m
⚡ 110W - ▲ 22.7kg - 📏 234
slowflash




Volutus jf
ITL059 * * □
◆ 1.22m - ◆ 4.93m
⚡ 155W - ▲ 23.6kg - 📏 132
flash & stars



Bannière blizzard
IPL117W * * □
◆ 2.80m - ◆ 0.80m
⚡ 45W - ▲ 10.2kg - 📏 76
slowflash



Blizzard
IPL118W * * □
◆ 2.30m - ◆ 0.70m
⚡ 60W - ▲ 10.0kg - 📏 100
stars




Cristallin
IPL084 * * □
◆ 1.50m - ◆ 0.60m
⚡ 35W - ▲ 4.3kg - 📏 35
stars




Blizzard VL
VL045W * * □
◆ 3.00m - ◆ 2.20m - 📏 220m
⚡ 126W - ▲ 31.0kg - 📏 225
flash




Alyze
IPL072W * * □
◆ 3.00m - ◆ 1.00m
⚡ 60W - ▲ 12.4kg - 📏 102
Stars, Xled & slowflash




Boreal
IPL069 * * □
◆ 2.30m - ◆ 0.90m
⚡ 60W - ▲ 10.3kg - 📏 86
Stars & slowflash



Asia
IPL126W * * □
◆ 1.50m - ◆ 0.60m
⚡ 40W - ▲ 5.4kg - 📏 62
slowflash



Zephyr
IPL075W * * □
IPL075B * * □
◆ 2.50m - ◆ 0.90m
⚡ 60W - ▲ 6.1kg - 📏 76
Xled & slowflash



Snow
ITL016W * * *
ITL016 * * *
◆ 3,10m - ◆ 3,10m
⚡ 200W - ⚡ 25,7kg - ⚡ 244
flash



Grand mia
ITL101W * * *
ITL101 * * *
◆ 2,00m - ◆ 2,00m
⚡ 150W - ⚡ 18,0kg - ⚡ 73
slowflash

Givre
ITL020W * * *
ITL020B * * *
◆ 1,00m - ◆ 0,85m
⚡ 40W - ⚡ 4,5kg - ⚡ 47
flash

Dendra
ITL022W * * *
ITL022 * * *
◆ 1,00m - ◆ 0,85m
⚡ 30W - ⚡ 3,0kg - ⚡ 41

Mia
ITL102W * * *
ITL102 * * *
◆ 1,00m - ◆ 1,00m
⚡ 45W - ⚡ 5,8kg - ⚡ 73
slowflash

Lina xmas
ITL107 * * *
◆ 1,00m - ◆ 1,00m
⚡ 45W - ⚡ 5,8kg - ⚡ 43
slowflash

Lily
ITL115W * * *
ITL115 * * *
◆ 0,50m - ◆ 0,40m
⚡ 16W - ⚡ 4,0kg - ⚡ 20



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)

COLLECTION *MAGIC*



The MAGIC Collection immerses you in a traditional Christmas.

Gifts with multicoloured ribbons and bows are at the foot of the tree, Majestic stars and baubles decorate the festive table ready for guests to arrive. Because the very best traditions are those you share...





COLLECTION
MAGIC



N
Astral JF
 ITL234W * * * *
 ◆ 0.85m - ◆ 4.50m
 ⚡ 79W - ⚖ 16.0kg - 📏 109
 Stars



N
Astral chain
 ITL227B * * * *
 ITL227W * * * *
 ◆ 1.00m - ◆ 4.00m
 ⚡ 89W - ⚖ 20.0kg - 📏 68
 Stars & flash




N
Astral chain
 ITL227W * * * *
 ITL227B * * * *
 ◆ 1.00m - ◆ 4.00m
 ⚡ 89W - ⚖ 20.0kg - 📏 68
 Stars & flash




N
Astral banner
 IPL190B * * * *
 IPL190W * * * *
 IPL190R * * * *
 ◆ 2.80m - ◆ 0.80m
 ⚡ 55W - ⚖ 10.1kg - 📏 67
 Xled & stars




N
Astral banner
 IPL190W * * * *
 IPL190B * * * *
 IPL190R * * * *
 ◆ 2.80m - ◆ 0.80m
 ⚡ 55W - ⚖ 10.1kg - 📏 67
 Xled & stars




N
Astral banner
 IPL190R * * * *
 IPL190W * * * *
 IPL190B * * * *
 ◆ 2.80m - ◆ 0.80m
 ⚡ 55W - ⚖ 10.1kg - 📏 67
 Xled & stars




N
Astral roll
 IPL228B * * * *
 IPL228W * * * *
 ◆ 1.30m - ◆ 1.10m
 ⚡ 44W - ⚖ 7.0kg - 📏 51
 Stars, Xled & slowflash



N
Astral grand
 IPL189B * * * *
 IPL189W * * * *
 IPL189R * * * *
 ◆ 3.00m - ◆ 1.00m
 ⚡ 65W - ⚖ 13.5kg - 📏 128
 Stars, Xled & slowflash



N
Astral grand
 IPL189W * * * *
 IPL189B * * * *
 IPL189R * * * *
 ◆ 3.00m - ◆ 1.00m
 ⚡ 65W - ⚖ 13.5kg - 📏 128
 Stars, Xled & slowflash




N
Astral grand
 IPL189R * * * *
 IPL189W * * * *
 IPL189B * * * *
 ◆ 3.00m - ◆ 1.00m
 ⚡ 65W - ⚖ 13.5kg - 📏 128
 Stars, Xled & slowflash



N
Astral roll
 IPL228W * * * *
 IPL228B * * * *
 ◆ 1.30m - ◆ 1.10m
 ⚡ 44W - ⚖ 7.0kg - 📏 51
 Stars, Xled & slowflash




Grand stella
ITL094W
◆ 1.20m - ◆ 6.00m
⚡ 195W - ⚖ 26.4kg - 📏 250
Xled & slowflash




N
Astral double
ITL191B
ITL191
◆ 0.90m - ◆ 4.00m
⚡ 138W - ⚖ 21.0kg - 📏 167
Stars, Xled & slowflash



N
Astral double
ITL191
ITL191B
◆ 0.90m - ◆ 4.00m
⚡ 138W - ⚖ 21.0kg - 📏 167
Stars, Xled & slowflash



N
Astral
IPL191B
IPL191W
IPL191R
◆ 2.00m - ◆ 0.90m
⚡ 60W - ⚖ 4.3kg - 📏 79
Stars, Xled & slowflash



N
Astral
IPL191W
IPL191B
IPL191R
◆ 2.00m - ◆ 0.90m
⚡ 60W - ⚖ 4.3kg - 📏 79
Stars, Xled & slowflash




N
Astral
IPL191R
IPL191W
IPL191B
◆ 2.00m - ◆ 0.90m
⚡ 60W - ⚖ 4.3kg - 📏 79
Stars, Xled & slowflash



Leia xmas
ITL109W
◆ 1.12m - ◆ 1.12m
⚡ 35W - ⚖ 4.9kg - 📏 37
slowflash



Celeste
IPL042W
◆ 3.00m - ◆ 0.85m
⚡ 75W - ⚖ 10.0kg - 📏 92
flash



Stella
IPL094W
◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚖ 10.8kg - 📏 90
Xled & slowflash



Anthares mm
ITL082W
◆ 0.90m - ◆ 0.90m
⚡ 35W - ⚖ 3.3kg - 📏 37
slowflash


Anthares gm
ITL083W
◆ 1.10m - ◆ 1.10m
⚡ 50W - ⚖ 5.6kg - 📏 47
slowflash



Orion
ITL025W
◆ 1.00m - ◆ 1.00m
⚡ 10W - ⚖ 1.7kg - 📏 27
flash



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)




Cassiopee double
ITL076W * * * □
◆ 1,00m - ◆ 6,00m
⚡ 120W - ⚖ 23,4kg - 📏 187
Xled & slowflash



Liv
ITL164W * * * □
◆ 1,00m - ◆ 4,00m
⚡ 165W - ⚖ 19,2kg - 📏 145
slowflash




Liv chain
ITL162W * * * □
◆ 1,24m - ◆ 6,00m
⚡ 170W - ⚖ 27,0kg - 📏 13
Xled, flash & slowflash



Cassiopee
IPL076W * * * □
IPL076 * * * □
◆ 3,00m - ◆ 1,00m
⚡ 60W - ⚖ 12,2kg - 📏 94
Xled & slowflash




Penelope
IPL039 * * * □
IPL039W * * * □
◆ 2,00m - ◆ 0,72m
⚡ 35W - ⚖ 5,9kg - 📏 61
Xled & slowflash



Cascade
IPL151W * * * □
◆ 2,00m - ◆ 0,90m
⚡ 45W - ⚖ 7,6kg - 📏 25
Xled & slowflash



Mathilda
ITL027W * * * □
◆ 1,00m - ◆ 0,70m
⚡ 25W - ⚖ 3,1kg - 📏 29
flash



Cassiopee
IPL076 * * * □
IPL076W * * * □
◆ 3,00m - ◆ 1,00m
⚡ 60W - ⚖ 12,2kg - 📏 94
Xled & slowflash



Penelope
IPL039W * * * □
IPL039 * * * □
◆ 2,00m - ◆ 0,72m
⚡ 35W - ⚖ 5,9kg - 📏 61
Xled & slowflash



Liv petit
IPL145W * * * □
◆ 1,20m - ◆ 0,60m
⚡ 25W - ⚖ 3,7kg - 📏 29
Xled & slowflash







Iliade
IPL141W * * * □
◆ 1,00m - ◆ 0,70m
⚡ 25W - ⚖ 3,4kg - 📏 23
flash






Combination of TL311W and several TL312W.





Schematic diagram of all the lights presented on this double page:



Front view

Side view




Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)

Référence	Description	Colour	Height	Width	Depth	P(W)	Weight
ITGL141	alto	○	0.50m	0.50m	0.26m	50W	2.60kg
ITGL107	sphere frozen	○	0.50m	0.50m	0.26m	10W	1.70kg
ITGL104	sphere full	○	0.50m	0.50m	0.26m	10W	1.70kg
ITGL104W	sphere full	●	0.50m	0.50m	0.26m	10W	1.70kg
ITGL105	sphere full	○	0.80m	0.80m	0.4m	20W	3.20kg
ITGL105W	sphere full	●	0.80m	0.80m	0.4m	20W	3.20kg
ITGL132B	sphere bubbles	●	0.50m	0.50m	0.26m	11W	2.10kg
ITGL132R	sphere bubbles	●	0.50m	0.50m	0.26m	11W	2.10kg
ITGL133B	sphere bubbles	●	0.80m	0.80m	0.4m	20W	4.00kg
ITGL133R	sphere bubbles	●	0.80m	0.80m	0.4m	20W	4.00kg

Référence	Description	Colour	Height	Width	Depth	P(W)	Weight
ITGL112	star5	○	0.80m	0.80m	0.18m	8W	1.50kg
ITGL112W	star5	●	0.80m	0.80m	0.18m	8W	1.50kg
ITGL111	star7	○	0.80m	0.80m	0.18m	15W	1.90kg
ITGL111W	star7	●	0.80m	0.80m	0.18m	15W	1.90kg




Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)




Référence	Description	Colour	Height	Width	Depth	P(W)	Weight
ITGL117R	love	●	0.60m	0.60m	0.46m	8W	2.00kg
ITGL130W	lanterna	●	0.70m	0.70m	0.40m	26W	5.00kg
ITGL131	goutte	○	0.80m	0.40m	0.26m	10W	1.80kg
ITGL131W	goutte	●	0.80m	0.40m	0.26m	10W	1.80kg
ITGL102	diams	○	0.60m	0.40m	0.24m	15W	1.50kg
ITGL102W	diams	●	0.60m	0.40m	0.24m	15W	1.50kg



3D 3D foldable spheres (for optimized storage)



∅ 0,60m
 ● TGL70LWW
 sphere pliable pm
 ◆ 0,60m - ◆ 0,60m - ■ 0,60m
 ⚡ 30W - ☒ 3,9kg
 ● TGL70LW



∅ 1,00m
 RGB TGL71LWCL
 sphere pliable mm
 ◆ 1,00m - ◆ 1,00m - ■ 1,00m
 ⚡ 8W - ☒ 15,0kg
 ● TGL71LW



∅ 1,60m
 ● TGL71LWW
 ● TGL72LWW
 sphere pliable gm
 ◆ 1,60m - ◆ 1,60m - ■ 1,60m
 ⚡ 165W - ☒ 24,8kg
 ● TGL72LW

2D 2D Spheres

∅ 0,30m
 ● ITL051W
 sphere pm
 ◆ 0,30m - ◆ 0,80m
 ⚡ 5W - ☒ 1,0kg
 ● ITL051 - ● ITL051B - ● ITL051R

∅ 0,60m
 ● ITL052W
 sphere mm
 ◆ 0,60m - ◆ 0,60m
 ⚡ 10W - ☒ 1,7kg
 ● ITL052 - ● ITL052B - ● ITL052R



∅ 1,00m
 ● ITL053W
 sphere gm
 ◆ 1,00m - ◆ 1,00m
 ⚡ 20W - ☒ 2,8kg
 ● ITL053 - ● ITL053B - ● ITL053R



COLLECTION *COSY*



The COSY Collection transports us in a few seconds to a soft and peaceful fireside. The decorations are alternately composed of warm-toned tree branches then delicate lanterns in candlelight.








COLLECTION
COSY



Nordika 2D-pm
IPL140W * □ ◆ 1.60m - ◆ 0.65m
⚡ 20W - ⚙ 6.5kg - ⏱ 21
slowflash

Nordika 2D-gm
IPL139W * □ ◆ 3.00m - ◆ 1.20m
⚡ 40W - ⚙ 13.6kg - ⏱ 43
slowflash



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)



Calypso double
ITL113W * □
◆ 0.90m - ◆ 4.00m
⚡ 110W - ⚖ 15.1kg - 📏 82
slowflash




Idylle double
ITL112W * * □
◆ 0.90m - ◆ 4.00m
⚡ 100W - ⚖ 15.6kg - 📏 135
slowflash



Jf
ITL009 * □
◆ 0.90m - ◆ 3.50m
⚡ 80W - ⚖ 10.9kg - 📏 106
slowflash



Ilwan
ITL165W * * * □
◆ 1.00m - ◆ 3.00m
⚡ 105W - ⚖ 15.3kg - 📏 141
Xled & slowflash



Baroque
TGL169LW * □
◆ 1.40m - ◆ 1.18m - 📏 1.18m
⚡ 240W - ⚖ 25.0kg - 📏 130
slowflash



Aurora
CX048LW *
◆ 0.73m - ◆ 0.48m - 📏 0.48m
⚡ 40W - ⚖ 4.3kg



Lucia
ITL084W * □
◆ 0.85m - ◆ 0.70m
⚡ 20W - ⚖ 2.2kg - 📏 23
slowflash






Luz
TGL247LW *
◆ 0.36m - ◆ 0.26m - 📏 0.26m
⚡ 5W - ⚖ 1.30kg
flamme



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)

SOLAR RANGE

Our bests sellers are now solar powered



These decorations are equipped only with 24V LED fireflies.

Thanks to our new solar-powered rechargeable battery, you can combine lighting with energy efficiency.


Once your decor is in place, position the solar box on top of it facing the right way, set your switch-on and switch-off times and enjoy your lighted decorations.

Technical details:



- 8 to 10 hours of recharging with optimal sunlight for 7 hours of lighting.
- Your lights can be programmed to operate for 5, 6 or 7 hours.

Enter decor reference no. + PIXSOL2

100% autonomous



When you set it up, make sure it is facing the right way to get the most sun during the day



3D CHARACTERS



Every year, we design 3D characters to create lively, funny and joyful scenery. From the funny bear, to the majestic stag, to the giant Santa Claus, all our creations offer young and old alike a wonderful spectacle. They are mostly interactive and animated. Find all our ballast solutions and turntables in the accessory pages p.250.





N Bloom CX160L
 ◆ 2.08m - ◆ 1.94m - ■ 1.16m
 ⚡ 30W - ▲ 30.5kg
 flash

N Elliott GX163L
 ◆ 2.80m - ◆ 2.02m - ■ 1.25m
 ⚡ 30W - ▲ 40.0kg
 flash

N DouDou GX159L
 ◆ 2.10m - ◆ 1.94m - ■ 1.19m
 ⚡ 40W - ▲ 42.5kg
 flash



N Astral photobooth SOCL43
 ◆ 2.20m - ◆ 2.00m
 ⚡ 22W - ▲ 26kg - ■ 118

N José GX172LW
 ◆ 2.15m - ◆ 1.20m - ■ 0.30m
 ⚡ 46W - ▲ 25kg - ■ 57
 flash





Ed
CX152L
◆ 2.00m - ◆ 1.48m - ■ 0.85m
⚡ 20W - ▲ 27.5kg
flash

Mister xmas
CX132L
◆ 3.60m - ◆ 2.60m - ■ 1.90m
⚡ 90W - ▲ 97kg

Roy
CX151L
◆ 2.00m - ◆ 1.00m - ■ 1.00m
⚡ 25W - ▲ 27.0kg
flash



Kdo
SL038W
SL038R
SL038B
◆ 1.30m - ◆ 0.90m - ■ 0.90m
⚡ 20W - ▲ 17.5kg - ■ 250

Candyselfie
CX153L
◆ 1.95m - ◆ 1.90m - ■ 1.00m
⚡ 45W - ▲ 59kg
Stars & flash

Kdo
SL038R
SL038W
SL038B
◆ 1.30m - ◆ 0.90m - ■ 0.90m
⚡ 20W - ▲ 17.5kg - ■ 250

Lighting system with floodlights

Lighting system with floodlights





Xmas boots with boxes ◆ 2.70m - ◆ 2.45m - ■ 1.40m
 ✦ 175W - ▲ 61.2kg
 Stars & flash

Mister santa ◆ 2.80m - ◆ 1.75m - ■ 1.40m
 ✦ 60W - ▲ 125kg
 flash



N *Wizz santa* ◆ 2.30m - ◆ 3.80m - ■ 1.20m
 ✦ 40W - ▲ 72.5kg
 flash





N Verde
SL045V ✨
◆ 3.00m - ◆ 2.25m - ▣ 2.25m
⚡ 225W - ▲ 41kg - 📶 299
Xled

Max
CX148L
◆ 2.20m - ◆ 1.80m - ▣ 1.35m
⚡ 54W - ▲ 65.0kg
flash



N Love selfie spot
GX168LW ✨
◆ 1.90m - ◆ 2.00m - ▣ 0.92m
⚡ 40W - ▲ 25.0kg - 📶 139
flash

Little teddy chic
GX087L
◆ 2.00m - ◆ 2.00m - ▣ 1.45m
⚡ 60W - ▲ 54.0kg
flash



Sound and light animated scene composed of several characters and a single buzzer, available on request.



N *Johnny*
GX167L
◆ 2.30m - ◆ 1.60m - ■ 0.90m
⚡ 25W - ▲ 34.5kg

Johnny animé
GX167L-A
+ buzzer
◆ 2.30m - ◆ 1.60m - ■ 0.90m
⚡ 44W - ▲ 77.0kg

N *Santa rock*
GX165L
◆ 2.70m - ◆ 1.90m - ■ 1.50m
⚡ 44W - ▲ 69.0kg

Santa rock animé
GX165L-A
+ buzzer
◆ 2.70m - ◆ 1.90m - ■ 1.50m
⚡ 52W - ▲ 93.5kg

N *Lou*
GX166L
◆ 2.30m - ◆ 2.20m - ■ 2.60m
⚡ 60W - ▲ 77.5kg

Lou animé
GX166L-A
+ buzzer
◆ 2.30m - ◆ 2.20m - ■ 2.60m
⚡ 76W - ▲ 120.0kg



Nutcracker
GX134L
◆ 2.30m - ◆ 0.65m - ■ 0.60m
⚡ 25W - ▲ 24.0kg
flash

Starlight
GX210LW
◆ 0.90m - ◆ 2.35m - ■ 0.90m
⚡ 30W - ▲ 34.0kg
flash

N *Dave*
SV504
◆ 3.12m - ◆ 1.60m - ■ 1.60m
⚡ 40W - ▲ 40.0kg
flash





Funky pingoo
GX204L ◆ 1.60m - ◆ 1.20m - ■ 0.60m
⚡ 20W - ▲ 19.0kg

Ice igloo
GX079L ◆ 1.50m - ◆ 2.20m - ■ 2.00m
⚡ 76W - ▲ 55.0kg - 📺 134
flash

Fox
GX147L ◆ 2.20m - ◆ 1.75m - ■ 1.40m
⚡ 30W - ▲ 37.0kg
flash



Wizz frozen
GX195L ◆ 1.20m - ◆ 2.30m - ■ 1.20m
⚡ 73W - ▲ 82.0kg - 📺 153
Xled & stars

Comete
GX118L ◆ 2.60m - ◆ 2.18m - ■ 1.20m
⚡ 24W - ▲ 27.4kg

Romy
GX119L ◆ 4.50m - ◆ 3.00m - ■ 2.45m
⚡ 45W - ▲ 81.0kg





N *Dave C* SV504C
 ◆ 3.12m - ◆ 1.60m - ■ 1.60m
 ⚡ 40W - ▲ 40.0kg
 flash

N *Dave A* SV504A
 ◆ 3.12m - ◆ 1.60m - ■ 1.60m
 ⚡ 40W - ▲ 40.0kg
 flash

N *Dave B* SV504B
 ◆ 3.12m - ◆ 1.60m - ■ 1.60m
 ⚡ 40W - ▲ 40.0kg
 flash



Peter CX097L
 ◆ 2.00m - ◆ 1.30m - ■ 0.60m
 ⚡ 24W - ▲ 60.0kg
 flash

Letterbox CX308L
 ◆ 2.00m - ◆ 0.90m - ■ 0.90m
 ⚡ 180W - ▲ 43.5kg
 flash

John CX098L
 ◆ 2.30m - ◆ 1.50m - ■ 0.90m
 ⚡ 40W - ▲ 56.0kg
 flash





Teddy chic
CX086L ◆ 4.00m - ◆ 4.00m - ■ 2.80m
⚡ 250W - ▲ 157.0kg

Teddy chic anime
CX086L-A ◆ 4.00m - ◆ 4.00m - ■ 2.80m
⚡ 290W - ▲ 172.0kg

With presence detector



Noah
GX145L ◆ 3.00m - ◆ 2.27m - ■ 1.85m
⚡ 70W - ▲ 76kg





Kdo
SL038B
SL038W
SL038R

◆ 1.30m - ◆ 0.90m - ■ 0.90m
⚡ 20W - ▲ 17.5kg - # 250

Teddy ski
GX182L

◆ 4.00m - ◆ 3.35m - ■ 2.60m
⚡ 180W - ▲ 148.5kg

Teddy ski anime
GX182L-A

◆ 4.00m - ◆ 3.35m - ■ 2.60m
⚡ 220W - ▲ 160.0kg

With presence detector

Lighting system with floodlights



Daddy bear
GX205L

◆ 1.50m - ◆ 2.20m - ■ 0.70m
⚡ 28W - ▲ 27.5kg

Skate bear
GX047L

◆ 2.30m - ◆ 1.95 - ■ 1.10m
⚡ 40W - ▲ 44.0kg

Baby bear
GX206L

◆ 1.50m - ◆ 1.40m - ■ 1.30m
⚡ 40W - ▲ 30.4kg





Billy ◆ 2.70m - ◆ 2.90m - ▣ 1.35m
GX103L ⚡ 95W - ▲ 65.5kg

Billy anime ◆ 2.70m - ◆ 2.90m - ▣ 1.35m
GX103L-A ⚡ 135W - ▲ 78.5kg

With push buttons



Blizzard photobooth ◆ 2.20m - ◆ 1.60m
SOCL42 ⚡ 25W - ▲ 18.5kg - 📷 142

Marley ◆ 2.30m - ◆ 2.60m - ▣ 1.00m
CX146L ⚡ 30W - ▲ 46.5kg
flash





Tommy
GX105L
◆ 2.70m - ◆ 2.30m - ■ 2.30m
⚡ 70W - ▲ 91.5kg
flash

Welcome
GX042L
◆ 2.20m - ◆ 1.20m - ■ 0.80m
⚡ 18W - ▲ 22.0kg
flash

Hera
GX115LW
◆ 3.50m - ◆ 1.90m - ■ 2.00m
⚡ 90W - ▲ 88.0kg
flash




Wizz
GX194L
◆ 1.20m - ◆ 2.30m - ■ 1.20m
⚡ 79W - ▲ 82.0kg
Xled & stars

Cute rennoo
GX092L
◆ 2.20m - ◆ 1.15m - ■ 0.70m
⚡ 22W - ▲ 99.0kg
flash

Renoo
GX093L
◆ 2.00m - ◆ 1.20m - ■ 0.60m
⚡ 22W - ▲ 52.0kg
flash





Xmas train
GX102L ◆ 1.90m - ◆ 3.55m - ▣ 1.00m
⚡ 140W - ▲ 130.0kg
Xled

Recy train
GX112L ◆ 1.95m - ◆ 2.00m - ▣ 1.50m
⚡ 95W - ▲ 80.0kg
Xled

Recy train
GX112L-UK ◆ 1.95m - ◆ 2.00m - ▣ 1.50m
⚡ 95W - ▲ 80.0kg
Xled

Frozen letterbox
GX149L ◆ 2.00m - ◆ 1.10m - ▣ 1.10m
⚡ 56W - ▲ 36.0kg
flash



SORTING WASTE,

can be child's play



By encouraging today's youth to recycle is a major challenge that we have answered with creativity and fun. We have made this vital step a fun and playful collective act thanks to creating containers in the form of funny animals.

Placed in city centres or by beaches, whales, trains and other cute creations house recycling containers. The plastic bottles collected are recovered by specialist organisations who process the bottles to provide the raw materials we inject into our printers.

These Recyprint structures are used to create Christmas decorations that are as festive as is they are responsible!

This is a real tangible example of a circular economy.

Collect and recycle in a fun way to create recycled decorations.






CREATE YOUR own Bioprint scenes

Choose from these characters to create your own scene.
All the motifs presented are self-supporting on a frame but can also be manufactured in wallmount and polemount (on demand).

- **Choose your frame:** Bauble or Golden Gift (Ref. SC014 or SC015).
- **Choose 2 decorations and create your own scene:** Reindeer, House, Fir Tree, Angel, Sled, Snowflake, Snowman and Gift Packs (Ref. from SC016 to SC025) - Let your imagination run wild!

	<i>Arche xmas</i> SC014	◆ 2.90m - ◆ 2.55m ⚡ 40W - ▲ 26.6kg starflash		<i>Arche frozen</i> SC015	◆ 2.30m - ◆ 2.53m ⚡ 35W - ▲ 21.4kg starflash
	<i>Snowy</i> SC025	◆ 1.55m - ◆ 1.00m ⚡ 20W - ▲ 7.1kg starflash		<i>Rudolf</i> SC016	◆ 1.80m - ◆ 0.80m ⚡ 15W - ▲ 4.6kg starflash
	<i>Rudolf</i> SC017	◆ 1.80m - ◆ 1.15m ⚡ 20W - ▲ 6.5kg starflash		<i>Home</i> SC018	◆ 1.70m - ◆ 0.95m ⚡ 20W - ▲ 7.4kg starflash
	<i>Erica</i> SC019	◆ 1.90m - ◆ 1.30m ⚡ 25W - ▲ 8.0kg starflash		<i>Cadeaux</i> SC024	◆ 1.70m - ◆ 0.70m ⚡ 25W - ▲ 9.0kg starflash
	<i>Ronny</i> SC020	◆ 1.64m - ◆ 1.35m ⚡ 15W - ▲ 5.3kg starflash		<i>Rafael</i> SC021	◆ 1.50m - ◆ 1.25m ⚡ 20W - ▲ 6.4kg starflash
	<i>Wizzy</i> SC022	◆ 0.90m - ◆ 1.45m ⚡ 25W - ▲ 6.6kg starflash		<i>Cristal</i> SC023	◆ 1.00m - ◆ 1.75m ⚡ 20W - ▲ 6.8kg starflash





PLAY MAGIC

Play in augmented reality!

Allowing audiences to do things like take a photo with Father Christmas or play with Charlie the Unicorn, our augmented reality apps add virtual characters into the real world, leaving the public laughing and amazed. Children and adults can easily take part in the fun using a smartphone enjoying an unforgettable experience that transforms reality into a unique performance.

How does it work?

For the public, the idea is simple: When users approach the Play Magic banner, the app they have pre-installed on their phones automatically unlocks to give them access to the games. They can then share the experience on their social media pages. The public app features your branding and a link to your website or social media.

For the city:

The games app has a subscription model valid while the illuminations are up, with games updated each year. Apart from this, all you need to do is install the banner near the illuminations to tell the public they can enjoy a free game on their phone in the location. There is no need for any connection. The app's success also depends on you advertising it on displays in your town/city and on your social media pages. We can assist you in setting up your communications (Réf. ARCOM below).

Games available:



Reference	Description
AR001	3 games pack (chosen from the 7 existing games) + 1 Totem
AR002	5 games pack (chosen from the 7 existing games) + 1 Totem
ARTOT02	1 additional Totem
ARCOM	Augmented Reality Communications Pack (non-printed poster, web banner and smartphone-format image).



230 cm

50 cm



NORDIKA & 3D



Christmas wouldn't be Christmas without a Christmas tree. Our majestic NORDIKA trees are so lifelike that they could be mistaken for real imposing Scandinavian firs. These beautiful and everlasting specimens give Christmas decorations a gentle and reassuring touch.

Combined with our elegant, bright trees and our fountains, streets and alleyways are given a welcoming and natural feel.

NORDIKA,

a majestic conifer as realistic as a natural one **[Blachere
Exclusivity]**

Who doesn't love a fabulous Christmas tree? And yet, it takes between 30 and 40 years for a natural conifer to reach 12m in height. As we want to avoid deforestation halting the felling of these majestic trees, we invented NORDIKA. Pre-illuminated with a slowglow effect, easy to assemble and store, they are perfect replicas of their natural version, both in their design and incredibly realistic appearance - as true to life as it gets.

Our environmental approach is based on a simple principle: to save at least as much carbon as we generate. We do this by only using biocompatible materials, which we recycle at the end of their lifespan.



**OPTIONAL
TREETOP**



**HYPER REALISTIC
CHRISTMAS TREE
BRANCHES**



WOOD-EFFECT TRUNK



**WOOD EFFECT
STAND AVAILABLE**






NORDIKA,

The Christmas tradition

The perfect regularity of the branches, the realistic high-quality finishes and a majestic size make our conifers a festive must. You can customise your Nordika every year for a unique look: hang Christmas baubles on its branches, add a set of lights, or even set it on a wooden base.

New construction:
8 additional branches



Ref	Name	Height	ø	P(W)	Weight	No of elements	Colour of Led	No of Led
GX081LW-2	sapin Nordika - PM	5,00 m	3,56 m	245 W	263 kg	46	☀	2976 (1488 steady + 1488 with slowglow effect)
GX082LW	sapin Nordika - MM	8,00 m	4,70 m	770 W	1 112 kg	107	☀	8664 (4332 steady + 4332 with slowglow effect)
GX083LW	sapin Nordika - GM	12,00 m	5,90 m	1870 W	2 750 kg	194	☀	21048 (10524 steady + 10524 with slowglow effect)



**FREE STANDING
NO NEED TO SECURE
WITH WIRES**

**TOTALLY
SAFE 24V**

**INDOOR &
OUTDOOR USE**

**PVC
FREE**

**PRE-LIGHTED
WITH 100% LED
SLOWGLOW EFFECT**

**CAN BE TOTALLY
DISMANTLED
(EASY TRANSPORT
AND STORAGE)**



NORDIKA,

Accessories

Decorative baubles kit

Each kit features 52 baubles in the same colour (M1/B1 category-fireproof)-50% shiny /50% satiny

- 28 baubles ø 12cm
- 20 baubles ø 20cm
- 4 baubles ø 25cm

Bioprint & Recyprint kit

Each kit features 20 motives

- 8 motives ø 50cm
- 12 motives ø 30cm



Colour	Reference
Silver	KITNDK-A
Blue	KITNDK-B
Gold	KITNDK-O
Red	KITNDK-R

Recommendations

- Nordika - 5 m → 2 kits - 104 baubles
 Nordika - 8 m → 4 kits - 208 baubles
 Nordika - 12 m → 8 kits - 416 baubles

Colour	Motive	Reference
Blue/White	Snowflake	KITNDK-F
Gold/White	Star	KITNDK-E

Recommendations

- Nordika - 5 m → 2 kits - 40 décorations
 Nordika - 8 m → 4 kits - 80 décorations
 Nordika - 12 m → 8 kits - 160 décorations

Base and tree topper

4 tree toppers are available for an additional magical touch to your Nordika tree.

Bases can also be featured with all Nordika trees.



Tree topper	ø	Reference
tree topper star7	0,80m	CIME7
tree topper bella	1,00m	CIME2
tree topper mia	1,00m	CIME6
tree topper aiguille	1,00m	CIME4

Base	Reference
Nordika base 5m (GX081LW-2)	SOCLGX81
Nordika base 8m (GX082LW)	SOCLGX82
Nordika base 12m (GX083LW)	SOCLGX83



Petit celeste
SV302 ✨ □
◆ 3.50m - ◆ 1.16m - ■ 1.16m
⚡ 70W - ⚙ 34.0kg - 📏 419
Stars

Celeste
SV502 ✨ □
◆ 6.00m - ◆ 1.90m - ■ 1.90m
⚡ 185W - ⚙ 97.0kg - 📏 598
flash

Quadri tree
SV303 ✨ □
◆ 3.00m - ◆ 1.16m - ■ 1.16m
⚡ 55W - ⚙ 31kg - 📏 199
stars



Celeste
SV502W ✨ □
◆ 6.00m - ◆ 1.90m - ■ 1.90m
⚡ 185W - ⚙ 97.0kg - 📏 598
flash

Quadri tree
SV303W ✨ □
◆ 3.00m - ◆ 1.15m - ■ 1.15m
⚡ 55W - ⚙ 30.0kg - 📏 199
Stars

Marina
SLED010W ✨
◆ 7.50m - ◆ 3.40m - ■ 3.40m
⚡ 265W - ⚙ 152.0kg
flash


N *Astral Tree*
SL046W ✨ □
◆ 2.84m - ◆ 1.82m - ■ 1.82m
⚡ 140W - ⚙ 63.0kg - 📏 466
flash

Petit celeste
SV302W ✨ □
◆ 3.50m - ◆ 1.20m - ■ 1.20m
⚡ 115W - ⚙ 64.0kg - 📏 419
flash





Description	Height	∅	P(W)	Weight	Parts number	○	●
Conical fir tree 3m	3,00 m	1,18 m	24 W	49 kg	3	SV301	SV301W
Conical fir tree 5m	5,00 m	1,80 m	60 W	241 kg	6	SV501	SV501W
Conical fir tree 10m	10,00 m	3,43 m	248 W	985 kg	23	SV1001	SV1001W
Conical fir tree 14m	14,36 m	5,80 m	640 W	2371 kg	49	SV1401	SV1401W
Conical "crossing" fir tree 8m	8,00 m	2,78 m	200 W	585 kg	17	SV801-P	SV801W-P
Conical "crossing" fir tree 12m	12,00 m	4,08 m	440 W	1174 kg	33	SV1201-P	SV1201W-P



Sapin vert pre illumine
GP157W ✨
◆ 2,10m - ◆ 1,35m - ■ 1,35m
⚡ 40W - ▲ 18,0kg
flash

Sapin conique blanc
GSV140B ✨
◆ 1,40m - ◆ 0,60m - ■ 0,60m
⚡ 0,20W - ▲ 15,0kg
flash





Romantica
SLO43W ✨
◆ 2.80m - ◆ 2.20m - ▣ 2.20m
⚡ 140W - ⚖ 38.3kg
flash

N *Verde*
SLO45V ✨
◆ 3.00m - ◆ 2.25m - ▣ 2.25m
⚡ 225W - ⚖ 41kg - 📺 299
Xled

nordika 3d - eco
SLO41W ✨
◆ 3.00m - ◆ 2.40m - ▣ 2.40m
⚡ 125W - ⚖ 72.0kg
slowglow



vega frozen
SND016 ✨
◆ 2.70m - ◆ 0.90m - ▣ 0.90m
⚡ 30W - ⚖ 25.5kg
stars

Grand vega green
SND019 ✨
◆ 6.25m - ◆ 2.20m - ▣ 2.20m
⚡ 275W - ⚖ 170.0kg - stars

Vega blizzard
SND020 ✨
◆ 2.70m - ◆ 0.90m - ▣ 0.90m
⚡ 30W - ⚖ 25.5kg
flash

Grand vega frozen
SND017 ✨
◆ 6.25m - ◆ 2.20m - ▣ 2.20m
⚡ 275W - ⚖ 170.0kg - stars

Vega green
SND018 ✨
◆ 2.70m - ◆ 0.90m - ▣ 0.90m
⚡ 30W - ⚖ 25.5kg
flash





Cherry tree
SV505CL
◆ 5.80m - ◆ 1.90m - ■ 1.90m
⚡ 48W - ▲ 107.0kg
RGB



This tree includes Cherrylight® garlands with opaque globes, which diffuse uniform light in zingy colours that change randomly and automatically.



Kdo fullcolor
GX120L
◆ 5.00m - ◆ 2.30m - ■ 2.30m
⚡ 220W - ▲ 165.0kg
flash

Spheerique
GX060L
◆ 5.00m - ◆ 2.40m - ■ 2.40m
⚡ 360W - ▲ 199.0kg



RGBW TREE - Cycle of different preset animations, changing every two minutes.

N Fullcolor tree SV506RGBW 5.70m - 1.90m - 1.90m 246W - 97.0kg RGB



Nordman SL016 4.55m - 4.50m - 0.90m 65W - 130.0kg flash




Selfie tree CX156LW 2.47m - 2.20m - 0.90m 15W - 53.5kg - 83 flash





Romantic
SND022 ✨
◆ 8.00m - ◆ 2.70m - ■ 2.70m
⚡ 300W - ▲ 315.5kg
stars comète

Teddy
SND021 ✨
◆ 5.50m - ◆ 2.50m - ■ 2.50m
⚡ 325W - ▲ 172.0kg
stars



Atlas
SL006 ✨
◆ 5.00m - ◆ 3.00m - ■ 3.00m
⚡ 210W - ▲ 63.2kg
stars

Atlas
SL006W ✨
◆ 5.00m - ◆ 3.00m - ■ 3.00m
⚡ 210W - ▲ 63.2kg
stars

Atlas
SL006B ✨
◆ 5.00m - ◆ 3.00m - ■ 3.00m
⚡ 210W - ▲ 63.2kg
stars





Bjork pm
SL039W ✨
◆ 5.00m - ◆ 1.65m - ■ 0.40m
⚡ 20W - ▲ 40.0kg
flash

pot included.
for facades only.



bjork
SL005W ✨
◆ 5.00m - ◆ 3.30m - ■ 3.30m
⚡ 100W - ▲ 205.0kg
flash

bjork
SL005 ✨
◆ 5.00m - ◆ 3.30m - ■ 3.30m
⚡ 100W - ▲ 205.0kg
flash





N *Magic*
GX173LW ✨
◆ 5.13m - ◆ 5.00m - ▣ 5.00m
⚡ 292W - ⚖ 159.0 kg
Xled



N *Lina*
GX185LW ✨
◆ 3.53m - ◆ 3.86m - ▣ 3.86m
⚡ 168W - ⚖ 85kg
Xled





Futura
GX171RGBW
◆ 2.50m - ◆ 4.40m - ■ 6.00m
⚡ 720W - ⚖ 198.0kg
RGB

RGBW TUNNEL - Cycle of different preset animations, changing every two minutes.



Cherry box
GX070CL
◆ 3.90m - ◆ 3.60m - ■ 3.30m
⚡ 134W - ⚖ 309.0kg
RGB & flash



Cherry ball
SL019CL
◆ 2.75m - ◆ 3.00m - ■ 2.24m
⚡ 58W - ⚖ 162.0kg
RGB



These decorations includes Cherrylight® garlands with opaque globes, which diffuse uniform light in zingy colours that change randomly and automatically.





Elie
GX155LW ✨
◆ 4.20m - ◆ 4.00m - ■ 4.00m
⚡ 410W - ▲ 386.0 kg - 📏 441
flash

Romance
SL034W ✨
◆ 3.45m - ◆ 5.00m - ■ 0.50m
⚡ 185W - ▲ 209.0kg - 📏 171
flash



Titan
CX070LR ✨
◆ 3.90m - ◆ 3.60m - ■ 3.30m
⚡ 260W - ▲ 235.0kg - 📏 1927
flash

Lumi
GX154LW ✨
◆ 4.m00 - ◆ 2.00m - ■ 1.80m
⚡ 155W - ▲ 171.0kg - 📏 1367
flash



Star
SL037W *
◆ 2.90m - ◆ 1.10m - ■ 1.00m
⚡ 20W - ▲ 24.0kg - ⚡ 106
flash

Peps
SL036W *
◆ 2.90m - ◆ 0.90m - ■ 1.00m
⚡ 21W - ▲ 32.0kg
flash



Proxima pm
SL012 *
◆ 1.30m - ◆ 2.50m
⚡ 25W - ▲ 8.0kg
flash

Proxima gm
SL013 *
◆ 2.00m - ◆ 3.50m
⚡ 45W - ▲ 6.0kg
flash

Boule xmas
CX327LW *
◆ 1.10m - ◆ 1.00m - ■ 1.00m
⚡ 25W - ▲ 6.6kg
flash

Proxima pm
SL012W *
◆ 1.30m - ◆ 2.50m
⚡ 25W - ▲ 8.0kg
flash

Proxima gm
SL013W *
◆ 2.00m - ◆ 3.50m
⚡ 45W - ▲ 6.0kg
flash

Candle ball
CX150LW *
◆ 0.70m - ◆ 0.70m - ■ 0.55m
⚡ 5W - ▲ 2.70kg
flash

Peps
SL036 *
◆ 2.90m - ◆ 0.90m - ■ 1.00m
⚡ 21W - ▲ 32.0kg
flash



Boule xmas
CX327LW *
◆ 1.10m - ◆ 1.00m - ■ 1.00m
⚡ 25W - ▲ 6.6kg
flash

Sylvestre gm
SL033 *
◆ 2.10m - ◆ 2.50m - ■ 2.50m
⚡ 45W - ▲ 8.8kg
flash

Sylvestre gm
SL033W *
◆ 2.10m - ◆ 2.50m - ■ 2.50m
⚡ 45W - ▲ 8.8kg
flash

Sylvestre pm
SL032 *
◆ 1.40m - ◆ 1.65m - ■ 1.65m
⚡ 40W - ▲ 7.6kg
flash

Sylvestre pm
SL032W *
◆ 1.40m - ◆ 1.65m - ■ 1.65m
⚡ 40W - ▲ 7.6kg
flash





N *Blizzard arch*
CX184L * □
◆ 3.47m - ◆ 4.95m - ■ 0.95m
⚡ 95W - ⚖ 135.0kg - 📏 337
stars & comète

N *Gold arch*
CX184LW * □
◆ 3.47m - ◆ 4.95m - ■ 0.95m
⚡ 95W - ⚖ 135.0kg - 📏 337
stars & comète



Ballasting option, possible upon request.

N *Astral arch*
SL135W * □
◆ 3.75m - ◆ 4.85m - ■ 0.95m
⚡ 104W - ⚖ 113.0kg - 📏 205
Xled



N *Quadrille arch*
SL136 * □
◆ 3.75m - ◆ 4.85m - ■ 0.95m
⚡ 89W - ⚖ 110.0kg - 📏 205
Xled & stars





Lotus
CX016LW ✨
◆ 3.55m - ◆ 5.00m - ■ 5.00m
⚡ 515W - 🏠 150.0kg
comète

Tatiana
SL035W ✨
◆ 2.00m - ◆ 2.10m - ■ 0.60m
⚡ 60W - 🏠 22.5kg
comète




N *Line SL*
SL047 ✨
◆ 3.00m - ◆ 2.00m - ■ 2.00m
⚡ 150W - 🏠 44.0kg
Xled





N
Astral fountain
 SL044W ✨ □
 ◆ 2.00m - ◆ 4.00m - ■ 4.00m
 ⚡ 120W - ⚖ 63.0kg - 📏 122
 flash & comète



Blizzars fountain
 SL040 ✨ □
 ◆ 2.00m - ◆ 4.00m - ■ 4.00m
 ⚡ 140W - ⚖ 55.0kg - 📏 122
 flash & comète



BI-SEASON RANGE

Our urban furniture all year round!

This new range of evolving urban furniture is composed of a luminous archway and a shade tree equipped with spotlights and USB plugs changing over the seasons and according to the chosen classic decoration kit.

The kits can be assembled in our workshops (tell us during your order) or at home in complete autonomy. For instance:

Arch Base + Christmas Arch Kit for a frosted look for the yearend celebrations
or Share Tree Base + Summer Arch Kit for a multicoloured summer look



**GX242L
BASE ARBRE**
◆ 3.00m - ◆ 3.20m - ■ 3.20m
▲127.00kg - ⚡ 40W

**KIT2-242
KIT ARBRE SUMMER**
• 32 passive decorations



**GX242L
BASE ARBRE**
◆ 3.00m - ◆ 3.20m - ■ 3.20m
▲127.00kg - ⚡ 40W

**KIT1-242
KIT ARBRE CHRISTMAS**
• 27 light & passive decorations



**SL134
BASE ARCHE**
◆ 3.45m - ◆ 5.00m - ■ 3.61m
▲245.30kg - ⚡ 40W

**KIT2-134
KIT ARCHE SUMMER**
• 37 passive decorations



**SL134
BASE ARCHE**
◆ 3.45m - ◆ 5.00m - ■ 3.61m
▲245.30kg - ⚡ 40W

**KIT1-134
KIT ARCHE CHRISTMAS**
• 39 light & passive decorations



2D LETTERS WITH SPOTLIGHTS

To install anywhere and any season


The name of your city and a hashtag ? A welcome message with a heart ? Create your luminous word and personalise your message with our decorations. These giant letters will be perfect selfie spots to increase your visibility on social networks.

Letters available in 1,40m and 2m height.



Garlands, *Blachere LEDs*

led +





By considering practical use in their innovative designs, our R&D department has devised the all-new LED+ in both static and slowflash editions to make your projects come alive! Our new and exclusive LED range is the outcome of a long-term collaboration with Nichia®, the world leader in LEDs. The range is:

+ bright, + robust, + long span, + consistent in terms of color

The new technical features of LED+:

- ▶ **Design is optimized and registered** to promote the luminous efficiency of our product (inverted cone principle).
- ▶ **Thermal dissipation is maximized** for longer LED life
- ▶ **Uniform phosphorus deposition** for a uniform lighting effect.
- ▶ **2 years guarantee**
- ▶ **Optimum protection index: IP66 / IP69**
- ▶ **Octoplus 230V Connection System by Blachere IP67**

led Classic



Our standard LED model!

Bright and stable (lifespan and colour), our Classic LEDs has also inverted cones (homogeneous light diffusion).

Its production is closely followed to make sure the quality is optimal and competitive on the market.
 230V model: IP66
 24V model: IP55

Keys - Garlands

◆ Height	□ White cable	○ Pure white Led	☑ Indoor/outdoor use
◀ Length	■ Black cable	● Warm white Led	☐ caoutchouc Type of cable
▣ Width	■ Green cable	● Blue Led	⚡ 230V Supply voltage
P(W) Wattage	■ Silver cable	● Red Led	☔ IP66-69 Protection rating
Number of strings	■ Brown cable	● Amber Led	🔌 Incl. Power supply included
🔌 Number of garlands that can be connected end-to-end	▢ Transparent cable	● Pink Led	🔨 IK06 Shock resistance index
⚡ Voltage	☀ Pure white Led flash	● Green Led	☠ 230V Octoplus by blachere® 230V exclusive range
⊗ Weight	☀ Warm white Led flash	● Multicoloured Led	☠ 24V Octoplus by blachere® 24V exclusive range




1. Warm white

2. Flash

3. Warm white + flash

«SOBRILLANCE» CONCEPT

Controllable on request



► Flash curtains «Superbright»

◆	◀	FLASH	P (W)	▮	☑	■
6,00 m	2,00m	80 ☉	20	8	5	260-F

► Static curtains Led+

◆	◀	LED	P (W)	▮	☑	□	■
5,00 m	2,00 m	540 ☉	67	15	9	FL75W-B+	FL75W+
7,00 m	2,00 m	750 ☉	69	15	9	FL72W-B+	FL72W+
10,00 m	2,00 m	1050 ☉	77	15	9	FL79W-B+	FL79W+

product info


Sobrillance is the combination of a fixed warm white curtain and a Super Bright flash curtain.

Vary the sequences with our remote controlled/programmable clock and create a living light show in your street! On special request.




N

«SUPERBRIGHT» CURTAINS *With flashes*



◆	◆	FLASH	P (W)	▮	☐	■
6,00 m	2,00m	80 ☉	20	8	5	260-F

«SUPERBRIGHT» GARLANDS *With flashes*



◆	LED	FLASH	P (W)	▮	☐	■
40,00m	420 ☉	80 ☉	20	8	2	560-F

delivered in 40m roll

product info

Recreate the most beautiful avenue in the world in your own city!

A product and animation developed exclusively for the Champs-Élysées now available to all our clients. Blachere Illumination is the official supplier of the «Champs-Élysées» Committee.




Sparklight® garlands

Led+ & slowflashes



requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043+ type... p 240



◆	LED	SLOWFLASH	P (W)	🏠	□	■
20,00 m	108 ○	52 ○	11,5	100m	FL590BF+	FL590F+
20,00 m	108 ●	52 ●	11,5	100m	FL590WBF+	FL590WF+
20,00 m	108 ●	52 ○	11,5	100m		FL590BLF+
20,00 m	108 ●	52 ○	11,5	100m		FL590RF+
1,50 m	230V power supply cable				FY08-B+	FY08+
0,30 m	bridge rectifier		690W max		FY043A-B+	FY043A+
0,20 m	bridge rectifier		230W max		FY041A-B+	FY041A+


product info

Blachere exclusive
 - Registered design
 - High brightness
 - Shock resistant IK06
 - Long lifespan
 - Stable colour
 - IP 66/69 protection rating.
 Maximum rating allowed for a 230V product
 - Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.


2 YEARS GUARANTEE

conditions : contact us

Sparklight® garlands with flash or static



20 m



2 x 10 m

▶ 100% flash

◀	LED	P (W)	🔌	□	■
20,00 m	80 ○	5	100m		510-FX

▶ with flash

◀	LED	FLASH	P (W)	🔌	□	■
20,00 m	90 ○	30 ○	8	100m		512-FX
20,00 m	90 ●	30 ○	8	100m		512W-FX
20,00 m	150 ○	50 ○	15,5	100m	511B-FX	511-FX
20,00 m	150 ●	50 ○	15,5	100m	510BW-FX	510W-FX
20,00 m	150 ●	50 ○	15,5	100m		510B-FX
20,00 m	150 ●	50 ○	15,5	100m		510R-FX
20,00 m	150 ●	50 ○	15,5	100m		510P-FX

▶ static

◀	LED	P (W)	🔌	□	■
20,00 m	200 ○	15	100m	508-B	508
20,00 m	200 ●	15	100m	508W-B	508W
20,00 m	200 ●	15	100m		508B
20,00 m	120 ○	8	100m		512C
20,00 m	120 ●	8	100m		512CW

product info

Proven reliability.
Power supply with connecting socket included.
Wide range of Octoplus 230V by Blachere accessories available.

High flash concentration on FX models.
Increased waterproofing thanks to optimum protection rating.






Sparklight® garlands

Garlands static



requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043+ type... p 240



◆	LED	P (W)	📏	□	■
20,00 m	160 ○	11,5	100m	FL590-B+	FL590+
20,00 m	160 ●	11,5	100m	FL590W-B+	FL590W+
20,00 m	160 ●	11,5	100m		FL590BL+
20,00 m	160 ●	11,5	100m		FL590R+
1,50 m	230V power supply cable			FY08-B+	FY08+
0,30 m	bridge rectifier		690W max	FY043A-B+	FY043A+
0,20 m	bridge rectifier		230W max	FY041A-B+	FY041A+

product info

Blachere exclusive

- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.


2 YEARS GUARANTEE

conditions : contact us

Sparklight® 24V garlands *with flash or static*



with PVC cable



▶ with flash

◀	LED	FLASH	P (W)	🔌	■
20,00 m	168 ○	28 ⦿	5	5	FL502-FX
20,00 m	168 ●	28 ⦿	5	5	FL502W-FX
20,00 m	168 ●	28 ⦿	5	5	FL502B-FX
20,00 m	168 ●	28 ⦿	5	5	FL502R-FX

▶ static

◀	LED	P (W)	🔌	■
20,00 m	196 ●	5	5	501W

with rubber cable



▶ static

◀	LED	P (W)	🔌	■
20,00 m	196 ●	6,2	4	501CW
switch-mode power supply 24V dc 25W - sold separately				PRTR24V

product info

Very low voltage ideal for safe installations within the reach of the public.
High protection rating to withstand dirt and moisture.
Long lengths made possible by connecting several garlands using one transformer.


Ref 501CW: more durable rubber cable, ideal for permanent use.

Wide range of Octoplus 24V by Blachere accessories p.242.





Micro light + PRO[®] Range *garlands*





▶ Micro light + PRO garlands

◀	LED	P (W)	☑	■
19,20 m	192 ○	15	2	501+
19,20 m	192 ●	15	2	501W+



product info

This new Micro light + PRO range has been designed to be more powerful and brighter, while remaining low consumption and with a homogeneous wide angle light distribution.

Power supply with connection plug included.



Garland RGB Controllable



◀	LED	P (W)	📶	■	
3,75 m	25 RGB	7,5	2	FL525RGB	
Caméléon Control box	No of outputs	No of pixels	P (W)	input voltage	output voltage
	10	10 x 50 = 500	150	230V	5V
					PRX10RGB

product info


Customize the colour and animation of your trees,

According to month, week or for a particular event at any time of year.
For a tree of 8 to 10m :
-20 x FL525RGB strings for 10 runs of 7m (2 x 3,50),
-one PRX10RGB box

Maximum colour range thanks to RGB LED technology.



Controllable RGBWW garland color-changing



	◀	LED	P (W)	□
1-128	12,80 m	RGBWW ● ● ● ●	10	FLRGBWW-A
129-256	12,80 m	RGBWW ● ● ● ●	10	FLRGBWW-B
Coffret Caméléon+ 2 x 256 pixels with 24V 100W power supply included				PRXRGBWW2

product info

RGBWW garland allowing the mixing of colors with a single hot white color selectable. Customizable predefined animations. Wireless settings using the Cameleon+ effects programmer.


Space between LEDs: 10cm.



Joylight® curtains Led + & *slowflashes*



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... p.240



◆	◀	LED	SLOWFLASH	P (W)	⏏	📶	□	■
1,50 m	2,00 m	150 ○	60 ⚙	17	15	27	FL74BF+	FL74F+
1,50 m	2,00 m	150 ●	60 ⚙	17	15	27	FL74WBF+	FL74WF+
3,00 m	2,00 m	240 ○	120 ⚙	25	15	18	FL70BF+	FL70F+
3,00 m	2,00 m	240 ●	120 ⚙	25	15	18	FL70WBF+	FL70WF+
5,00 m	2,00 m	360 ○	180 ⚙	65	15	9	FL75BF+	FL75F+
5,00 m	2,00 m	360 ●	180 ⚙	65	15	9	FL75WBF+	FL75WF+
7,00 m	2,00 m	510 ○	240 ⚙	70	15	9	FL72BF+	FL72F+
7,00 m	2,00 m	510 ●	240 ⚙	70	15	9	FL72WBF+	FL72WF+
10,00 m	2,00 m	690 ○	360 ⚙	80	15	8	FL79BF+	FL79F+
10,00 m	2,00 m	690 ●	360 ⚙	80	15	8	FL79WBF+	FL79WF+
1,50m	230V power supply cable						FY08-B+	FY08+
0,30m	bridge rectifier			690W max			FY043A-B+	FY043A+
0,20m	bridge rectifier			230W max			FY041A-B+	FY041A+

product info

Blachere exclusive

- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product.
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.

2 YEARS GUARANTEE

conditions : contact us



Joylight® Curtains with flash or static




► with flash

◆	◀	LED	FLASH	P (W)	⌈	☑	□
0,80 m	2,00 m	140 ✱	28 ☉	14	14	30	21CBFX
0,80 m	2,00 m	140 ☀	28 ☉	14	14	30	21CWBFX
1,50 m	2,00 m	210 ○	30 ☉	15	15	25	24CBFX
1,50 m	2,00 m	210 ☀	30 ☉	15	15	25	24CWBFX
1,50 m	2,00 m	210 ●	30 ☉	15	15	25	24CRFX
1,50 m	2,00 m	210 ●	30 ☉	15	15	25	24CBLFX
3,00 m	2,00 m	420 ○	56 ☉	33	14	16	20CBFX
3,00 m	2,00 m	420 ☀	56 ☉	33	14	16	20CWBFX
3,00 m	2,00 m	420 ●	56 ☉	33	14	16	20CRFX
3,00 m	2,00 m	420 ●	56 ☉	33	14	16	20CBLFX
5,00 m	2,00 m	900 ○	90 ☉	55	15	12	25CBFX
5,00 m	2,00 m	900 ☀	90 ☉	55	15	12	25CWBFX
5,00 m	2,00 m	900 ●	90 ☉	55	15	12	25CRFX
5,00 m	2,00 m	900 ●	90 ☉	55	15	12	25CBLFX
7,00 m	2,00 m	1200 ○	120 ☉	80	15	8	22CBFX
7,00 m	2,00 m	1200 ☀	120 ☉	80	15	8	22CWBFX
10,00 m	2,00 m	1350 ○	135 ☉	84	15	8	29CBFX
10,00 m	2,00 m	1350 ☀	135 ☉	84	15	8	29CWBFX

► static (individual strands)

◆	◀	LED	P (W)	⌈	☑	□
1,50 m	2,00 m	342 ○	30	18	20	24C-B
1,50 m	2,00 m	342 ☀	30	18	20	24CW-B
3,00 m	2,00 m	540 ○	35	18	15	20C-B
3,00 m	2,00 m	540 ☀	35	18	15	20CW-B
5,00 m	2,00 m	900 ○	65	18	9	25C-B
5,00 m	2,00 m	900 ☀	65	18	9	25CW-B
7,00 m	2,00 m	1080 ○	72	18	9	22C-B
7,00 m	2,00 m	1080 ☀	72	18	9	22CW-B
10,00 m	2,00 m	1350 ○	58	18	10	29C-B
10,00 m	2,00 m	1350 ☀	58	18	10	29CW-B



product info

Ideal for decorating facades, trees or for cross-street motifs.

Up to 30 curtains on the same power supply.

Compatible with the entire range


Connection options with the Octoplus 230V by Blachere® accessories.



Joylight®Led+ curtains static



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... p.240



◆	◀	LED	P (W)	⏏	📶	□	■
1,50 m	2,00 m	210 ○	20	15	25	FL74-B+	FL74+
1,50 m	2,00 m	210 ●	20	15	25	FL74W-B+	FL74W+
3,00 m	2,00 m	360 ○	30	15	16	FL70-B+	FL70+
3,00 m	2,00 m	360 ●	30	15	16	FL70W-B+	FL70W+
5,00 m	2,00 m	540 ○	67	15	9	FL75-B+	FL75+
5,00 m	2,00 m	540 ●	67	15	9	FL75W-B+	FL75W+
7,00 m	2,00 m	750 ○	69	15	9	FL72-B+	FL72+
7,00 m	2,00 m	750 ●	69	15	9	FL72W-B+	FL72W+
10,00 m	2,00 m	1050 ○	77	15	9	FL79-B+	FL79+
10,00 m	2,00 m	1050 ●	77	15	9	FL79W-B+	FL79W+
1,50m	230V power supply cable					FY08-B+	FY08+
0,30m	bridge rectifier		690W max			FY043A-B+	FY043A+
0,20m	bridge rectifier		230W max			FY041A-B+	FY041A+

product info

Blachere exclusive


- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product.
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range p.240-241.

2 YEARS GUARANTEE

conditions : contact us



ECO Led *curtains static*



◆	◆	LED	P (W)	⌈	⏏	□
1,50 m	2,00 m	210 ○	15	15	20	ECO24-B
1,50 m	2,00 m	210 ●	15	15	20	ECO24W-B
3,00 m	2,00 m	360 ○	20	15	15	ECO20-B
3,00 m	2,00 m	360 ●	20	15	15	ECO20W-B
5,00 m	2,00 m	576 ○	30	16	12	ECO25-B
5,00 m	2,00 m	576 ●	30	16	12	ECO25W-B
7,00 m	2,00 m	750 ○	50	15	7	ECO22-B
7,00 m	2,00 m	750 ●	50	15	7	ECO22W-B
10,00 m	2,00 m	1050 ○	55	15	6	ECO29-B
10,00 m	2,00 m	1050 ●	55	15	6	ECO29W-B


product info

Unbeatable value for money with proven reliability.

NEW: Octoplus 230V by Blachere connection system

An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.


Joylight® 24V curtains with flash



◆	◀	LED	F.	P (W)	⌈	☐	□
3,00 m	2,00 m	300 ○	60 ○	12,5	15	2	FL203-FX
3,00 m	2,00 m	300 ●	60 ○	12,5	15	2	FL203W-FX
3,00 m	2,00 m	300 ●	60 ○	12,5	15	2	FL203B-FX
3,00 m	2,00 m	300 ●	60 ○	12,5	15	2	FL203R-FX
3,00 m	2,00 m	300 ●	60 ○	12,5	15	2	FL203P-FX



Joylight® Slowglow curtains




New animation exclusive to Blachere Illumination. Gentle lighting snowflake effect.
Compatible with the entire range.
Connection options with 230V Octoplus® accessories by Blachere® p240 à 241.

◆	◀	LED Slowglow	P (W)	⌈	☐	□
1,50 m	2,00 m	120 ○	16	15	13	24SG
1,50 m	2,00 m	120 ●	16	15	13	24WSG
3,00 m	2,00 m	180 ○	15	15	12	20SG
3,00 m	2,00 m	180 ●	15	15	12	20WSG
5,00 m	2,00 m	210 ○	17	15	12	25SG
5,00 m	2,00 m	210 ●	17	15	12	25WSG
7,00 m	2,00 m	225 ○	17	15	12	22SG
7,00 m	2,00 m	225 ●	17	15	12	22WSG
10,00 m	2,00 m	270 ○	15	15	13	29SG
10,00 m	2,00 m	270 ●	15	15	13	29WSG



“Scintillance” curtains



◆	◆	LED	FLASH	P (W)		☐	☐
7,00 m	2,00m	420 ●	80 ○	55	10	-	ECO216W

product info

Recreate the most beautiful avenue in the world wherever you are!

Product and animation developed exclusively for the Champs Elysées now available for all our customers.

Blachere illumination official supplier of the « Champs Elysées » Committee.


A PRO version that exactly reproduces the effect on the Champs Elysées and an ECO version with a simplified effect.



Stalactitlight® Led+ with slowflash or static



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type...



▶ with slowflash

◆	◀	LED	SLOWFLASH	P (W)	⏏	⏏	□
0,80 m	4,50 m	120 ○	60 ⚙	16	48	20	FL390BF+
0,80 m	4,50 m	120 ●	60 ⚙	16	48	20	FL390WBF+
1,50m	230V power supply cable		690W max				FY08-B+
0,30m	bridge rectifier		690W max				FY043A-B+
				230W			FY041A-B+

▶ static

◆	◀	LED	P (W)	⏏	⏏	□	
0,80 m	4,50 m	180 ○	16	48	20	FL390-B+	
0,80 m	4,50 m	180 ●	16	48	20	FL390W-B+	
1,50m	230V power supply cable		690W max				FY08-B+
0,30m	bridge rectifier		690W max				FY043A-B+
				230W			FY041A-B+

product info

Blachere exclusive
 - Registered design
 - High brightness
 - Shock resistant IK06
 - Long lifespan
 - Stable colour
 - IP 66/69 protection rating. Maximum rating allowed for a 230V product.
 - Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range. p.240.


2 YEARS GUARANTEE

conditions : contact us




Combination with bouquets p.199

Stalactitlight® with flash or static



Refs : 352/354



Refs : 353

▶ with flash

◆	◀	LED	FLASH	P (W)	⌌	⏏	□
0,57 m	4,50 m	156 ○	48 ⦿	13	48	15	352-FX
0,57 m	4,50 m	156 ●	48 ⦿	13	48	15	352W-FX
0,57 m	4,50 m	156 ●	48 ⦿	13	48	15	352R-FX
0,57 m	4,50 m	156 ●	48 ⦿	13	48	15	352B-FX
1,00 m	4,50 m	180 ○	60 ⦿	12	36	15	354-FX
1,00 m	4,50 m	180 ●	60 ⦿	12	36	15	354W-FX

▶ static

◆	◀	LED	P (W)	⌌	⏏	□
0,57 m	4,50 m	180 ○	12	48	15	352
0,57 m	4,50 m	180 ●	12	48	15	352W
1,00 m	4,50 m	240 ○	12	36	15	354
1,00 m	4,50 m	240 ●	12	36	15	354W
1,50 m	4,50 m	320 ○	16	32	15	353C
1,50 m	4,50 m	320 ●	16	32	15	353CW

product info


An absolute must since its creation, this product is a best-seller owing to its reliability.

Can be divided into sections for greater adaptability.

Compatible with the entire range.

Connection options with 230V Octoplus® accessories by Blachere® p.240.

Ceilings with flash or static



▶ with flash


◆	◀	LED	F.	P (W)	⌈	⌋	■
30,00 m	2,00 m	588 ○	98 ○	30	7	3	414-FX
30,00 m	2,00 m	588 ●	98 ○	30	7	3	414W-FX

▶ static

◆	◀	LED	P (W)	⌈	⌋	■
30,00 m	2,00 m	686 ○	30	7	3	414
30,00 m	2,00 m	686 ●	30	7	3	414W



Micro light+ PRO® ceilings




▶ ceilings Micro light + PRO

◆	◆	LED	P (W)	⌋	⌈	■
1,50 m	21,60 m	720 ○	36	2	5	420+
1,50 m	21,60 m	720 ●	36	2	5	420W+





LED+ Braided Garlands *with flash*




micro steel wire

▶ with flash

◀	∅	LED	FLASH	P (W)	☑	□
60,00 m	6cm	648 ○	312 ⚡	69	2	TSL60+
60,00 m	6cm	648 ●	312 ⚡	69	2	TSL60W+

Product delivered with power supply kit + rectifier and 60m roll.

Braid garlands *with flash or static*



▶ with flash

◀	∅	LED	FLASH	P (W)	☑	□
7,50 m	12,00 cm	210 ○	30 ⚡	13	13	TSL3FX
7,50 m	12,00 cm	210 ●	30 ⚡	13	13	TSL3WFX

▶ static

◀	∅	LED	P (W)	☑	□
7,50 m	6,00 cm	240 ○	13	13	TSL2
7,50 m	6,00 cm	240 ●	13	13	TSL2W

Fil lumière®



LED+

50 Led/m




Horizontal LED

PLATINIUM/ECO

30 Led/m



inverted 320° LED cone vertical position



	Fil Lumière® eco	Fil Lumière® Platinum	Fil Lumière® Led+
density per led	30	30	50
P (W)/roll	3	4	75-80
Roll	90m	50m	25m
∅	12mm	12mm	13mm
○	NL5011	NLEDU51	NLED51+
●	NL5011W	NLEDU51W	NLED51W+
●	NL5012	NLEDU52	NLED52+
●	NL5014	NLEDU54	NLED54+
●	NL5016	NLEDU56	NLED56+
●			NLED57+
●			NLED58+
●	NL5013	NLEDU53	

The use of inverted cone LED (see diagram) enables Blachère LED Garlands and Fil lumière products to offer exceptional luminosity. Can be divided every meter.

product info


Fil lumière® LED+ and Platinum : Ideal for highlighting facade.

Supplied with 3 special LED power supplies, 3 end caps, 3 connectors. Strictly for professional use.

Cannot be sold in shops.




Cherrylight® Garland




◀	LED	P (W)	🔌	■
20,00 m	160	4	3	FL555C



Cherrylight® curtains




◀	▶	LED	P (W)	🔌	■
2,00 m	1,50m	180	15	15	FL224C
2,00m	3,00m	300	25	10	FL220C






Hanging bouquets indoor & outdoor



drawing of installation:



► Indoor use / IP20 - PVC cable

∅	Colour	LED	FLASH	P (W)	
0,80 m	Silver	441 ○	63 ○	25	FCL080A
0,80 m	Gold	441 ●	63 ○	25	FCL080G
Indoor transformer for FCL bouquet - sold separately				25	PRTR24VI


► Outdoor use / IP55 - Rubber cable

∅	Colour	LED	FLASH	P (W)	
0,80 m	Silver	441 ○	63 ○	25	FCL080A-E
0,80 m	Gold	441 ●	63 ○	25	FCL080G-E
Outdoor transformer for FCL bouquet - sold separately				25	PRTR24V



product info

The hanging bouquets animated with flash with a gold or silver decoration, good daytime effect.

Works with a PRTR24VI or PRTR24V transformer - sold separately.



Garland with 10 glittering candles - flame effect



◆	◆	LED	P (W)		🔌	■
2,00 m	3,00 m	●	12	10	2	FL910B


product info

Very beautiful and realistic candle garlands thanks to its wax effect and a delicate and gleaming light diffusion.

Easy to install on the of your tree thanks to its integrated clip.




Nicia® garlands with flash



◄	∅	LED	FLASH	P (W)	☑	□
6,00 m	6,00 cm	432 ◯	48 ⦿	23	9	558-FX
6,00 m	6,00 cm	432 ◯	48 ⦿	23	9	558W-FX




Nicia® garlands X-Led effect



► Set of 3 garlands

◄	LED	P (W) x1	■	□
3,00 m	152 ◯	9	FXL152	FXL152-B

Xled hanging motifs




► set of 5 decorations

◆	◀		LED SMD	P (W)	■
3,00 m	1,20 m	∅ 25 cm	270 ○	25	FXL920E
3,00 m	1,20 m	23 x 20 cm	270 ○	25	FXL920S



X-Led animated sparkles



► set of 10 sparkles


◆	◀	∅	2D LED sparkles	P (W)	■
3,00 m	2,00 m	25 cm	10 ○	30	FL900E
3,00 m	2,00 m	25 cm	10 ●	30	FL900EW
3,00 m	2,00 m	25 cm	10 ●○	30	FL900WW
3,00 m	2,00 m	25 cm	10 ●●●●	30	FL900EM

► individual sparkle

	2D LED sparkles	P (W)	□
12D sparkle ∅25cm connected on FYPRT9 only	1 ○	3	G-FL900
12D sparkle ∅25cm connected on FYPRT9 only	1 ●○	3	G-FL900WW
230V -> 24V transformer with Octoplus connector			FYPRT9B



Hanging balls with flame effect



► set of 5 spheres


◆	◀	animation	🕒	P (W)	■
3,00 m	1,20 m	glittering	5 🟡 ø 20 cm	15	FL920LU

► individual sphere

1 ball ø20cm - to connect on FYPRT9 only	1 🟡 ø 20 cm	3	G-FL920LU
230V -> 24V transformer with Octoplus connector			FYPRT9




Hanging balls with animations



FL920M / G-FL920M
Random and unsynchronized
colour change

60 cm suspension
and safety wire



► set of 5 spheres

◆	◀	animation	🕒	P (W)	■
3,00 m	1,20 m	RGB	5 RGB ø 20 cm	24	FL920M

► individual sphere


1 ball ø20cm - to connect on FYPRT9 only	1 RGB ø 20 cm	4,5	G-FL920M
230V -> 24V transformer with Octoplus connector			FYPRT9



Bulbs Nostalgia XL



60 cm suspension and safety wire



▶ set of 4 bulbs


◆	◀	💡	micro LED	FLASH	P (W)	■
2,00 m	2,00 m	∅28 cm - H 50 cm	400 🟡	200 🟡	7,2W	FL930BB

▶ individual bulb

	micro LED	FLASH	P (W)	□
1 bulb - connection on FYPRT99B only (not supplied)	100 🟡	50 🟡	2	G-FL930BB
230V -> 24V transformer with Octoplus connector				FYPRT99B



Stalactite Nostalgia by Blachere®




FL361W

▶ stalactite

◆	◀	LED	💡	P (W)	⌌	🔌	□
1,00 m	4,50 m	48 🟡	48	20	15	12	FL361W

X-Led® stems

Double drop double-sided



FXL08-B22

Suspension attachment and securing required during installation


◆	◆	LED	P (W)	▮	☑	■
0,50 m	2,70 m	320 ○	12	5	2	FXL055
0,80 m	2,70 m	480 ○	17	5	2	FXL085

X-Led stem for B22/230V socket FY03B22 accessories

◆	LED	P (W)	■
0,80 m	96 ○	2	FXL08-B22





Light stems with flash



◆	◆	LED	FLASH	P (W)	▮	☑	■
1,20 m	1,20 m	480 ○	120 ○	50	6	3	950-FX
1,20 m	1,20 m	480 ●	120 ○	50	6	3	950W-FX





Branches *Micro Led*



◆	LED	P (W)	⌈⌋	📶	☑
1,20 m	288 ○	6	24	4	BRIN288
1,20 m	288 ●	6	24	4	BRIN288W
2m extension lead					FY04W-PVC

Twigs *Multi-motifs*




► set of 3 twigs

◆	LED	P (W)	■
3 x 1,80 m	3 x 161 ○	3 x 5	BRIN180
3 x 1,80 m	3 x 161 ●	3 x 5	BRIN180W
24V – 3 output transformer for BRIN180/180W			FY04BRIN
double output Y connector			FY030M
accessories and 230/24V extension cords			


Foldable *suspensions*




requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... p.240



G-STAR



G-SPHERE



G-MONT+

▶ Led Classic compatible with Octopus 230V range

◆	∅	LED	FLASH	P (W)	□
0,60 m	0,60 m	70 ○	6 ⦿	4	G-SPHERE
0,60 m	0,60 m	41 ○	4 ⦿	4	G-STAR
1,50 m	power supply		690W max		FY08-B+
0,30 m	bridge rectifier		690W max		FY043A-B+

▶ Micro light + PRO compatible with Octopus 24V range

◆	∅	LED	P (W)	□
0,60 m	0,60 m	144 ○	12	G-SPHER+
0,60 m	0,60 m	144 ●	12	G-SPHERW+
0,60 m	0,60 m	88 ○	10	G-STAR+
0,60 m	0,60 m	88 ●	10	G-STARW+
0,60 m	0,60 m	136 ○	12	G-MONT+
0,60 m	0,60 m	136 ●	12	G-MONTW+

product info

These foldable suspensions are aesthetic by day thanks to the white lacquering of the metal structures (available in Led Classic or Micro light + PRO). Power supply sold separately.



Compatible with the entire range.





Spherical suspensions *foldable*




DKOB50W



DKOB80W



Ø	LED	FLASH	P (W)	☑
0,45m	212 ●	108 ⚙	10	DKOB50W
0,75m	400 ●	200 ⚙	15	DKOB80W
Indoor use				PRTR24VI



MAISON DU CHOCOLAT
PARIS

Ledmosphere *garlands*



◀▶	💡	P (W)	🔌	■
10m	30 ●	14	10	600W
50m	150 ●	70	2	650W



Garlands with B22 sockets



▶ Rolls of B22 socket garlands - plug not included

	description	cable section		
100 m	roll of garland 1 socket/m	2 x 1,5 mm ²	■ G098C	■ G098CN
100 m	roll of garland 2 sockets/m	2 x 1,5 mm ²	■ G099C	■ G099CN
100 m	roll of garland 3 sockets/m	2 x 1,5 mm ²	■ G100C	■ G100CN
50 m	roll of garland 4 sockets/m	2 x 1,5 mm ²	■ G112C	■ G112CN
50 m	roll of garland 5 sockets/m	2 x 1,5 mm ²	■ G113C	
100 m	roll of garland 3 sockets/m	2 x 1,5 mm ²	□ G100C-B	

▶ garlands with B22 sockets - plug included

	description	cable section		
9 m	garland of 20 sockets	2 x 1,5 mm ²	■ G1C	■ G1CN
15 m	garland of 40 sockets	2 x 1,5 mm ²	■ G2C	

product info

Customise your garland with different bulbs suggested on p239 and make up your own eye-catching effect.

Replace your old incandescent bulbs with LED bulbs, new technology with vintage look but more economical so more ecological.

Bulbs

B22 & E27 & starflash®



LDL B22/E27 range (registered design)



LDLH B22 SMD range



LDLFL-B22



F722-L / F732-L



In outdoor use, must be mounted on garland with B22 sockets minimum IPX4 with waterproof seal fitted.



description	B22	E27	B22	B22	B22	
type of globe	polycarbonate	polycarbonate	polycarbonate	polycarbonate		
ø of globe	45 mm	45 mm	45 mm	36 x 115 mm		
voltage	230V	230V	230V	230V		
intensity	3,68VA	3,68VA	3,68VA			
wattage	16mAmax/0,5W	16 mA max/ 0,5W	16 mA max/ 0,5W	3W	1W	1,3W
packing	set of 25	set of 25	set of 25	unit	unit	unit
use	outdoor	outdoor	outdoor	outdoor	outdoor	outdoor
pure white	LDL11-B22	LDL11-E27	LDLH11			
warm white	LDL11W-B22	LDL11W-E27	LDLH11W			
amber	LDL12-B22	LDL12-E27	LDLH12	LDLFL-B22	F722-L	F732-L
red	LDL13-B22	LDL13-E27	LDLH13			
blue	LDL14-B22	LDL14-E27	LDLH14			
green	LDL16-B22	LDL16-E27	LDLH16			
pink	LDL18-B22	-	LDLH18			

product info

The LDL series is a classic of Blachere lighting. A registered model, the particular arrangement of the LEDs in the bulb globe gives a «filament effect» similar to the incandescent bulbs of yesteryear.

The polycarbonate globe guarantees an increased solidity (IK06).


The LDLFL-B22 recreates the effect of a flame, regardless of the mounting direction.

F722-L / F732-L
A historical product that is easy to use on a B22 lampholder. Produces 1 flash approximately every 3 seconds.

Low power consumption bulb - Note : use the appropriate power (16mA i.e 3,68VA) to calculate the rating of your network (cable section area, circuit breaker, power required etc.). Use 0,5W per bulb to calculate the power consumption.



Pre-lit *swag garland*



▶ swag garland per unit

◆	∅	LED	P (W)	🔌	■
3,00 m	0,35 m	400 ●	30	6	GP303W
4,00 m	0,35 m	500 ●	38	4	GP304W



Fir garland stalactites *with flashes*



4,50 m




◆	∅	LED	F.	P (W)	🔌	🔌	∅	■
0,57 m	4,50 m	156 ○	48 ○	13	48	15	○	GP138L
0,57 m	4,50 m	156 ●	48 ○	13	48	15	●	GP139L-W





*Capinette

Synthetic pre-lit fir garlands (set of 2)



▶ with flash

◄	∅	LED	FLASH	P (W)	🔌	■
2,70 m	0,30 m	180 ●	60 ☉	11	10	GP134LWFX

▶ static

◄	∅	LED	P (W)	🔌	■
2,70 m	0,30 m	240 ●	11	10	GP134L-W

product info


Great classic for traditional street decorations.

Quick-fit accessories, extension leads, multi-socket connectors Octoplus® 230V by Blachere®.

Inflatable baubles ceiling lights



Using a conventional inflation gun





Four-baubles set

∅	couleur	référence
50 cm	●	BG50-1
50 cm	●	BG50-3
50 cm	●	BG50-2
50 cm	●	BG50-4



Gobo projector RGBW



dimen- sions	LED	⚡	☒	P (W)	Gobo size	reference
648 x 344 x 273 mm	RGBW	100-240V 50/60Hz	16kg	250W	66 mm	PRJPGOBO1
501 x 400 x 350 mm	Wall mount for PRJPGOBO1					PRM-GOBO1
501 x 252 x 400 mm	Pole mount for PRJPGOBO1					PRP-GOBO1


Led rounded projectors for tree or pole



PRJA-W / PRJA

► Rounded projectors for trees (set of 2)

dimensions	LED	tension	P (W)	référence
180 x 55 x 24 mm	○ 6X	24V	2 x 6W	PRJA
180 x 55 x 24 mm	● 6X	24V	2 x 6W	PRJA-W
black switch-mode power supply 24V dc 25W (for a set of 2)				PRTR24N
elastic strap for PRJA-W and PRJA projectors				FYSDOW
protective and adhesive foam (set of 10)				FY-MOUS



Led projector decorative




► Led decorative spotlight - unit - IP65 - class 1

LED	vol- tage	P (W)	packing	reference
●	230V	6W	x1	PRJP-03W+

DMX controllable LED *projectors and wall washers*



PRJP3-DMX



PRJR2-DMX



PRJR1-DMX

► DMX controllable LED projectors

dimensions	LED	spreading angle	⚡	☒	P (W)	reference
320 x 212 x 195 mm	18 RGB	45°	230V	5kg	70W	PRJP3-DMX
Interface DMX box including 12V power supply (to be installed in waterproof housing – not included) 512 channel output. Storage of the animation on SD card or USB stick (not supplied)						PR-DMX

► DMX controllable RGB wall washer

◆	LED	spreading angle	⚡	☒	P (W)	reference
58 cm	18 RGB	45°	230V	2,6kg	45W	PRJR1-DMX
110 cm	24 RGB	45°	230V	6,7kg	80W	PRJR2-DMX
3 m	230V DMX power supply					FY1AL-DMX
6 m	DMX extension lead					FY5P-DMX
6 m	DMX signal extension lead					FY5S-DMX

► RGBW Projector

Dimensions	LED	Tension	Description	Reference
21 cm x 12 cm x 15 cm	6 led x 5W RGBW	230V/50Hz	RGBW DMX	HLPJRJPMX

Option: controllable with infrared remote control (distance 3 to 4 m max). Simple functions.

product info

New range of RGB strip lights. Perfect for facades or monument illuminations.

Use of the SMD RGB led for a better lighting result.

Independent controller bringing greater autonomy thanks to the 10 pre-programmed animations or DMX interface box ref PR-DMX. For more information, please contact us.



ENERGY EFFICIENCY

Optimised energy management



It is time to accelerate the movement of the smart city «Smart City», for more energy saving.

Eco-design and sustainability of equipment as well as smart energy management are all part of a global eco-friendly urban policy. Blachere Illumination is committed to working alongside towns and cities and developing new solutions to protect our planet and safeguard everybody's future.

With our lighting management systems, you can remotely manage lighting times and detect anomalies with a single click. This means it's easier for cities or towns to manage and control electrical resources and fulfil their eco-friendliness and sustainable development objectives.

Smart and efficient systems for a sustainable city:



- automatic timers (p.233)
- Switch+ and/or Orchestra programmable systems (p.234-235).



UNIVERSAL «TEMPO2» BOX

By equipping your decorations with the Tempo2 box, you can disconnect them from the public lighting network and they automatically programme themselves for **7 hours** of lighting. Compatible with Octoplus or any other kind of decor with 2P+T.

Ref : TEMPO2



«TEMPO+» BOX

By equipping your decorations with the Tempo+ box, you can disconnect them from the public lighting network and you can also set when you want them to switch on and off.

With a simple press, you can select **5, 6, 7, 8, 9 or 10 hours** of lighting and automatic switch-off. Octoplus compatible.

Ref : TEMPO+



SWITCH+ BOX

Equip your light-up decorations and garlands with Switch+ boxes:

In one street, all your decorations are individually equipped with Switch+ boxes, forming a network (maximum distance between decorations: 50 m).

This means you can disconnect your illuminations from the public lighting network and you can choose to switch them on only at certain times of the day or year, thus saving energy.

Pre-programmed by default or custom programming possible.

Ref: ask us for a tailored quotation



ORCHESTRA BOX OPTION

All your decorations are equipped with Switch+ boxes, and you set up ORCHESTRA relay boxes (maximum distance to the box: 500m). You can control this system via an online interface, which you can open on your computer or tablet.


You can programme your light displays and the days/times your illuminations are lit up.

Remotely, you have a real-time view of how your light displays are operating and your energy savings, and you are alerted of any anomalies.

Ref: ask us for a personal assessment.



	Switch+		Option Orchestra
Tracking energy savings	-	+	<input type="checkbox"/>
Creating groups of decorations/trees	●		<input type="checkbox"/>
Calendar programming (Days and times for groups to be on)	●		<input type="checkbox"/>
Off-site order management	-		<input type="checkbox"/>
Remote management of orders	-		<input type="checkbox"/>
Managing alerts (anomalies)	-		<input type="checkbox"/>
Real-time installation monitoring	-		<input type="checkbox"/>
Lighting schedule optimization	●		<input type="checkbox"/>
Security via Blachere Smartcloud	●		<input type="checkbox"/>
Interface customization	-		<input type="checkbox"/>
Lighting Scenarios (Timing schedules, group management, etc...)	-		<input type="checkbox"/>



OCTOPLUS BY BLACHERE®

Exclusive



Octopus by Blachere® 230V connector, protection rating **IP67**, according the European standard EN60529 on the degree of protection provided by enclosures.



Safety extra-low voltage connector 12/24V

Octopus is the connector that enables **fast and multiple connection** between our decorations and most of our range of garlands. Each item that is marked "Octopus" can therefore **be connected** to another "Octopus" item. This means **the combination of items is infinite** just by simplifying the electrical connections.


Octopus®: Example of use No.1



For a transverse motif

FY08-B+	1	240
FY043A-B+	1	240
FY01-3B+	1	240
FL390WBF+	1	187
FCL080G-E	2	199
FYPRT9B	2	242

To install on steel wire with PVC sheath







For a width of 4.50m

FY08-B+	1	240
FY043A-B+	1	240
FY01-2B+	1	240
354W	1	189
FYT-B+	2	240
FYPRTR9	2	242
G-FL900	2	204

To install on steel wire with PVC sheath



Réf.	Quantity	Page
FY08-B+	1	240
FY043A-B+	1	240
FY01-3+	2	240
BTX8	1	240
508R-FX	10	163
FY030+	4	240
FYPRTR9	1	234
G-FL900	1	204
FY03B22	1	241
FXL08-B22	1	210
F722-L	1	227





Diagram/Picture	Description		■	□
	Power cable 230V - 1.5m - HO5RN-F - 2x1mm ² with male plug and female Octopus connector	Euro	FY08+	FY08-B+
		UK	FY08-UK+	FY08-BUK+
		Swiss	FY08-S+	FY08-BS+
		Wieland	FY08-W	FY08-BW
	AC/DC bridge rectifier (compulsory) for LED+ with Octopus connector (M+F)	1A/230W	FY041A+	FY041A-B+
		3A/690W	FY043A+	FY043A-B+
	Octopus extension 230V - HO5RN-F - 2x1mm ²	1m	FY01-1+	FY01-1B+
		2m	FY01-2+	FY01-2B+
		3m	FY01-3+	FY01-3B+
		5m	FY01-5+	FY01-5B+
		10m (2X5m)	FY01-10+	FY01-10B+
	Set of 5 end-caps plugs		FY1C+	FY1CB+
	T connector 230V		FYT+	FYT-B+
	Y connector 230V		FY030+	FY030-B+
	W connector 230V		FY031+	FY031-B+
	Collector - 230V - HO5RN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total		FY023+	FY023-B+

Diagram/Picture	Description	Obs.	■	□
	IP66 multi-socket box with 4 Octopus (F) outputs and one Octopus (M) input	690 W max	BTX4	BTX4-B
	IP66 multi-socket box with 8 Octopus (F) outputs and one Octopus (M) input	690 W max	BTX8	BTX8-B
	230V adaptor Sparklight and Stalactites (connector 2017 -> connector 2018)	-	FY230F2	FY230F2-B
	230V adaptor Sparklight and Stalactites (connector 2018 -> connector 2017)	-	FY230M1	FY230M1-B
	B22 bushing with M/F Octopus connector	5W max	FY03B22	FY03B22-B
	Elasticated "SPECIAL TREE" connector to let the tree grow without any restrictions	set of 5	FY07A	.
	20cl tube of silicone sealant for full sealing of connectors (extreme environment)	-	NLC60	-
	IP66 quick connector for HO5RN-F cable	-	BT04	-
	Protective and adhesive foam	set of 10	FY-MOUS	-



Schéma/Photo	Descriptif	Obs.	■	□
	Rallonge PVC 1m 24V Connecteurs M-C1/F-C2		FY01-PVC	FY01B-PVC
	Rallonge PVC 2m 24V Connecteurs M-C1/F-C2		FY02-PVC	FY02B-PVC
	Rallonge PVC 5m 24V Connecteurs M-C1/F-C2		FY05-PVC	FY05B-PVC
	Connecteur 2 départs PVC 24V Connecteurs M-C1/F-C2		FY2-PVC	FY2B-PVC
	Connecteur 3 départs PVC 24V Connecteurs M-C1/F-C2		FY3-PVC	FY3B-PVC
	Transformateur 230V -> 24V avec connecteurs Octoplus	10W max	FYPRT9	FYPRT9B
	Transformateur 230V / 24V avec connecteurs Octoplus	100W		PRT100W
	Collecteur 24V - PVC L : 80cm - 4 départs - espacement 20cm		FY024	FY024-B

Electrical accessories for LED Platinum fil lumière®



NLC95-12 fil lumière® Led power cord kit NLC51L-12 Glueable L connector NLC92-12 Standardized glueable central "spins" NLC54-12 Glueable insulation end cap

The kit includes: 1 rubber power lead of 1m with plug and polarized connector + integrated AC/DC bridge rectifier, 1 power lead spin, 1 full spin, 1 pot of glue and 1 end cap.

Fixing accessories for Led fil lumière®



NLC56

X 100

NLC59

NLC61 - Pot of glue PVC 250ml

Repair kit for Led Platinum fil lumière® - 230V - IP55 - ø 12mm



For Blachere Illumination motifs only

NLKL01-12	10 m of fil lumière®	white Led	○ (type NML41),	2 power leads	glue	10 connectors,	5 end caps
NLKL02-12	10 m of fil lumière®	blue Led	● (type NML42),	2 power leads	glue	10 connectors,	5 end caps
NLKL06-12	10 m of fil lumière®	red Led	● (type NML46),	2 power leads	glue	10 connectors,	5 end caps
NLKL01W12	10 m of fil lumière®	warm white Led	○ (type NML41W),	2 power leads	glue	10 connectors,	5 end caps





Photo	Infos	Ref
	Heart shape eye for ø 4mm cable set of 10	D001
	Heart shape eye for ø 6mm cable set of 10	D011
	Cable gripper for ø 4mm cable set of 10	D002
	Cable gripper for ø 6mm cable set of 10	D012
	Steel cable ø 4mm 100m roll	D005
	Steel cable ø 6mm 100m roll	D006
	Steel cable ø 4mm with PVC sheath ø 6mm 100m roll	D015
	Steel cable ø 6mm with PVC sheath ø 8mm 100m roll	D016

Photo	Infos	Réf
	Transverse unit for fas- tening to pole for ø 11mm cable pair	MA011
	Eyebolt L : 150mm set of 2pcs	D033
	Galvanized steel shackle ø 10mm	MA002
	Mixed stretcher unit - M10 L : 22 to 30cm	D004
	ø 6mm Snap hook WLL 80kg	D0M7T
	safety sling L : 60cm WLL : 70kg	D026



Ref: PIX01
Horizontal bracket
H:0,90 m - L: 1,10 m
inter distance max: 1,00 m -max load: 25 kg

Ref: FIX02 (pair)
Fastening to convert a pole motif to a transverse



Inverted cone
1 PIX03 (up)
1 PIX04 (down)
2 curtains H : 5m





Cylinder
2 PIX03
2 curtains H : 5m



Christmas tree
1 PIX04 (up)
1 PIX02 (down)
1 curtain H : 3m



Free composition
2 PIX03
1 FL74WBF+
1 FL900E



Circular brackets
Put together low-price 3D decorations on your columns with our circular brackets (inner diameter adjustable)



Ref	∅	Perimeter	pole ∅	usable with
PIX04	25 cm	0,80 m	60 à 120 mm	Curtains
PIX02	60 cm	1,90 m	60 à 200 mm	
PIX03	130 cm	4,00 m	60 à 200 mm	

“Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information”

FIX01 (pair)
Fastening device for pole



FIX01P (pair)
Strengthened fastening devices for poles (storm conditions) (wind area 3)





“Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customised quotation. Contact our sales department for information”

FIX01M (pair)
Fastening devices for facades



FIX01MC (pair)
Fastening devices for curved pole





Each fastening must be individually strapped twice (see diagram). For motifs exceeding a height of 3.5m, it is essential to use three fasteners per motif.
Ref: D007
Stapping box including 1 cutting pliers and 1 stapping pliers.
Ref: D008
Stainless steel strap Roll of 50m thickness : 0,7mm
Ref: D009
Staple-clip for steel strapset of 100
Ref: D010
Black protection strip for Stainless steel strap - L: 10 ml / 10 mm



FYS060N
Fixing of decorations on masts.
Black strap: l: 15mm, L: 600mm, 8cm mini ratchet, LC 50 daN
This strap is reusable and does not slip



Picture	Infos	Réf
	Concrete block 1000kg H : 500mm L : 1000mm I : 1000mm avec anneau de levage et passage de fourche (in order)	PLO1000
	Concrete block 1500kg H : 750mm L : 1000mm I : 1000mm avec anneau de levage et passage de fourche (in order)	PLO1500
	Pyramid ballast 25kg Base 38 cm x 38 cm with carry handle	PLOSAC25
	Mounting base for 3D motif ø : 800mm	PLA800OR
	Mounting base for 3D motif ø : 1200mm	PLA1200OR

Picture	Infos	Réf
	barrier Opéra H : 1,20m L : 2,00m	BARR01
	White pine barrier H : 0,80m L : 1,80m	GP506-B
	To complement your decorations, we can provide you with our real fir trees sustainably cultivated and processed with flake finish based on fireproof natural cellulose fibre. Contact our sales department and choose your colours and finish.	

Picture	Infos	Réf
	Square Carpet Blue 4m x 4m	GPC300B
	Round carpet Blue ø : 3m	GPR300B
	Square Carpet Red Square Carpet Blue 4m x 4m	GPC300R
	Round carpet Red ø : 3m	GPR300R

Picture	Infos	Réf
	White cotton carpet roll 30m x 2,6m	GP500
	Red carpet roll 10m x 2m	GP510R
	Red - ø 140mm Lot de 16	B14-1
	Gold - ø 140mm Set of 16	B14-2
	Red - ø 200mm Set of 9	B20-1
	Gold - ø 200mm Set of 9	B20-2
	Red - ø 280mm Set of 9	B28-1
	Gold - ø 280mm Set of 2	B28-2
	Red and gold gift H : 0,55m L : 0,45m I : 0,45 m	JDK50R

SOLAR KIT 100W

100W Solar Kit with constant light for 12 hours without loss of brightness



Technical data :

- Full kit with solar panel, 12V gel batteries, power regulator and protection against discharges.
- Gel batteries for 2400 cycles with 30% discharge.
- Prevent battery damages with low power protection.
- 24V or 230V output to indicate with your order.
- Can be fixed on floor.
- + :
- 50% of battery consumption after 12 hours.
- Easy to move with flexible rubber wheels with high degree of resistance to abrasion.
- No maintenance and easy installation.




Reference	Description	Height	Length	Width	Weight
KITSOL	Kit solaire 100W	1,90m	1,04m	0,38m	130kg

Installation steps :



BLACHERE FRANCE



Île-de-France Est

Sophie Duquesnoy · 06 08 00 57 52
Assistante Ha · 04 90 74 73 61

Île-de-France Ouest

Véronique René · 06 08 80 47 65
Assistante, Delphine Ha · 04 90 74 73 61

Nord - Picardie

Barbara Gheysens · 06 31 59 64 07
Assistante, Nadège Dauberte · 04 90 74 73 63

Champagne - Ardennes

Matthieu Mairie · 06 79 47 06 26
Assistante, Nadège David · 04 90 74 73 60

Alsace - Lorraine

Olivier Radreaux · 06 07 67 39 46
Assistante, Morgane Bonelli · 04 90 74 70 47

Savoie - Haute Savoie

Maëva Rigoureux · 06 42 56 43 70
Assistante, Stéphanie Imbert · 04 90 74 96 22

Rhône - Sud Bourgogne - Jura - Isère - Loire

Soizic De Vanel · 06 70 12 41 62
Assistante, Delphine Borel · 04 90 74 96 24

Bourgogne - Centre - Limousin - Auvergne

Maxime Bavouzet · 06 78 52 33 82
Assistante, Nadège Dauberte · 04 90 74 73 63

Bouches-du-Rhône - Var

Xavier Le Penven · 06 84 02 80 04
Assistante, Delphine Borel · 04 90 74 96 24

Côte d'Azur - Monaco

Bruno Morin · 06 37 62 42 21
Assistante Stéphanie Imbert · 04 90 74 96 22

Vaucluse - Ardèche - Cantal - Haute Loire - Drôme

Gilles Allemand · 06 48 79 99 62
Assistante Delphine Borel · 04 90 74 96 24

Occitanie - Pyrénées - Méditerranée - Aveyron

Justine Gaussen · 06 47 04 59 85
Assistante, Sandrine Sarrazin · 04 90 74 70 45

Sud-Ouest

Nicolas Montenon · 07 85 88 19 50
Assistante, Sandrine Sarrazin · 04 90 74 70 45

Pays de Loire - Poitou

Sophie Pintiaux · 06 85 23 77 43
Assistante, Stéphanie Imbert · 04 90 74 96 22

Bretagne - Basse Normandie

Régis Danais · 06 30 07 35 09
Assistante, Nadège David · 04 90 74 73 60

Corse

M. Gabbiati Fabrice · 06 29 31 51 19
Nadège Dauberte · 04 90 74 73 63

• **Directeur des ventes France :**
David Bettremieux · 06 83 09 91 01

• **Responsable régional Nord :**
Joao Vitoria · 06 74 35 65 68

• **Responsable régional Centre :**
Sébastien Bouvet · 06 08 80 47 66

• **Responsable régionale Sud :**
Aude Grojsman · 06 74 48 50 41

• **Chef de projet**
Studio Blachere Illumination - Paris :
Cédric Parcineau · 01 42 77 66 15 / 07 77 26 37 76

• **Directrice administration des ventes :**
Géraldine Esposito · 04 90 74 73 23

• **Responsable distributeurs nationaux**
Françoise Grégoire · 04 90 74 73 20
· 07 84 11 22 41



Blachere Illumination s.a.s Service international

Zone industrielle Les Bourguignons
84400 Apt - France
tél : +33 (0) 413 068 002
fax : +33 (0) 490 747 367
sales@blachere-illumination.com
www.blachere-illumination.com

Géraldine - tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com

Florence - tél : +33 (0) 490 747 642
florence@blachere-illumination.com

Marion - tél : +33 (0) 490 747 330
marion@blachere-illumination.com

Irène - tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com

Marie - tél : +33 (0) 490 747 044
marie@blachere-illumination.com

Cathy - tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

Blachere *international*

Afrique/Africa

Blachere Illumination Afrique
Rue du Caire - Route de M'Saken
4081 Zaouiet Sousse - Tunisie
tel : +216 73 386 601
fax : +216 73 386 650
email : gregory.roux@blachere-factory.com

Asie Pacifique/Asia Pacific

Blachere Illumination Asia Pacific
Unit B, 17/F., United Centre
95 Queensway, Admiralty,
Hong Kong
email : hkoffice@blachere-illumination.com

Autriche/Austria & Allemagne/Germany

Blachere Illumination GmbH
Krenglbacher Straße 7- 4631 Krenglbach
tel : +43 (0) 7249 46400 - 0
fax : +43 (0) 7249 46400 - 900
email : office@blachere-illumination.at

Belgique/Belgium

Blachere Illumination Belgique
Z.I. des hauts sarts
Rue de Hermée 225, 4040 Herstal
tel : +32 4 275 02 81
email : info@blachere-illumination.be

Brésil/Brasil

Blachere Iluminação Brasil
Estrada Antiga de Itu, 1111
CEP: 06695-570 Itapevi - São Paulo
tel : +55 11 4198 5593 - fax : +55 11 4198 4992
email : eduardo.morroni@blachere-illumination.com.br

Canada/Canada

Blachere Illumination Canada
3400 14th Avenue, Unit 18
Markham, Ontario L3R 0H7
tel : +1 905 475 6553 - fax : +1 905 475 1670
email : info@blachere-illumination.ca

Colombie/Colombia

Blachere - City Lights
Calle 19B No. 32-30 - Bogotá
tel : 601 646 6000
email : jklahr@blachere.co
comercial@blachere.co

Croatie/Croatia

Blachere Illumination Croatia
Gospodari svjetla d.o.o
Petrova ulica 43, Hrastina Samoborska
10430 Samobor
tel : +385 1 8877 660
email : info@gospodarisvjetla.hr

Danemark/Denmark

Blachere Illumination Denmark
Norgesvej 2
6230 Røddekro
tel : +45 70 20 00 03
email : info@jadagroup.dk

Espagne/Spain

Blachere Iluminación España s.a
Calle Corazón de María, 70-8E
28002 Madrid
tel : +34 91 388 28 77
email : info@blachere-illumination.es

États-Unis/USA

Blachere Illumination USA Inc.
PO Box 41, 4198 State Highway 14 W
Christopher, IL 62822
tel : +1 618 724 1500 - fax : +1 618 724 4500
email : info@blachere-illumination.us

Europe Centrale/Central Europe

Blachere Illumination Central Europe
Karadžičova 8/A
Bratislava 821 08, Slovakia
tel : + 421 918 428 040
email : info@blachere-illumination.sk

Finlande/Finland

Blachere Illumination Finland - Lohikari
Ruoholahdenkatu 24
00180 Helsinki
tel : +358 9 565 7750
email : lohikari@lohikari.fi

Hongrie/Hungary

Blachere Illumination Hungary
H-2142, Nagytarcsa, Csonka János út 4, K
épület
tel : +36 70 389 1475
email : info@blachere-illumination.hu

Italie/Italia

Blachere Illumination Italia - Lumiworks Srl
Via Vecchia Leverano, 55
73047 Monteroni di Lecce (Le)
tel : +39 376 0563212
email : info@lumiworks.it

Mexique/Mexico

Blachere Iluminación México
3 Oriente No. 416 Centro.
74200 Atlixco, Puebla. México.
tel : +52 244 44 51 281
email : contacto@blachere.com.mx

Moyen-Orient/Middle East

Blachere Illumination Middle East
FAB Property Management Buildings
Building 22 Warehouse 3 DIP 1
Dubai - United Arab Emirates
tel : +971 4 254 8856 - mobile: +971 50 506
92 31
email : m.soltay@blachere-illumination.ae

Norvège/Norway

Blachere Illumination Norway - Eurosign
Stanseveien 21
0975 Oslo
tel : +47 23 00 85 00
email : salg@eurosign.no

Pays-Bas/Netherlands

Blachere Illumination Netherlands - Avontuur
Blokdijk 3 - 1608 HH Wijdenes
tel : +31 229 50 12 22
email : info@avontuur.net

Pologne/Poland

Blachere Illumination Polska
Jasna 39 - 86-070 Czemplewo
tel : +48 790 785 896
email : info@blachere-illumination.pl

Portugal/Portugal

Blachere Iluminação Portugal
Variante de Cernache - IC2, Km 184 - Antan-
hol
3040-573 Coimbra
tel : +351 239 487 030
email : info@blachere-illumination.pt

Rép. Tchèque/Czech Republic

Blachere Illumination Czech Republic
Ostrá Horka I/511 - 760 01 ZLÍN
tel : +420 602 227 226
email : pesek@blachere-illuminations.cz

Roumanie/Romania

Blachere Illumination Romania
Cluj Napoca, Str. Anatole France, nr. 22, et. 2
birou 2, Judetul Cluj, cod postal 400463
tel : +40 75 705 08 66 - fax : + 40 31 845 13 73
email : office@blachere-illumination.ro

Royaume-Uni/UK

Blachere Illumination UK Ltd
Gladstone Place, Ladybank, Fife, KY15 7LB
tel : +44 (0)1337 832 910
email : sales@blachere-illumination.co.uk

Suède/Sweden

Blachere Illumination Sweden
C/O Embassy House
Gustavslundsvägen 143,
167 51 Bromma
tel : +46 (0)72 601 66 46
email : andreas.phangia@blachere-illumination.se

Suisse/Switzerland

Blachere Illumination Swiss SA
Route de Denges 28C
CH - 1027 Lonay
tel : + 41 21 886 00 90
email : office@blachere-illumination.ch

Turquie/Turkey

Blachere Illumination Aydinlatma
Hasanpaşa Mh. Lavanta Sk.
Polat İs Merk.26/3
Kadıköy-Istanbul
tel : +90 532 660 69 23
email : msoltay@blachere-illumination.com.tr

SUMMER RANGE 2023

Special catalogue on request



Going paper-free

Here at Blachere, above and beyond just being deeply concerned about sustainable development and our carbon footprint, we are constantly looking for ways to increase the efficiency of the tools we use, which has naturally led us towards going paper-free.

Though the «zero paper» business is somewhat of a Utopian ideal, going paper-free considerably reduces the amount of printouts we produce and, as a consequence, our impact on the environment. The paper tools we do continue to use are printed on paper from sustainably managed forests at our «Imprim'vert» accredited printers.

Our interactive catalogue, available on our website or by email on request, gives you access to multiple additional media: videos of our decorations and installations, how they look in the daytime, work in progress photos and technical information about the products.

Visit us at www.blachere-illumination.com



