



TABLE OF CONTENTS

1 2D collections

20 — 79

2 Volumes & Urban

80 — 155

3 Garlands

156 — 197

4 Decorations

198 — 239

5 Technical Pages

240 — 263

6 Motifs infos & contacts

264 — 272

◆ Height ◆ Length ■ Width ↺ Voltage 🧑 Weight ♻️ Recycled bottles needed to create a decoration □ Print colour ✨ Flash colour

Blachere Illumination UK Ltd

Gladstone Place, Ladybank, Fife, KY15 7LB
Tel: +44 (0)1337 832 910

Email: sales@blachere-illumination.co.uk

Design · Design dpt Blachere

Cover · Design dpt Blachere

Photographers

- Michel Djaoui
- Lionel Moulet
- Jérémie Pitot
- Odile Pascal
- Brice Toul
- Eric Soltan
- Camille Moirenc



Print · Manufacture d'Histoire Deux-Ponts

All rights reserved

Not a contract document. The sizes and wattages of motifs may be subject to change for technical reasons.
Non-contractual images.

All our products are CE marked meaning that they meet electrical security norms and electromagnetic requirements.

All our motifs, designs and graphics are protected by the INPI, the OMPI and current industrial and intellectual property laws.

Reproduction of any kind, in full or part, is strictly forbidden without written authorisation of blachere illumination s.a.s.

get inspired at www.blachere-illumination.com

MANIFESTO

We believe that illuminations bring more than just light to urban areas and living spaces.

We believe in their power to amaze, to enlighten and to create fairytales. The way we design and develop our illuminations incorporates those qualities in every detail.

We are committed to produce items of quality whilst doing our utmost to protect both the environment and humanity. Goodwill and an ethical approach are at the heart of our company's beliefs and can be found in all our projects worldwide.

We are Blachere and we have been producing illuminations with care and passion for 50 years.



A BEAUTIFUL STORY



It all started in 1973, in Apt, when Jean-Paul Blachère lit up his first street. The locals' smiles and reactions confirmed that lighting has a unique magical power.

Lighting became his profession, one that he has pursued with dedication, creating a unique know-how and heritage that he has passed on.

For 50 years, we have been designing, creating and producing decor and illuminations in over 80 countries across the globe with as much enthusiasm as that very first day.

500 employees work every day to enhance cities around the world.



50th



Wherever our projects take us, we work with the same attention to illuminate the smallest village as the largest capital.

We understand and adapt to the needs and challenges of all cities, from Mexico to the US and Sweden.

Thanks to locally-based teams in 27 subsidiaries dotted around the world, we can meet the expectations of each city and the culture of each country so that our installations are as unique as they are practical.

27 subsidiaries
1000 city illuminations in
more than 80 countries
as well as 1000 shopping
centres worldwide



LIGHT UP
THE WHOLE WORLD



THE GLOBAL COMPACT

Launched in 2000, the United Nations Global Compact is the world's largest corporate responsibility initiative.

Blachere Illumination has been committed to the UN Global Compact's Corporate Social Responsibility initiative and its 10 Principles on human rights, labour standards, the environment and anti-corruption.



70 Local networks
170 Countries
21 000 Participants



HUMAN RIGHTS



LABOUR



ENVIRONMENT



ANTI-CORRUPTION

THE BLACHERE FOUNDATION

Our corporate foundation was created in 2004 by Jean-Paul Blachère and supports contemporary African creation and promotes artists from the continent. It presents exhibitions and hosts artists in residence at its art centre. It also arranges creative workshops in Africa and Europe and enters major African biennale exhibitions, including Dakar.




«LE VILLAGE PRÉFÉRÉ DES FRANÇAIS» (The French's favourite village)

We are partners of the «Village Préféré des français». Having always contributed to the development of local economies and the influence of small municipalities, we are happy to have illuminated Esquelbecq (59) and Lavoûte-Chilhac (43), the municipalities that ranked 1st and 2nd in this competition.



OUR COMMITMENTS



We love and appreciate that you are taking the time to flick through our catalogue. We hope it brings inspiration to you as we have poured our passion and 50 years of experience into the development of this product range.

A passionate team of 40 are here to bring your visions to life and enable your strategic aims to be fulfilled.

From the initial contact to the switch on of your display, we are all here to bring magic to your scheme.

Thanks to our three depots and remote sales team spread across the UK, we offer a local service. Combining our 50 years of experience as market leaders with your expert site specific knowledge, enables a bespoke process for any city, town, village, shopping centres, retail parks etc. With passion and experience we will understand the specific needs of each project to bring you magical experience.

we have poured our passion and 50 years of experience into the development of this product range.



Whether you have a specific vision, that we will use our manufacturing capabilities to bring to life or are starting out with a requirement to grow footfall. We can lead you to a successfully delivered scheme that will exceed your expectation while adhering to your budget requirements.


Relationships are important to us, that's why you'll always have someone to talk too at Blachere. Whether it's your dedicated local contact or any of our other team members, we provide our clients with four points of contact to promote great communication.

We are so proud of the sustainability focus we are continuing to develop at Blachere. No where else can you find such cleanly produced products. With more and more sectors turning to us to satisfy their own eco requirements, we are proudly leading the industry for a better tomorrow.

IN
THE UK



Kings Road, London



The Shard London



Marylebone High Street, London




Multrees Walk, Edinburgh

We offer the complete package of design, manufacture and installation.

Due to our global scale, we can control the supply chain while bringing you a local approach.

All our 50 years of experience enables us to seamlessly bring your vision to life.

IN
THE UK



Everything starts with a pencil stroke... creation is the basis of all our projects.

In France and around the world, more than 30 designers imagine our decorations with care and passion.

They design the decorations of your cities and living spaces, proposing a hundred or so new designs each year to surprise you again and again.

Thanks to our innovations, we have found the right balance between ancestral know-how and industrialization:

From artistic ironwork to the most meticulous wiring, more than 7,000 custom-made decorations take shape in our workshops each year : The «Haute Couture» of illuminations.

At the same time, our catalogue decorations from our Summer and Winter collections are printed using plastic bottles manufactured in our workshop with 10 large-format robot printers. 435,000 eco-friendly decorations have been printed since 2016.

10 large-format robot printers

5 sites of production

400 people in our international workshops



FACE EACH
CHALLENGE TOGETHER



Eco-responsibility is at the heart of our corporate strategy, and we are constantly thinking about innovation and the use of eco responsible materials more than ever before. Even if some of our ideas are off-the-cuff, our innovations are covered to numerous patents and all our creations are protected.

In order to respond with creativity and practicality to the new challenges posed by energy-saving needs and ecological issues, we continually design and produce ingenious solutions and tools.

After Bioprint, a recyclable and biodegradable material based on sugar cane, we are transitioning to a 100% Recyprint range of 300 decorations made from recycled plastic bottles.

Half of our research and development budget is allocated to ecoresponsible innovations.

We have removed 80% of the aluminium in our 2D decorations, 100% Led low consumption for 20 years.

Our 100% LED lighting components are also recycled after use and are all connectable via our Octoplus fast connection system.

In addition to our eco-responsible structures, we have devised some ingenious tools: TEMPO, SAVER & MASTER which make it possible to time, control and program decorations in both small towns and buzzing cities, resulting in cost-savings of over 50%!



RECYPRINT STRUCTURE (PATENTED)
plastic bottles

ALUMINIUM FRAME
recycled

INTERCONNECTIVITY
Octoplus & steering box

RECYCLED ELECTRIC COMPONENTS
Standardized and LEDS+



REFINED CREATIVITY

RECYPRINT



a plastic transformed into magical decorations



500 billion plastic bottles are produced each year, and many are discarded in the countryside or our oceans

At Blachere, we have found a way to transform PET (polyethylene terephthalate) into decors that are as stunning as they are innovative! Recycled bottles are sorted by colour and then ground into flakes. The resulting granules are then injected into our 3D printers to produce a unique decoration. This method helps to limit greenhouse gas emissions and prevent as many plastic bottles as possible from polluting land and seascapes.


Our innovations are protected by numerous patents.

Recyprint emits 10 times less CO2 than aluminum.


3,000,000 bottles have already been recycled into Christmas decorations.



SORTING WASTE can be child's play



By encouraging today's youth to recycle is a major challenge that we have answered with creativity and fun. We have made this vital step a fun and playful collective act thanks to creating containers in the form of funny animals.



BIOPRINT



when nature helps us to create our decor

A revolutionary material for creating structures that are **biodegradable, recyclable and coloured.**

Bioprint comes from a non-GMO bio-based sugar cane which is turned into dehydrated bioethanol in a French laboratory. The granules are dyed with clean dyes and this material is then injected into our 3D printers in our workshops, in order to produce biodegradable, recyclable and coloured structures.

This process limits manufacturing waste and allows for complete short-circuit recycling as we grind down our structures once they are no longer of use. Biodegradation is the decomposition of organic matter by microorganisms and has the advantage of minimising greenhouse gases.

Part of our range is made from Bioprint, **especially for our volumes and our Seasons & Urban range**

Biodegradation is the decomposition of organic matter by microorganisms, without causing damage to the natural environment.


Finally, our decorations biodegrade slowly, so they can be exposed to the outdoors for a long time without any aesthetic or mechanical alteration.

This slow process minimises the release of greenhouse gases emitted during the biodegradation of the complex molecules used in our revolutionary material.

Industrial composting makes it possible to optimise the intelligent management of this biomass, but recycling this material remains the most environmentally friendly option.

This eco-friendly process helps to minimise daily waste production.

OUR AVAILABLE COLOURS



Bioprint granule decomposition step



COLLECTION *DESIGN*





N






RIALTO
IPL272W
IPL272

◆ 1.50m - ◆1.00m
⚡ 24W - ⚖ 5.00kg - 📏26
FLASH-XLED

N

RIALTO
IPL272
IPL272W

◆ 1.50m - ◆1.00m
⚡ 24W - ⚖ 5.00kg - 📏26
FLASH-XLED



LINE BANNER
IPL199W
IPL199

◆ 2.80m - ◆0.80m
⚡ 60W - ⚖ 10.80kg - 📏83
FLASH-XLED-STARS

LINE BANNER
IPL199
IPL199W

◆ 2.80m - ◆0.80m
⚡ 60W - ⚖ 10.80kg - 📏83
FLASH-XLED-STARS

LINE GRAND
IPL201W
IPL201

◆ 2.30m - ◆0.90m
⚡ 50W - ⚖ 8.50kg - 📏67
FLASH-XLED-STARS

LINE GRAND
IPL201
IPL201W

◆ 2.30m - ◆0.90m
⚡ 50W - ⚖ 8.50kg - 📏67
FLASH-XLED-STARS

LINE DRAPEAU
IPL200W
IPL200

◆ 2.00m - ◆0.90m
⚡ 50W - ⚖ 8.50kg - 📏67
FLASH-XLED-STARS

LINE DRAPEAU
IPL200
IPL200W


◆ 2.00m - ◆0.90m
⚡ 50W - ⚖ 8.50kg - 📏67
FLASH-XLED-STARS



QUADRILLE CHAIN ◆ 1.24m - ◆6.00m
 ITL161W * * * * *
 ITL161 * * * * *
 SLOWFLASH




QUADRILLE ARC ◆ 1.20m - ◆4.00m
 ITL129W * * * * *
 ITL129 * * * * *
 STARS-SLOWFLASH




QUADRILLE CURVE ◆ 1.00m - ◆3.00m
 ITL130W * * * * *
 ITL130 * * * * *
 STARS-SLOWFLASH




QUADRILLE UNIT ◆ 0.80m - ◆0.73m
 ITL291W * * * * *
 ITL291 * * * * *
 SLOWFLASH-STARS-XLED



QUADRILLE BANNER ◆ 2.80m - ◆0.80m
 IPL131W * * * * *
 IPL131 * * * * *
 STARS-SLOWFLASH




QUADRILLE GRAND ◆ 3.00m - ◆1.00m
 IPL144W * * * * *
 IPL144 * * * * *
 STARS-SLOWFLASH-XLED




QUADRILLE ◆ 2.00m - ◆0.90m
 IPL129W * * * * *
 IPL129 * * * * *
 STARS-SLOWFLASH




QUADRILLE ROLL ◆ 1.30m - ◆1.00m
 IPL230W * * * * *
 IPL230 * * * * *
 XLED - STARS-FLASH



SERENADE ◆ 1.50m - ◆0.60m
 IPL143W * * * * *
 IPL143 * * * * *
 STARS-SLOWFLASH-FLASH



QUADRILLE PETIT ◆ 1.20m - ◆0.60m
 IPL130W * * * * *
 IPL130 * * * * *
 STARS-SLOWFLASH




QUADRILLE CHAIN ◆ 1.24m - ◆ 6.00m
 ITL161 ✨ □ 90W - ▲ 25.50kg - 116
 ITL161W ✨ ✨ □ XLED - STARS - FLASH



QUADRILLE JF ◆ 0.80m - ◆ 4.50m
 ITL233 ✨ □ 105W - ▲ 15.10kg - 166
 XLED - FLASH - STARS



QUADRILLE ARC ◆ 1.20m - ◆ 4.00m
 ITL129 ✨ □ 100W - ▲ 18.00kg - 132
 ITL129W ✨ ✨ □ STARS - SLOWFLASH




QUADRILLE CURVE ◆ 1.00m - ◆ 3.00m
 ITL130 ✨ □ 80W - ▲ 15.10kg - 114
 ITL130W ✨ ✨ □ STARS - SLOWFLASH

TO ORDER



QUADRILLE UNIT ◆ 0.80m - ◆ 0.73m
 ITL291 ✨ □ 217W - ▲ 6.00kg - 120
 ITL291W ✨ ✨ □ SLOWFLASH - STARS - XLED




QUADRILLE BANNER ◆ 2.80m - ◆ 0.80m
 IPL131 ✨ □ 50W - ▲ 9.70kg - 80
 IPL131W ✨ ✨ □ STARS - SLOWFLASH




QUADRILLE ◆ 2.00m - ◆ 0.90m
 IPL129 ✨ □ 40W - ▲ 7.60kg - 57
 IPL129W ✨ ✨ □ STARS - SLOWFLASH




QUADRILLE ROLL ◆ 1.30m - ◆ 1.00m
 IPL230 ✨ □ 25W - ▲ 5.00kg - 45
 IPL230W ✨ ✨ □ XLED - STARS - FLASH




QUADRILLE GRAND ◆ 3.00m - ◆ 1.00m
 IPL144 ✨ □ 50W - ▲ 10.50kg - 93
 IPL144W ✨ ✨ □ STARS - SLOWFLASH - XLED



QUADRILLE PETIT ◆ 1.20m - ◆ 0.60m
 IPL130 ✨ □ 20W - ▲ 4.00kg - 33
 IPL130W ✨ ✨ □ STARS - SLOWFLASH



LINE VL ◆ 3.00m - ◆ 2.00m - 2.00m
 VL046 ✨ □ 210W - ▲ 35.40kg - 235
 XLED - FLASH




COIMBRA DOUBLE ◆ 0.90m - ◆4.00m
ITL226W ◆ ◆ ◆
⚡ 80W - ⚖ 14.50kg - 📏 111
XLED - FLASH SLOWFLASH



LINE JF ◆ 1.00m - ◆4.00m
ITL232W ◆ ◆ ◆
⚡ 120W - ⚖ 17.00kg - 📏 83
XLED - STARS



JF ◆ 0.90m - ◆3.50m
ITL009 ◆ ◆ ◆
ITL061 ◆ ◆ ◆
⚡ 80W - ⚖ 10.90kg - 📏 106



COIMBRA BANNER ◆ 2.80m - ◆0.80m
IPL202W ◆ ◆ ◆
⚡ 60W - ⚖ 12.00kg - 📏 43
FLASH-XLED-SLOWFLASH




COIMBRA PETIT ◆ 1.50m - ◆0.60m
IPL203W ◆ ◆ ◆
⚡ 20W - ⚖ 4.00kg - 📏 22
FLASH




ROMANE ◆ 2.30m - ◆0.70m
IPL101W ◆ ◆ ◆
⚡ 50W - ⚖ 6.60kg - 📏 55
STARS-XLED-SLOWFLASH




LANTERN ◆ 1.00m - ◆0.80m
TL347W ◆ ◆ ◆
⚡ 20W - ⚖ 2.80kg - 📏 183
STARS



COIMBRA ◆ 2.00m - ◆0.90m
IPL226W ◆ ◆ ◆
⚡ 40W - ⚖ 7.00kg - 📏 56
FLASH-XLED-SLOWFLASH



COIMBRA UNIT ◆ 1.00m - ◆1.00m
ITL218W ◆ ◆ ◆
⚡ 30W - ⚖ 3.80kg - 📏 42
XLED - FLASH



COIMBRA ROLL ◆ 1.20m - ◆0.90m
IPL231W ◆ ◆ ◆
⚡ 30W - ⚖ 4.50kg - 📏 36
FLASH-XLED-SLOWFLASH



RITOURNELLE ◆ 2.00m - ◆0.90m
IPL158W ◆ ◆ ◆
⚡ 65W - ⚖ 8.00kg - 📏 54
XLED-SLOWFLASH-FLASH

COLLECTION *CLASSIC*



DUO COLORS® COLLECTION

2 in 1 products!

Switch your decor from warm white to pure white according to your desires!



You can choose from a warm white or pure white.

By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/warm white flash.

N



N



DUO DOUBLE
ITL282DC

◆ 0.90m - ◆ 4.00m
⚡ 18W - ▲ 6.00kg - 📏 40
XLED-FLASH

N



N



DUO FLAKE
ITL288DC

◆ 1.00m - ◆ 1.00m
⚡ 303W - ▲ 14.00kg - 📏 214
FLASH



N



N



DUO LINE
IPL283DC

◆ 1.50m - ◆ 0.70m
⚡ 81W - ▲ 4.00kg - 📏 58
FLASH-XLED

N



N



DUO PETIT
IPL285DC

◆ 1.50m - ◆ 0.60m
⚡ 21W - ▲ 4.00kg - 📏 67
FLASH-XLED

N



N



DUO LINE GRAND
IPL282DC

◆ 2.00m - ◆ 0.90m
⚡ 152W - ▲ 7.00kg - 📏 107
FLASH-XLED

N



N



DUO
IPL286DC

◆ 2.10m - ◆ 0.52m
⚡ 80W - ▲ 5.00kg - 📏 69
FLASH-STARS

N



N



DUO GRANDE
IPL284DC

◆ 3.00m - ◆ 1.00m
⚡ 285W - ▲ 10.00kg - 📏 150
FLASH



RHAPSODY DOUBLE
ITL033W * * □
TO ORDER

◆ 1.60m - ◆ 6.00m
⚡ 185W - ⚙ 28.60kg - ⚡ 235
FLASH



BOLCHOI
ITL077W * * □

◆ 1.20m - ◆ 6.00m
⚡ 160W - ⚙ 25.30kg - ⚡ 235
XLED-SLOWFLASH




FLORA DOUBLE
ITL135W * * □

◆ 1.00m - ◆ 6.00m
⚡ 130W - ⚙ 26.00kg - ⚡ 187
STARS-SLOWFLASH




FLORA DOUBLE
ITL135 * * □

◆ 1.00m - ◆ 6.00m
⚡ 130W - ⚙ 26.00kg - ⚡ 187
STARS-SLOWFLASH




FLORA
IPL135W * * □

◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚙ 13.30kg - ⚡ 94
STARS-SLOWFLASH




LYRE
IPL115W * * □

◆ 2.00m - ◆ 0.90m
⚡ 40W - ⚙ 6.10kg - ⚡ 63
SLOWFLASH - XLED




FLORA
IPL135 * * □

◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚙ 13.30kg - ⚡ 94
STARS-SLOWFLASH




ASTERIE
IPL110W * * □
IPL110

◆ 2.00m - ◆ 0.85m
⚡ 30W - ⚙ 5.10kg - ⚡ 60
SLOWFLASH




LIANO
IPL087W * * □

◆ 3.00m - ◆ 1.00m
⚡ 95W - ⚙ 12.80kg - ⚡ 76
XLED-SLOWFLASH



MAZURKA
IPL031W * * □

◆ 2.00m - ◆ 0.90m
⚡ 55W - ⚙ 7.40kg - ⚡ 53
XLED-SLOWFLASH







SAMBA
IPL081W * * □

◆ 2.25m - ◆ 1.30m
⚡ 45W - ⚙ 6.90kg - ⚡ 43
XLED-SLOWFLASH



LIBRETTO
IPL082W * * □


◆ 1.20m - ◆ 0.60m
⚡ 30W - ⚙ 3.50kg - ⚡ 33
XLED-SLOWFLASH





CAJUN JF
ITL043W * * □
TO ORDER

◆ 1.55m - ◆ 4.60m
⚡ 270W - ▲ 28.20kg - ⚡ 175
FLASH



MILO ARC
ITL127W * * □
ITL127 * * □
TO ORDER

◆ 1.20m - ◆ 4.00m
⚡ 110W - ▲ 17.40kg - ⚡ 116
STARS-FLASH




MILO ARC
ITL127 * * □
ITL127W * * □

◆ 1.20m - ◆ 4.00m
⚡ 110W - ▲ 17.40kg - ⚡ 116
STAR-FLASH




BOLERO ARC
ITL132W * * * □
TO ORDER

◆ 1.20m - ◆ 4.00m
⚡ 135W - ▲ 19.50kg - ⚡ 162
XLED-SLOWFLASH



MILO BANNER
IPL128W * * □
IPL128 * * □

◆ 2.80m - ◆ 0.80m
⚡ 50W - ▲ 8.80kg - ⚡ 43
STARS-FLASH




TWIST
IPL133 * * □

◆ 1.20m - ◆ 0.60m
⚡ 35W - ▲ 3.90kg - ⚡ 33
SLOWFLASH




ASTERIE
IPL110 * * □
IPL110W * * * □

◆ 2.00m - ◆ 0.85m
⚡ 30W - ▲ 5.10kg - ⚡ 60
SLOWFLASH




MILO
IPL127W * * □
IPL127 * * □

◆ 2.00m - ◆ 0.90m
⚡ 50W - ▲ 7.20kg - ⚡ 41
STARS-FLASH




MILO BANNER
IPL128 * * □
IPL128W * * □

◆ 2.80m - ◆ 0.80m
⚡ 50W - ▲ 8.80kg - ⚡ 43
STARS-FLASH




BOLERO
IPL108W * * * □

◆ 2.30m - ◆ 0.90m
⚡ 65W - ▲ 8.10kg - ⚡ 70
XLED-SLOWFLASH



CAJUN
IPL132 * * * □


◆ 2.30m - ◆ 0.70m
⚡ 55W - ▲ 9.00kg - ⚡ 70
SLOWFLASH



MILO
IPL127 * * □
IPL127W * * * □

◆ 2.00m - ◆ 0.90m
⚡ 50W - ▲ 7.20kg - ⚡ 41
STARS-FLASH

Joyeuses Fêtes




JF
ITL061
ITL009

◆ 0.90m - ◆ 3.50m
⚡ 80W - ⚙ 10.80kg - 📏 106

EWAN
ITL166B
ITL166R
ITL166W


◆ 1.00m - ◆ 3.00m
⚡ 70W - ⚙ 11.10kg - 📏 98
XLED-SLOWFLASH-FLASH

TO ORDER




EWAN
ITL166R
ITL166B
ITL166W

◆ 1.00m - ◆ 3.00m
⚡ 70W - ⚙ 11.10kg - 📏 98
XLED-SLOWFLASH-FLASH




EWAN
ITL166W
ITL166R
ITL166B

◆ 1.00m - ◆ 3.00m
⚡ 70W - ⚙ 11.10kg - 📏 98
XLED-FLASH




JUPITER
IPL147B
IPL147W

◆ 3.50m - ◆ 1.00m
⚡ 55W - ⚙ 12.00kg - 📏 98
XLED-SLOWFLASH




HALLEY
IPL148B
IPL148W
IPL148R

◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚙ 10.00kg - 📏 68
XLED-SLOW-FLASH




RUSSEL
IPL146B
IPL146R
IPL146W

◆ 2.30m - ◆ 0.90m
⚡ 55W - ⚙ 7.20kg - 📏 74
SLOWFLASH-XLED



HALLEY
IPL148R
IPL148B
IPL148W


◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚙ 10.00kg - 📏 68
XLED-SLOWFLASH-FLASH



JUPITER
IPL147W
IPL147B

◆ 3.50m - ◆ 1.00m
⚡ 55W - ⚙ 12.00kg - 📏 98
XLED-FLASH


TO ORDER



HALLEY
IPL148W
IPL148B
IPL148R


◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚙ 10.00kg - 📏 68
XLED-FLASH

TO ORDER



RUSSEL
IPL146W
IPL146B
IPL146R

◆ 2.30m - ◆ 0.90m
⚡ 55W - ⚙ 7.20kg - 📏 74
XLED-FLASH



RUSSEL
IPL146R
IPL146W
IPL146B

◆ 2.30m - ◆ 0.90m
⚡ 55W - ⚙ 7.20kg - 📏 74
SLOWFLASH-XLED

TO ORDER



CLELIA DOUBLE
ITL120
ITL120W
ITL120R
ITL120B

◆ 1.00m - ◆ 6.00m
⚡ 115W - ▲ 23.40kg - ⚡ 179
SLOWFLASH



CLELIA DOUBLE
ITL120W
ITL120R
ITL120B
ITL120

◆ 1.00m - ◆ 6.00m
⚡ 115W - ▲ 23.40kg - ⚡ 179
SLOWFLASH



CLELIA DOUBLE
ITL120R
ITL120B
ITL120W
ITL120


◆ 1.00m - ◆ 6.00m
⚡ 115W - ▲ 23.40kg - ⚡ 179
SLOWFLASH



CLELIA DOUBLE
ITL120B
ITL120R
ITL120W
ITL120


◆ 1.00m - ◆ 6.00m
⚡ 115W - ▲ 23.40kg - ⚡ 179
SLOWFLASH

TO ORDER



CLELIA
IPL120
IPL120W
IPL120R
IPL120B

◆ 3.00m - ◆ 1.00m
⚡ 60W - ▲ 11.20kg - ⚡ 90
SLOWFLASH




CLELIA
IPL120R
IPL120
IPL120W
IPL120B

◆ 3.00m - ◆ 1.00m
⚡ 60W - ▲ 11.20kg - ⚡ 90
SLOWFLASH



CLELIA
IPL120W
IPL120
IPL120R
IPL120B

◆ 3.00m - ◆ 1.00m
⚡ 60W - ▲ 11.20kg - ⚡ 90
SLOWFLASH



CLELIA
IPL120B
IPL120W
IPL120
IPL120R

◆ 3.00m - ◆ 1.00m
⚡ 60W - ▲ 11.20kg - ⚡ 90
SLOWFLASH



TIVANO
PL250W
PL250B
PL250

◆ 1.77m - ◆ 0.92m
⚡ 24W - ▲ 4.60kg
STARS-FLASH



TIVANO
PL250B
PL250
PL250W

◆ 1.77m - ◆ 0.92m
⚡ 24W - ▲ 4.60kg
STARS-FLASH



BOA
PL344
PL344W


◆ 0.60m - ◆ 0.95m - ■ 0.95m
⚡ 10W - ▲ 5.30kg
FLASH



TIVANO
PL250
PL250W
PL250B

◆ 1.77m - ◆ 0.92m
⚡ 24W - ▲ 4.60kg
STARS-FLASH

COLLECTION *ALTO*





N

ROMAN CURVE
ITL262W * * * *
ITL262 * * * *
ITL262B * * * *

◆ 1.00m - ◆ 4.00m
⚡ 64W - ⚡ 17.00kg - ⚡ 101
SLOWFLASH-STARS



N

ROMAN CURVE
ITL262 * * * *
ITL262W * * * *
ITL262B * * * *

◆ 1.00m - ◆ 4.00m
⚡ 64W - ⚡ 17.00kg - ⚡ 101
SLOWFLASH-STARS

TO ORDER



N

ROMAN CURVE
ITL262B * * * *
ITL262 * * * *
ITL262W * * * *

◆ 1.00m - ◆ 4.00m
⚡ 64W - ⚡ 17.00kg - ⚡ 101
SLOWFLASH-STARS



N

ROMAN UNIT
ITL261W * * * *
ITL261 * * * *
ITL261B * * * *

◆ 1.00m - ◆ 0.86m
⚡ 21W - ⚡ 5.00kg - ⚡ 18
SLOWFLASH-STARS



N

ROMAN UNIT
ITL261 * * * *
ITL261B * * * *
ITL261W * * * *

◆ 1.00m - ◆ 0.86m
⚡ 21W - ⚡ 5.00kg - ⚡ 18
SLOWFLASH-STARS

TO ORDER



N

ROMAN UNIT
ITL261B * * * *
ITL261W * * * *
ITL261 * * * *


◆ 1.00m - ◆ 0.86m
⚡ 21W - ⚡ 5.00kg - ⚡ 18
SLOWFLASH-STARS



N


ROMAN BANNER ◆ 2.80m - ◆ 0.80m
IPL257 * * * * ⚡ 41W - ⚡ 9.00kg - ⚡ 43
IPL257B * * * *
IPL257W * * * *
SLOWFLASH-STARS

TO ORDER




N

ROMAN BANNER ◆ 2.80m - ◆ 0.80m
IPL257W * * * * ⚡ 41W - ⚡ 9.00kg - ⚡ 43
IPL257 * * * *
IPL257B * * * *
SLOWFLASH-STARS



N


ROMAN BANNER ◆ 2.80m - ◆ 0.80m
IPL257B * * * * ⚡ 41W - ⚡ 9.00kg - ⚡ 43
IPL257W * * * *
IPL257 * * * *
SLOWFLASH-STARS



N


ROMAN
IPL258 * * * * ⚡ 42W - ⚡ 8.00kg - ⚡ 48
IPL258B * * * *
IPL258W * * * *
SLOWFLASH-STARS

TO ORDER




N

ROMAN
IPL258W * * * * ⚡ 42W - ⚡ 8.00kg - ⚡ 48
IPL258 * * * *
IPL258B * * * *
SLOWFLASH-STARS




N

ROMAN
IPL258B * * * * ⚡ 42W - ⚡ 8.00kg - ⚡ 48
IPL258W * * * *
IPL258 * * * *
SLOWFLASH-STARS



N

ROMAN PETIT ◆ 1.20m - ◆ 0.60m
IPL259 * * * * ⚡ 14W - ⚡ 3.00kg - ⚡ 24
IPL259W * * * *
SLOWFLASH-STARS-XLED



N

ROMAN PETIT ◆ 1.20m - ◆ 0.60m
IPL259W * * * * ⚡ 14W - ⚡ 3.00kg - ⚡ 24
IPL259 * * * *
SLOWFLASH-STARS-XLED



N

ROMAN ROLL
IPL260W * * * *
⚡ 14W - ⚡ 4.00kg
STARS



THORN CHAIN
ITL163 * * □
◆ 1.24m - ◆ 6.00m
⚡ 115W - ⚖ 26.50kg - 📏 194
XLED-SLOWFLASH-STARS




VENTURO DOUBLE
ITL160 * □
◆ 1.00m - ◆ 6.00m
⚡ 130W - ⚖ 22.60kg - 📏 197
FLASH




APELIOTE
ITL167 * * □
TO ORDER
◆ 1.20m - ◆ 4.00m
⚡ 150W - ⚖ 22.50kg - 📏 166
STARS



ASIA CURVE
ITL126 * * □
◆ 1.00m - ◆ 3.00m
⚡ 100W - ⚖ 16.30kg - 📏 201
STARS-SLOWFLASH




VENTURO
IPL160 * * □
◆ 3.00m - ◆ 1.00m
⚡ 65W - ⚖ 11.00kg - 📏 99
FLASH




THORN
IPL150 * □
◆ 2.00m - ◆ 0.90m
⚡ 40W - ⚖ 6.00kg - 📏 62
XLED-FLASH



ASIA
IPL126 * * □
IPL126W * * □
◆ 1.50m - ◆ 0.60m
⚡ 40W - ⚖ 5.40kg - 📏 62
SLOWFLASH



WILD
IPL149B
◆ 2.30m - ◆ 0.90m
⚡ 55W - ⚖ 7.50kg - 📏 68
SLOWFLASH



ALTHAIR
IPL122 * □
◆ 1.50m - ◆ 0.70m
⚡ 30W - ⚖ 4.20kg - 📏 54
STARS-SLOWFLASH



SERENADE
IPL143 * * □
IPL143W * * □
◆ 1.50m - ◆ 0.60m
⚡ 25W - ⚖ 3.90kg - 📏 34
STARS-SLOWFLASH



VENUS DOUBLE
ITL028B * * □
◆ 1.00m - ◆ 6.00m
⚡ 150W - ⚡ 25.30kg - ⚡ 187
STARS-SLOWFLASH



FOREST
ITL105 * * □
◆ 1.20m - ◆ 5.00m
⚡ 110W - ⚡ 24.70kg - ⚡ 214
XLED-STARS-SLOWFLASH




CHARLESTON DOUBLE
ITL035 * □
◆ 0.87m - ◆ 5.28m
⚡ 100W - ⚡ 19.90kg - ⚡ 147
STARS-FLASH




CHARLESTON
IPL035 * □
◆ 2.71m - ◆ 0.88m
⚡ 50W - ⚡ 10.30kg - ⚡ 74
STARSFLASH



WOOD
IPL124 * □
◆ 2.00m - ◆ 0.90m
⚡ 15W - ⚡ 5.00kg - ⚡ 49
SLOWFLASH



TWISTER
IPL070W * □
IPL070B * * □
IPL070R * * □
◆ 2.00m - ◆ 0.90m
⚡ 35W - ⚡ 6.50kg - ⚡ 51
STARS-SLOWFLASH



VENUS
IPL028B * * □
◆ 3.00m - ◆ 1.00m
⚡ 75W - ⚡ 12.10kg - ⚡ 94
STARS-SLOWFLASH



ZEPHYR
IPL075B * * □
IPL075W * * □
◆ 2.50m - ◆ 0.90m
⚡ 60W - ⚡ 8.20kg - ⚡ 76
XLED-SLOWFLASH



TWISTER
IPL070B * * □
IPL070W * * □
IPL070R * * □
◆ 2.00m - ◆ 0.90m
⚡ 35W - ⚡ 6.50kg - ⚡ 51
STARS-SLOWFLASH



MIA
ITL102
ITL102W
◆ 1,00m - ◆ 1,00m
⚡ 45W - ⚖ 5.80kg - 📏 73
SLOWFLASH



DENDRA
ITL022
ITL022W
◆ 0,97m - ◆ 0,85m
⚡ 30W - ⚖ 3.00kg - 📏 41



MIA
ITL102W
ITL102
◆ 1,00m - ◆ 1,00m
⚡ 45W - ⚖ 5.80kg - 📏 73
SLOWFLASH



DENDRA
ITL022W
ITL022
◆ 0,97m - ◆ 0,85m
⚡ 30W - ⚖ 3.00kg - 📏 41



GIVRE
ITL020B
ITL020W
◆ 0,97m - ◆ 0,85m
⚡ 40W - ⚖ 4.50kg - 📏 47
SLOWFLASH



LILLY
ITL115
ITL115W
◆ 0,48m - ◆ 0,42m
⚡ 16W - ⚖ 4.00kg - 📏 20



GIVRE
ITL020W
ITL020B
◆ 0,97m - ◆ 0,85m
⚡ 40W - ⚖ 4.50kg - 📏 47
FLASH



LILLY
ITL115W
ITL115
◆ 0,48m - ◆ 0,42m
⚡ 16W - ⚖ 4.00kg - 📏 20




GRAND MIA
ITL101
ITL101W
◆ 2,00m - ◆ 2,00m
⚡ 150W - ⚖ 18.00kg - 📏 216
SLOWFLASH



AIGUILLE
ITL021
◆ 1,25m - ◆ 1,25m
⚡ 55W - ⚖ 4.60kg - 📏 65



GRAND MIA
ITL101W
ITL101
◆ 2,00m - ◆ 2,00m
⚡ 150W - ⚖ 18.00kg - 📏 216
SLOWFLASH



BELLA
TGL139W
◆ 1,50m - ◆ 1,50m - ■ 1,50m
⚡ 120W - ⚖ 18.30kg
FLASH



 Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p256)



ALYZE DOUBLE
ITL072W * * * □
◆ 1.00m - ◆ 6.00m
⚡ 120W - ⚠ 24.50kg - 📏 203
STARS-XLED-SLOWFLASH




GRAND BLIZZARD
ITL118W * * * □
◆ 1.00m - ◆ 5.00m
⚡ 135W - ⚠ 24.00kg - 📏 224
STARS-SLOWFLASH




CASSIOPEE DOUBLE
ITL076W * * * □
◆ 1.00m - ◆ 6.00m
⚡ 120W - ⚠ 23.40kg - 📏 187
XLED-SLOWFLASH




JOYEUSES FETES VOLUTUS
ITL059W * * * □
◆ 1.22m - ◆ 4.93m
⚡ 155W - ⚠ 23.60kg - 📏 132
FLASH-STARS



BLIZZARD BANNER
IPL117W * * * □
◆ 2.80m - ◆ 0.80m
⚡ 45W - ⚠ 10.20kg - 📏 76
SLOWFLASH



BLIZZARD
IPL118W * * * □
◆ 2.30m - ◆ 0.70m
⚡ 60W - ⚠ 10.00kg - 📏 100
SLOWFLASH-STARS



CRISTALLIN
IPL084 * * * □
◆ 1.50m - ◆ 0.60m
⚡ 35W - ⚠ 4.30kg - 📏 35
STARS-SLOWFLASH




BLIZZARD VL
VL045W * * * □
◆ 3.00m - ◆ 2.20m - 📏 2.20m
⚡ 105W - ⚠ 29.00kg - 📏 225
XLED-FLASH




ALYZE
IPL072W * * * □
◆ 3.00m - ◆ 1.00m
⚡ 60W - ⚠ 12.40kg - 📏 102
STARS-XLED-SLOWFLASH



BOREAL
IPL069 * * * □
◆ 2.30m - ◆ 0.90m
⚡ 60W - ⚠ 10.30kg - 📏 86
STARS-SLOWFLASH




ASIA
IPL126W * * * □
IPL126 * * * □
◆ 1.50m - ◆ 0.60m
⚡ 40W - ⚠ 5.40kg - 📏 62
SLOWFLASH



ZEPHYR
IPL075W * * * □
IPL075B * * * □
◆ 2.50m - ◆ 0.90m
⚡ 60W - ⚠ 8.20kg - 📏 76
XLED-SLOWFLASH

COLLECTION *MAGIC*





ASTRAL JF
ITL234W * * * □
◆ 0.85m - ◆ 4.50m
⚡ 100W - ⚖ 16.00kg - 📏 109
STARS




ASTRAL CHAIN
ITL227B * * * □
ITL227W * * * □
◆ 1.00m - ◆ 4.00m
⚡ 65W - ⚖ 15.50kg - 📏 68
STARS -FLASH




ASTRAL CHAIN
ITL227W * * * □
ITL227B * * * □
◆ 1.00m - ◆ 4.00m
⚡ 65W - ⚖ 11.90kg - 📏 68
STARS -FLASH




ASTRAL BANNER ◆ 2.80m - ◆ 0.80m
IPL190B * * * □ ⚡ 55W - ⚖ 10.10kg - 📏 67
IPL190W * * * □ XLED-STARS-SLOWFLASH
IPL190R * * * □
TO ORDER



ASTRAL BANNER ◆ 2.80m - ◆ 0.80m
IPL190W * * * □ ⚡ 55W - ⚖ 10.10kg - 📏 67
IPL190B * * * □ SLOWFLASH-XLED-STARS
IPL190R * * * □




ASTRAL BANNER ◆ 2.80m - ◆ 0.80m
IPL190R * * * □ ⚡ 55W - ⚖ 10.10kg - 📏 67
IPL190B * * * □ FLASH-XLED-STARS
IPL190W * * * □




ASTRAL ROLL ◆ 1.30m - ◆ 1.10m
IPL228B * * * □ ⚡ 35W - ⚖ 6.00kg - 📏 51
IPL228W * * * □ STARS-XLED-SLOWFLASH




ASTRAL DRAPEAU ◆ 3.00m - ◆ 1.00m
IPL189B * * * □ ⚡ 65W - ⚖ 13.50kg - 📏 128
IPL189W * * * □ XLED-STARS-SLOWFLASH
IPL189R * * * □



ASTRAL DRAPEAU ◆ 3.00m - ◆ 1.00m
IPL189W * * * □ ⚡ 65W - ⚖ 13.50kg - 📏 128
IPL189R * * * □ XLED - STARS-SLOWFLASH
IPL189B * * * □



ASTRAL DRAPEAU ◆ 3.00m - ◆ 1.00m
IPL189R * * * □ ⚡ 65W - ⚖ 13.50kg - 📏 128
IPL189B * * * □ XLED - STARS-SLOWFLASH
IPL189W * * * □




ASTRAL ROLL ◆ 1.30m - ◆ 1.10m
IPL228W * * * □ ⚡ 35W - ⚖ 6.00kg - 📏 51
IPL228B * * * □ STARS-XLED-SLOWFLASH



GRANDE STELLA
ITL094W * * * □
◆ 1.20m - ◆ 6.00m
⚡ 195W - ⚖ 26.40kg - 📏 250
XLED-SLOWFLASH




ASTRAL TRAVERSE
ITL191B * * * □
ITL191W * * * □
◆ 0.90m - ◆ 4.00m
⚡ 120W - ⚖ 20.00kg - 📏 167
STARS-XLED-SLOWFLASH




ASTRAL TRAVERSE
ITL191W * * * □
ITL191B * * * □
◆ 0.90m - ◆ 4.00m
⚡ 120W - ⚖ 20.00kg - 📏 167
STARS-XLED-SLOWFLASH




LIV CHAIN
ITL162W * * * □
◆ 1.24m - ◆ 6.00m
⚡ 170W - ⚖ 27.00kg - 📏 13
XLED-SLOWFLASH-FLASH



ASTRAL
IPL191B * * * □
IPL191W * * * □
IPL191R * * * □
◆ 2.00m - ◆ 0.90m
⚡ 60W - ⚖ 4.30kg - 📏 79
SLOWFLASH-XLED-STARS



ASTRAL
IPL191W * * * □
IPL191B * * * □
IPL191R * * * □
◆ 2.00m - ◆ 0.90m
⚡ 60W - ⚖ 4.30kg - 📏 79
SLOWFLASH-XLED-STARS




ASTRAL
IPL191R * * * □
IPL191W * * * □
IPL191B * * * □
◆ 2.00m - ◆ 0.90m
⚡ 60W - ⚖ 4.30kg - 📏 79
SLOWFLASH-XLED-STARS



LEIA XMAS
ITL109W * * * □
◆ 1.12m - ◆ 1.12m
⚡ 35W - ⚖ 4.90kg - 📏 37
SLOWFLASH



CELESTE
IPL042W * * * □
◆ 3.00m - ◆ 0.85m
⚡ 75W - ⚖ 10.00kg - 📏 92
FLASH



STELLA
IPL094W * * * □
◆ 3.00m - ◆ 1.00m
⚡ 70W - ⚖ 10.80kg - 📏 90
XLED-SLOWFLASH



ANTHARES MM
ITL082W * * * □
◆ 0.90m - ◆ 0.90m
⚡ 35W - ⚖ 3.30kg - 📏 37
SLOWFLASH

ANTHARES GM
ITL083W * * * □
◆ 1.15m - ◆ 1.15m
⚡ 50W - ⚖ 5.60kg - 📏 47
SLOWFLASH



ORION
ITL025W * * * □
◆ 1.00m - ◆ 1.00m
⚡ 10W - ⚖ 1.70kg - 📏 27
FLASH




Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p256)



N *CLEO*
TL311R ✨
◆ 2.10m - ◆ 1.81m - ■ 0.51m
⚡ 18W - ▲ 21.00kg - 📏 94
FLASH

TO ORDER




N *CLEO RUBAN*
TL312R ✨
◆ 0.80m - ◆ 2.00m
⚡ 45W - ▲ 8.00kg
FLASH


TO ORDER



CASSIOPEE
IPL076W ✨ ✨
IPL076 ✨
◆ 3.00m - ◆ 1.00m
⚡ 60W - ▲ 12.20kg - 📏 94
XLED-SLOWFLASH




PENELOPE
IPL039 ✨ ✨
PL039W ✨ ✨
◆ 2.00m - ◆ 0.72m
⚡ 35W - ▲ 5.90kg - 📏 61
SLOWFLASH




CASCADE
IPL151W ✨ ✨
◆ 2.00m - ◆ 0.90m
⚡ 45W - ▲ 7.60kg - 📏 25
SLOWFLASH




MATHILDA
ITL027W ✨ ✨
◆ 1.00m - ◆ 0.70m
⚡ 25W - ▲ 3.10kg - 📏 31
FLASH



CASSIOPEE
IPL076 ✨ ✨
IPL076W ✨ ✨
◆ 3.00m - ◆ 1.00m
⚡ 60W - ▲ 12.20kg - 📏 94
XLED-SLOWFLASH



PENELOPE
IPL039W ✨ ✨ ✨
IPL039 ✨ ✨
◆ 2.00m - ◆ 0.72m
⚡ 35W - ▲ 5.90kg - 📏 61
FLASH






LIV PETIT
IPL145W ✨ ✨
◆ 1.20m - ◆ 0.60m
⚡ 25W - ▲ 3.70kg - 📏 29
SLOWFLASH




ILIADE
IPL141W ✨ ✨ ✨
◆ 1.00m - ◆ 0.70m
⚡ 25W - ▲ 3.40kg - 📏 31
FLASH




Combination of TL311W and several TL312W.






Schematic diagram of all the lights presented on this double page:



Front view Side view



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p256)

Référence	Description	Colour	Height	Width	Depth	P(W)	Weight
ITGL104	sphere full	○	0.50m	0.50m	0.26m	10W	1.70kg
ITGL104W	sphere full	●	0.50m	0.50m	0.26m	10W	1.70kg
ITGL105	sphere full	○	0.80m	0.80m	0.4m	20W	3.20kg
ITGL105W	sphere full	●	0.80m	0.80m	0.4m	20W	3.20kg
ITGL131	goutte	○	0.80m	0.40m	0.26m	10W	1.80kg
ITGL131W	goutte	●	0.80m	0.40m	0.26m	10W	1.80kg
ITGL102	diams	○	0.60m	0.40m	0.24m	15W	1.50kg
ITGL102W	diams	●	0.60m	0.40m	0.24m	15W	1.50kg

Référence	Description	Colour	Height	Width	Depth	P(W)	Weight
ITGL112	star5	○	0.80m	0.80m	0.18m	8W	1.50kg
ITGL112W	star5	●	0.80m	0.80m	0.18m	8W	1.50kg
ITGL111	star7	○	0.80m	0.80m	0.18m	15W	1.90kg
ITGL111W	star7	●	0.80m	0.80m	0.18m	15W	1.90kg






Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p256)



LOVE



ALTO




LANTERNA




Référence	Description	Colour	Height	Width	Depth	P(W)	Weight
ITGL117R	love	●	0.60m	0.60m	0.46m	8W	2.00kg
ITGL130W	lanterna	●	0.70m	0.70m	0.40m	26W	5.00kg
ITGL141	alto	●	1.00m	1.00m	0.40m	35W	5.10kg

3D 3D foldable spheres (for optimized storage)



N



∅ 0,60m
 ● TGL70LWW
 sphere pliable pm
 ◆ 0,60m - ◆ 0,60m - ■ 0,60m
 ⚡ 30W - ☒ 3.9kg
 ● TGL70LW

∅ 1,00m
 RGB TGL71LWCL
 sphere pliable mm
 ◆ 1,00m - ◆ 1,00m - ■ 1,00m
 ⚡ 8W - ☒ 15.0kg
 ● TGL71LW

● TGL71LWW
 ∅ 1,60m
 ● TGL72LWW
 sphere pliable gm
 ◆ 1,60m - ◆ 1,60m - ■ 1,60m
 ⚡ 165W - ☒ 24,8kg
 ● TGL72LW

2D 2D Spheres



∅ 0,30m
 ● ITL051W
 sphere pm
 ◆ 0,30m - ◆ 0,80m
 ⚡ 5W - ☒ 1,0kg
 ● ITL051 - ● ITL051B - ● ITL051R

∅ 0,60m
 ● ITL052W
 sphere mm
 ◆ 0,60m - ◆ 0,60m
 ⚡ 10W - ☒ 1,7kg
 ● ITL052 - ● ITL052B - ● ITL052R

∅ 1,00m
 ● ITL053W
 sphere gm
 ◆ 1,00m - ◆ 1,00m
 ⚡ 20W - ☒ 2.8kg
 ● ITL053 - ● ITL053B - ● ITL053R

COLLECTION *COSY*





N
COSY UNIT
 ITL275R * * * □
 + 2x GP303W
 ◆ 1.00m - ◆ 0.80m
 ⚡ 14W - ▲ 5.00kg - 📏 40
 SLOWFLASH



N
COSY TREE UNIT
 ITL278W * □ □
 + 2x GP303W
 ◆ 0.95m - ◆ 0.63m
 ⚡ 18W - ▲ 5.00kg - 📏 55
 SLOWFLASH



N
COSY STAR UNIT
 ITL276R * * * □
 + 2x GP303W
 ◆ 0.95m - ◆ 0.85m
 ⚡ 14W - ▲ 5.00kg - 📏 38
 SLOWFLASH



N
COSY BALL UNIT
 ITL279W * □ □
 + 2x GP303W
 ◆ 1.00m - ◆ 0.75m
 ⚡ 18W - ▲ 6.00kg - 📏 40
 SLOWFLASH




N
COSY STAR UNIT
 ITL276W * □ □
 ITL276R * * * □
 ◆ 0.95m - ◆ 0.85m
 ⚡ 14W - ▲ 5.00kg - 📏 38
 SLOWFLASH


N
COSY BALL UNIT
 ITL279R * * * □
 ITL279W * □ □
 ◆ 0.95m - ◆ 0.78m
 ⚡ 18W - ▲ 6.00kg - 📏 80
 SLOWFLASH

N
COSY ANGEL UNIT
 ITL277W * □ □
 ◆ 0.95m - ◆ 0.85m
 ⚡ 14W - ▲ 5.00kg - 📏 38
 SLOWFLASH


LUCIA
 ITL084W * □ □
 ◆ 0.85m - ◆ 0.70m
 ⚡ 20W - ▲ 2.20kg - 📏 23
 SLOWFLASH




N
COSY PETIT
 IPL271R * * * □
 IPL271W * □ □
 ◆ 1.50m - ◆ 0.60m
 ⚡ 22W - ▲ 5.00kg - 📏 28
 SLOWFLASH



N
COSY PETIT
 IPL271W * □ □
 IPL271R * * * □
 ◆ 1.50m - ◆ 0.60m
 ⚡ 22W - ▲ 5.00kg - 📏 28
 SLOWFLASH



N
COSY
 IPL270R * * * □
 IPL270W * □ □
 ◆ 2.00m - ◆ 0.90m
 ⚡ 41W - ▲ 8.00kg - 📏 43
 SLOWFLASH



N
COSY
 IPL270W * □ □
 IPL270R * * * □
 ◆ 2.00m - ◆ 0.90m
 ⚡ 41W - ▲ 8.00kg - 📏 43
 SLOWFLASH




N
GRACE DOUBLE
 ITL266W * □
 ◆ 0.90m - ◆ 4.00m
 ⚡ 105W - ▲ 17.00kg - ⚡ 128
 SLOWFLASH-XLED




CALYPSO DOUBLE
 ITL113W * □
 ◆ 0.85m - ◆ 4.00m
 ⚡ 110W - ▲ 15.10kg - ⚡ 82
 SLOWFLASH




ILWAN
 ITL165W * □
 ◆ 1.00m - ◆ 3.00m
 ⚡ 105W - ▲ 15.30kg - ⚡ 141
 XLED-SLOWFLASH




N
GRACE ROLL
 IPL268W * □
 ◆ 1.72m - ◆ 1.10m
 ⚡ 49W - ▲ 10.00kg - ⚡ 47
 SLOWFLASH-XLED




N
GRACE PETIT
 IPL265W * □
 ◆ 1.50m - ◆ 0.60m
 ⚡ 33W - ▲ 6.00kg - ⚡ 38
 SLOWFLASH-XLED



N
GRACE PETIT
 IPL266W * □
 ◆ 2.00m - ◆ 0.90m
 ⚡ 53W - ▲ 9.00kg - ⚡ 64
 SLOWFLASH-XLED



N
GRACE GRAND
 IPL267W * □
 ◆ 3.50m - ◆ 1.00m
 ⚡ 76W - ▲ 15.00kg - ⚡ 108
 SLOWFLASH-XLED



JAVA
 GX114LW * □
 ◆ 1.50m - ◆ 1.20m - ■ 1.20m
 ⚡ 30W - ▲ 27.00kg - ⚡ 78
 FLASH



BAROQUE
 TGL169LW * □
 ◆ 1.40m - ◆ 1.18m - ■ 1.18m
 ⚡ 135W - ▲ 26.00kg - ⚡ 130
 SLOWFLASH



ULYSSE
CX117LW * □
◆ 2.00m - ◆ 1.50m - ■ 1.50m
⚡ 130W - ⚖ 25.60kg - 📏 11
SLOWFLASH




ACHILLE
GX116LW *
◆ 0.70m - ◆ 0.60m
⚡ 15W - ⚖ 3.60kg
SLOWFLASH




AURORA
CX048LW *
◆ 0.73m - ◆ 0.48m - ■ 0.48m
⚡ 40W - ⚖ 4.30kg




LUZ
TGL247LW *
◆ 0.36m - ◆ 0.26m - ■ 0.26m
⚡ 5W - ⚖ 1.30kg




OLYMPIE BANNER
IPL134W * □
◆ 2.80m - ◆ 0.80m
⚡ 50W - ⚖ 9.70kg - 📏 63
SLOWFLASH



ZOE
IPL114W * □
◆ 2.00m - ◆ 0.90m
⚡ 65W - ⚖ 8.70kg - 📏 57
SLOWFLASH




BOA
PL344W *
PL344 *
◆ 0.60m - ◆ 0.95m - ■ 0.95m
⚡ 10W - ⚖ 5.30kg
FLASH



STOCKHOLM
TGL158LW *
◆ 2.43m - ◆ 1.00m - ■ 1.00m
⚡ 70W - ⚖ 14.50kg
FLASH



NORDIKA 2D - GM
IPL139W * □
◆ 3.00m - ◆ 1.20m
⚡ 40W - ⚖ 13.60kg - 📏 43
SLOWFLASH



NORDIKA 2D - PM
IPL140W * □
◆ 1.60m - ◆ 0.65m
⚡ 20W - ⚖ 6.50kg - 📏 21
SLOWFLASH



SOLAR RANGE

Varied decorations that adapt to all your decoration themes and work with solar energy

N



STARS S.
IPS289W * □
◆ 1.20m - ◆ 0.60m
⚡ 8W - ⚙ 4.00kg - ⏱ 30
FLASH-STARS

TO ORDER

N



QUADRILLES S.
IPS280W * □
◆ 2.00m - ◆ 0.90m
⚡ 11W - ⚙ 7.00kg - ⏱ 57
FLASH-XLED-STARS

TO ORDER

N



QUADRILLES S.
IPS280 * □
◆ 2.00m - ◆ 0.90m
⚡ 11W - ⚙ 7.00kg - ⏱ 57
FLASH-XLED-STARS

TO ORDER



N



RIBBON S.
IPS290 * □
◆ 1.80m - ◆ 0.43m
⚡ 10W - ⚙ 5.00kg - ⏱ 38
FLASH-XLED

TO ORDER

N



BLIZZY S.
IPS264W * □
◆ 1.20m - ◆ 0.50m
⚡ 4W - ⚙ 3.00kg - ⏱ 28
FLASH-STARS

TO ORDER

N



RIBBON S.
IPS281W * □
◆ 1.20m - ◆ 0.60m
⚡ 7W - ⚙ 4.00kg - ⏱ 28
FLASH-STARS

TO ORDER

These decorations are equipped only with 24V LED garlands.

100% autonomous

Thanks to our new solar-powered rechargeable battery, you can combine lighting with energy efficiency.

Once your decor is in place, position the solar box on top of it facing the right way, set your switch-on and switch-off times and enjoy your lighted decorations.


Technical details:

- 8 to 10 hours of recharging with optimal sunlight for 7 hours of lighting.
- Your lights can be programmed to operate for 5, 6 or 7 hours.


Enter decor reference no. + PIXSOL2

PIXSOL2

20W panel power
7,2W power output



When you set it up, make sure it is facing the right way to get the most sun during the day



3D CHARACTERS



N LULU
GX200L

◆ 1,60m - ◆ 1,41m - ▣ 0,67m
⚡ 16W - ▲ 38,00kg
FLASH

BLIZZARD PHOTOBOOTH
SOCL42

◆ 2,20m - ◆ 1,60m - ▣ 0,80m
⚡ 25W - ▲ 18,50kg - 📏 142

FROZEN LETTERBOX
GX149L

◆ 2,00m - ◆ 1,10m - ▣ 1,10m
⚡ 49W - ▲ 36,00kg - 📏 432
STARS-FLASH



GARY GX250L-A
 ◆ 2.30m - ◆ 2.14m - ■ 1.00m
 ⚡ 46W - ▲ 71.00kg

With presence detector

NOAH GX145L
 ◆ 3.00m - ◆ 2.27m - ■ 1.84m
 ⚡ 54W - ▲ 76.00kg - 21
 XLED

NOAH ANIME GX145L-A
 ◆ 3.00m - ◆ 2.27m - ■ 1.84m
 ⚡ 54W - ▲ 100.00kg - 21

+ buzzer

TO ORDER



SKATE BEAR GX047L
 ◆ 2.30m - ◆ 1.95m - ■ 1.10m
 ⚡ 30W - ▲ 44.00kg

ICE IGLOO GX079L
 ◆ 1.50m - ◆ 2.20m - ■ 2.00m
 ⚡ 64W - ▲ 55.00kg - 134
 FLASH

PINGU GX160L
 ◆ 2.08m - ◆ 1.94m - ■ 1.16m
 ⚡ 20W - ▲ 31.00kgH





ELIOTT
GX163L
◆ 2.80m - ◆ 2.02m - ■ 1.25m
⚡ 20W - ▲ 32.00kg
FLASH

FOX
GX147L
◆ 2.20m - ◆ 1.75m - ■ 1.40m
⚡ 20W - ▲ 37.00kg
FLASH



BABY BEAR
GX206L
◆ 1.50m - ◆ 1.40m - ■ 1.30m
⚡ 40W - ▲ 30.40kg

WIZZ SANTA
GX164L
◆ 2.30m - ◆ 3.80m - ■ 1.20m
⚡ 25W - ▲ 66.00kg
FLASH

DADDY BEAR
GX205L
◆ 1.50m - ◆ 2.20m - ■ 0.70m
⚡ 22W - ▲ 27.00kg

RAYMOND
GX249L-A
◆ 2.20m - ◆ 1.50m - ■ 0.84m
⚡ 34W - ▲ 71.00kg
With push button

RAYMOND
GX249L
◆ 2.20m - ◆ 1.50m - ■ 0.84m
⚡ 34W - ▲ 55.00kg





WELCOME
GX042L
◆ 2.20m - ◆ 1.20m - ■ 0.80m
⚡ 14W - ▲ 22.00kg - ⚡ 29
FLASH

DOUDOU
GX159L
◆ 2.10m - ◆ 1.94m - ■ 1.19m
⚡ 28W - ▲ 39.50kg
FLASH

N LOLLIPOP
GX265LW
FLASH
◆ 2.00m - ◆ 1.28m - ■ 1.28m
⚡ 67W - ▲ 28.00kg



N YUMMY
GX262LW
◆ 1.60m - ◆ 1.30m - ■ 0.30m
⚡ 36W - ▲ 24.00kg - ⚡ 346
FLASH

N MANALA
GX245LW
◆ 1.88m - ◆ 1.34m - ■ 0.30m
⚡ 56W - ▲ 29.00kg - ⚡ 258
FLASH

N TRADI PHOTOBOOTH
SOCL47
◆ 3.75m - ◆ 4.93m - ■ 1.00m
⚡ 60W - ▲ 81.50kg - ⚡ 205
FLASH





ASTRAL BOOTH
SOCL43
◆ 2.20m - ◆ 2.00m - ▣ 0.80m
⚡ 25W - ⚖ 20.40kg - 📏 118

RENNOO
GX093L
◆ 2.00m - ◆ 1.20m - ▣ 0.60m
⚡ 18W - ⚖ 52.00kg
FLASH

CUTE RENNOO
GX092L
◆ 2.20m - ◆ 1.15m - ▣ 0.70m
⚡ 18W - ⚖ 99.00kg
FLASH

ELY
GX260LW
◆ 1.60m - ◆ 1.24m - ▣ 1.00m
⚡ 20W - ⚖ 12.00kg - 📏 67
STARS

2 in 1 products!

You can choose from a warm white or pure white. By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/warm white flash.



WIZZ
CX194L
◆ 1.20m - ◆ 2.30m - ▣ 1.20m
⚡ 79W - ⚖ 82.00kg - 📏 277
XLED-STARS-FLASH

DUO COMETE
GX118DC
◆ 2.60m - ◆ 2.18m - ▣ 1.20m
⚡ 42W - ⚖ 27.40kg
FLASH

VERDE
SL045V
◆ 2.45m - ◆ 1.75m - ▣ 0.80m
⚡ 180W - ⚖ 45.50kg - 📏 299
XLED





ED
GX152L
◆ 2.00m - ◆ 1.48m - ■ 0.85m
⚡ 12W - ▲ 27.50kg
FLASH

TOMMY
GX105L
◆ 2.70m - ◆ 2.50m - ■ 2.20m
⚡ 50W - ▲ 91.00kg
FLASH

ROY
GX151L
◆ 2.00m - ◆ 1.00m - ■ 1.00m
⚡ 17W - ▲ 27.00kg
FLASH



Sound and light animated scene composed of several characters and a single buzzer, available on request.

JOHNNY
GX167L
◆ 2.30m - ◆ 1.60m - ■ 0.90m
⚡ 27W - ▲ 34.50kg

JOHNNY
GX167L-A
+ buzzer
⚡ 35W - ▲ 69.00kg

TO ORDER

SANTA ROCK
GX165L
◆ 2.80m - ◆ 1.90m - ■ 1.50m
⚡ 29W - ▲ 69.00kg

SANTA ROCK
GX165L-A
+ buzzer
⚡ 37W - ▲ 93.00kg

TO ORDER

LOU
GX166L
◆ 2.30m - ◆ 2.20m - ■ 2.60m
⚡ 30W - ▲ 66.50kg

LOU
GX166L-A
+ buzzer
⚡ 30W - ▲ 101.50kg

TO ORDER





HERA
GX115LW
◆ 3.50m - ◆ 2.00m - ■ 2.00m
⚡ 66W - ▲ 88.00kg - 453
FLASH

LITTLE TEDDY CHIC
CX087L
◆ 2.00m - ◆ 2.00m - ■ 1.45m
⚡ 46W - ▲ 54.00kg
FLASH

TRADI BOX
CX261LW
◆ 1.90m - ◆ 1.23m - ■ 0.66m
⚡ 76W - ▲ 54.00kg - 9
STARS-FLASH



DAVE B



DAVE C

DAVE A

MAX
GX148L

◆ 2.20m - ◆ 1.80m - ■ 1.37m
⚡ 33W - ▲ 128.50kg
FLASH

DAVE A
SV504A

◆ 3.12m - ◆ 1.60m - ■ 1.60m
⚡ 35W - ▲ 44.50kg
FLASH

DAVE B
SV504B

◆ 3.12m - ◆ 1.60m - ■ 1.60m
⚡ 35W - ▲ 44.50kg
FLASH

DAVE C
SV504C

◆ 3.12m - ◆ 1.60m - ■ 1.60m
⚡ 35W - ▲ 44.50kg
FLASH

MISTER XMAS
GX132L

◆ 3.60m - ◆ 2.60m - ■ 1.90m
⚡ 74W - ▲ 97.00kg - 85





N THEODOR
GX263L
◆ 2.30m - ◆ 0.90m - ■ 0.65m
⚡ 22W - ⚖ 31.00kg - 📏 3
FLASH

N BIGS
GX264LW
◆ 1.60m - ◆ 1.90m - ■ 0.80m
⚡ 122W - ⚖ 76.00kg - 📏 948
FLASH

N XMAS TRAIN
GX102LW
◆ 1.90m - ◆ 3.55m - ■ 1.00m
⚡ 124W - ⚖ 130.00kg - 📏 33
FLASH-XLED

TO ORDER

N BOX
GX247L-A
◆ 2.20m - ◆ 1.70m - ■ 0.90m
⚡ 236W - ⚖ 107.00kg - 📏 986
STARS-XLED

N CIRCUS
GX267LW
◆ 3.00m - ◆ 1.80m - ■ 1.80m
⚡ 248W - ⚖ 116.00kg - 📏 132
FLASH

TO ORDER

N FLASH
GX193L
◆ 1.25m - ◆ 2.24m - ■ 0.98m
⚡ 110W - ⚖ 46.00kg
FLASH-XLED-STARS

N LOLITA
GX244L
◆ 2.30m - ◆ 2.13m - ■ 1.61m
⚡ 44W - ⚖ 70.00kg
FLASH





TEDDY SKI
GX182L
◆ 4.00m - ◆ 3.36m - ■ 2.60m
⚡ 146W - ▲ 148.00kg - 📏 41
XLED

TEDDY SKI ANIME
GX182L-A
◆ 4.00m - ◆ 3.36m - ■ 2.60m
⚡ 186W - ▲ 160.00kg - 📏 41
XLED

With presence detector

TO ORDER



SUGAR
GX248LR

◆ 2.00m - ◆ 0.80m - ■ 0.80m
⚡ 8W - ▲ 26.00kg
FLASH

CANDY SELFIE
GX153L

◆ 1.96m - ◆ 1.90m - ■ 1.00m
⚡ 39W - ▲ 59.00kg
STARS-FLASH

KDO
SL038W
SL038R
SL038B

◆ 1.30m - ◆ 0.90m - ■ 0.90m
⚡ 20W - ▲ 17.50kg - 📏 250

Lighting system with floodlights





PETER
GX097L ◆ 2.00m - ◆ 1.30m - ■ 0.60m
⚡ 20W - ▲ 60.00kg - ⚡ 5

LETTERBOX
GX308L ◆ 2.00m - ◆ 0.90m - ■ 0.90m
⚡ 172W - ▲ 43.50kg
STARS-FLASH

JOHN
GX098L ◆ 2.30m - ◆ 1.50m - ■ 0.90m
⚡ 30W - ▲ 56.00kg - ⚡ 5

XMAS BOOTS
GX088L ◆ 2.70m - ◆ 2.45m - ■ 1.40m
⚡ 157W - ▲ 61.20kg - ⚡ 74
STARS-FLASH

With push buttons



TEDDY CHIC
GX086L-A ◆ 4.00m - ◆ 4.02m - ■ 2.82m
⚡ 248W - ▲ 172.00kg
FLASH

With presence detector

TO ORDER

TEDDY CHIC
GX086L ◆ 4.00m - ◆ 4.02m - ■ 2.82m
⚡ 208W - ▲ 157.00kg
FLASH

TO ORDER

MISTER SANTA
GX133L ◆ 2.80m - ◆ 1.76m - ■ 1.40m
⚡ 46W - ▲ 125.00kg - ⚡ 5
FLASH





CLEM
GX257LW
◆ 1.49m - ◆ 1.21m - ■ 0.30m
⚡ 44W - ▲ 21.00kg - 📏 168
FLASH

JOSÉ
GX172LW
◆ 2.15m - ◆ 1.20m - ■ 0.30m
⚡ 40W - ▲ 15.00kg - 📏 57
FLASH



ANGEL
GX256LW
◆ 1.83m - ◆ 1.63m - ■ 0.30m
⚡ 82W - ▲ 27.00kg - 📏 202
FLASH



CLEO
GX259LW
◆ 1.50m - ◆ 1.33m - ■ 0.30m
⚡ 56W - ▲ 20.00kg - 📏 184
FLASH

MANALA
GX245LW
◆ 1.88m - ◆ 1.34m - ■ 0.30m
⚡ 56W - ▲ 29.00kg - 📏 258
FLASH

KRYS
GX258LW
◆ 1.50m - ◆ 1.50m - ■ 0.30m
⚡ 88W - ▲ 35.00kg - 📏 308
FLASH

YUMMY
GX262LW
◆ 1.60m - ◆ 1.30m - ■ 0.30m
⚡ 36W - ▲ 24.00kg - 📏 346
FLASH





XMAS TRAIN
GX102L
◆ 1.90m - ◆ 3.55m - ■ 1.00m
⚡ 124W - ▲ 130.00kg - ⚡ 33
FLASH-XLED

RECY TRAIN
GX112L
◆ 1.95m - ◆ 2.00m - ■ 1.51m
⚡ 79W - ▲ 80.00kg - ⚡ 68
FLASH-XLED

ELY
GX260L

◆ 1.60m - ◆ 1.24m - ■ 1.00m
⚡ 20W - ▲ 12.00kg - ⚡ 67
STARS

FUNKY PINGOO
GX204L
◆ 1.60m - ◆ 1.20m - ■ 0.60m
⚡ 15W - ▲ 19.00kg

TO ORDER

TO ORDER

RECY TRAIN
GX112L-UK
◆ 1.95m - ◆ 2.00m - ■ 1.51m
⚡ 79W - ▲ 80.00kg - ⚡ 68
FLASH-XLED

TO ORDER



KRYS
GX258L
◆ 1.50m - ◆ 1.50m - ■ 0.30m
⚡ 88W - ▲ 35.00kg - ⚡ 308
FLASH

WIZZ FROZEN
GX195L
◆ 1.20m - ◆ 2.30m - ■ 1.20m
⚡ 73W - ▲ 82.00kg - ⚡ 153
XLED-STARS-FLASH

COMETE
GX118L
◆ 2.60m - ◆ 2.18m - ■ 1.20m
⚡ 14W - ▲ 27.40kg

ROMY
GX119L
◆ 4.50m - ◆ 3.00m - ■ 2.45m
⚡ 29W - ▲ 81.00kg - ⚡ 0



PLAY MAGIC

Play in augmented reality!

Allowing audiences to do things like take a photo with Father Christmas or play with Charlie the Unicorn, our augmented reality apps add virtual characters into the real world, leaving the public laughing and amazed.

Children and adults can easily take part in the fun using a smartphone enjoying an unforgettable experience that transforms reality into a unique performance.

How does it work?

For the public, the idea is simple: When users approach the Play Magic banner, the app they have pre-installed on their phones automatically unlocks to give them access to the games.

They can then share the experience on their social media pages. The public app features your branding and a link to your website or social media.

For the city:

The games app has a subscription model valid while the illuminations are up, with games updated each year.

Apart from this, all you need to do is install the banner near the illuminations to tell the public they can enjoy a free game on their phone in the location. There is no need for any connection.

The app's success also depends on you advertising it on displays in your town/city and on your social media pages.

We can assist you in setting up your communications (Réf. ARCOM below).

Reference	Description
AR001	3 games pack (chosen from the 7 existing games) + 1 Totem
AR002	5 games pack (chosen from the 7 existing games) + 1 Totem
ARTOT02	1 additional Totem
ARCOM	Augmented Reality Communications Pack (non-printed poster, web banner and smartphone-format image).

Games available:

FR : AR001
EN : AR001-EN
ES : AR001-ES



BILLY
GX103L
◆ 2.70m - ◆ 2.90m - ■ 1.35m
⚡ 81W - ⚡ 65.50kg - 📶 134
XLED

BILLY ANIME
GX103L-A
◆ 2.70m - ◆ 2.90m - ■ 1.35m
⚡ 121W - ⚡ 78.50kg - 📶 134
INTERACTIVITE-XLED

With push buttons

TO ORDER

MARLEY
GX146L
◆ 2.30m - ◆ 2.60m - ■ 0.70m
⚡ 20W - ⚡ 46.50kg
FLASH






CREATE YOUR own Bioprint scenes

Choose from these characters to create your own scene.

All the motifs presented are self-supporting on a frame but can also be manufactured in wallmount and polemount (on demand).

• **Choose your frame:** Bauble or Golden Gift (Ref. SC014 or SC015).

• **Choose 2 decorations and create your own scene:** Reindeer, House, Fir Tree, Angel, Sled, Snowflake, Snowman and Gift Packs (Ref. from SC016 to SC025) - Let your imagination run wild!

	<i>Arche xmas</i> SC014	◆ 2.90m - ◆ 2.55m ⚡ 40W - ▲ 26.6kg starflash		<i>Arche frozen</i> SC015	◆ 2.30m - ◆ 2.53m ⚡ 35W - ▲ 21.4kg starflash
	<i>Snowy</i> SC025	◆ 1.55m - ◆ 1.00m ⚡ 20W - ▲ 7.1kg starflash		<i>Rudolf</i> SC016	◆ 1.80m - ◆ 0.80m ⚡ 15W - ▲ 4.6kg starflash
	<i>Tornado</i> SC017	◆ 1.80m - ◆ 1.15m ⚡ 20W - ▲ 6.5kg starflash		<i>Home</i> SC018	◆ 1.70m - ◆ 0.95m ⚡ 20W - ▲ 7.4kg starflash
	<i>Erica</i> SC019	◆ 1.90m - ◆ 1.30m ⚡ 25W - ▲ 8.0kg starflash		<i>Cadeaux</i> SC024	◆ 1.70m - ◆ 0.70m ⚡ 25W - ▲ 9.0kg starflash
	<i>Ronny</i> SC020	◆ 1.64m - ◆ 1.35m ⚡ 15W - ▲ 5.3kg starflash		<i>Rafael</i> SC021	◆ 1.50m - ◆ 1.25m ⚡ 20W - ▲ 6.4kg starflash
	<i>Wizzy</i> SC022	◆ 0.90m - ◆ 1.45m ⚡ 25W - ▲ 6.6kg starflash		<i>Cristal</i> SC023	◆ 1.00m - ◆ 1.75m ⚡ 20W - ▲ 6.8kg starflash



NORDIKA

& 3D



NORDIKA,

a majestic conifer as realistic as a natural one **[Blachere
Exclusivity]**

Who doesn't love a fabulous Christmas tree? And yet, it takes between 30 and 40 years for a natural conifer to reach 12m in height. As we want to avoid deforestation halting the felling of these majestic trees, we invented NORDIKA. Pre-illuminated with a slowglow effect, easy to assemble and store, they are perfect replicas of their natural version, both in their design and incredibly realistic appearance - as true to life as it gets.

Our environmental approach is based on a simple principle: to save at least as much carbon as we generate. We do this by only using biocompatible materials, which we recycle at the end of their lifespan.



**OPTIONAL
TREETOP**



**HYPER REALISTIC
CHRISTMAS TREE
BRANCHES**



WOOD-EFFECT TRUNK






**WOOD EFFECT
STAND AVAILABLE**

NORDIKA,

The Christmas tradition

The perfect regularity of the branches, the realistic high-quality finishes and a majestic size make our conifers a festive must. You can customise your Nordika every year for a unique look: hang Christmas baubles on its branches, add a set of lights, or even set it on a wooden base.

New construction:
8 additional branches



TO ORDER

Ref	Name	Height	ø	P(W)	Weight	No of elements	Colour of Led	No of Led
GX081LW-2	sapin Nordika - PM	5,00 m	3,56 m	245 W	263 kg	46		2976 (1488 steady + 1488 with slowglow effect)
GX082LW	sapin Nordika - MM	8,00 m	4,70 m	770 W	1 112 kg	107		8664 (4332 steady + 4332 with slowglow effect)
GX083LW	sapin Nordika - GM	12,00 m	5,90 m	1870 W	2 750 kg	194		21048 (10524 steady + 10524 with slowglow effect)



**FREE STANDING
NO NEED TO SECURE
WITH WIRES**

**TOTALLY
SAFE 24V**

**INDOOR &
OUTDOOR USE**

**PVC
FREE**

**PRE-LIGHTED
WITH 100% LED
SLOWGLOW EFFECT**

**CAN BE TOTALLY
DISMANTLED
(EASY TRANSPORT
AND STORAGE)**



NORDIKA,

Accessories

Decorative baubles kit

Each kit features 52 baubles in the same colour (M1/B1 category-fireproof)-50% shiny /50% satiny

- 28 baubles ø 12cm
- 20 baubles ø 20cm
- 4 baubles ø 25cm

Bioprint & Recyprint kit

Each kit features 20 motives

- 8 motives ø 50cm
- 12 motives ø 30cm



Colour	Reference
Silver	KITNDK-A
Blue	KITNDK-B
Gold	KITNDK-O
Red	KITNDK-R

Recommendations

- Nordika - 5 m → 2 kits - 104 baubles
 Nordika - 8 m → 4 kits - 208 baubles
 Nordika - 12 m → 8 kits - 416 baubles

Colour	Motive	Reference
Blue/White	Snowflake	KITNDK-F
Gold/White	Star	KITNDK-E

Recommendations

- Nordika - 5 m → 2 kits - 40 décorations
 Nordika - 8 m → 4 kits - 80 décorations
 Nordika - 12 m → 8 kits - 160 décorations

Base and tree topper

4 tree toppers are available for an additional magical touch to your Nordika tree.

Bases can also be featured with all Nordika trees.



Tree topper	ø	Reference
tree topper star7	0,80m	CIME7
tree topper bella	1,00m	CIME2
tree topper mia	1,00m	CIME6
tree topper aiguille	1,00m	CIME4

Base	Reference
Nordika base 5m (GX081LW-2)	SOCLGX81
Nordika base 8m (GX082LW)	SOCLGX82
Nordika base 12m (GX083LW)	SOCLGX83



PETIT CELESTE SV302 * □
 ◆ 3.50m - ◆ 1.16m - ■ 1.16m
 ⚡ 70W - ▲ 34.00kg - 📏 419
 FLASH-STARs

CELESTE SV502 * □
 ◆ 6.00m - ◆ 1.90m - ■ 1.90m
 ⚡ 185W - ▲ 97.00kg - 📏 598
 FLASH

TO ORDER

QUADRI TREE SV303 * □
 ◆ 3.00m - ◆ 1.16m - ■ 1.16m
 ⚡ 55W - ▲ 30.00kg - 📏 199
 FLASH-STARs



MARINA SLED010W *
 ◆ 7.50m - ◆ 3.40m - ■ 3.40m
 ⚡ 265W - ▲ 152.00kg
 FLASH

TO ORDER

CELESTE SV502W * □
 ◆ 6.00m - ◆ 1.90m - ■ 1.90m
 ⚡ 185W - ▲ 97.00kg - 📏 598
 FLASH

TO ORDER

QUADRI TREE SV303W * □
 ◆ 3.00m - ◆ 1.16m - ■ 1.16m
 ⚡ 55W - ▲ 30.00kg - 📏 199
 FLASH-STARs

ASTRAL TREE SL046W * * □
 ◆ 2.84m - ◆ 1.82m - ■ 1.82m
 ⚡ 160W - ▲ 67.30kg - 📏 466
 XLED

PETIT CELESTE SV302W * □
 ◆ 3.50m - ◆ 1.16m - ■ 1.16m
 ⚡ 70W - ▲ 34.00kg - 📏 419
 FLASH-STARs





N *JUDY*
 SLO49W * □
 ◆ 5.00m - ◆ 3.00m - ■ 1.50m
 ⚡ 150W - ⚖ 74.50kg - 📶 523
 FLASH-STARS

TO ORDER

N *EMY*
 SLO48 * □
 ◆ 5.00m - ◆ 3.00m - ■ 1.50m
 ⚡ 150W - ⚖ 74.50kg - 📶 523
 FLASH-STARS

TO ORDER



ROMANTIC
 SND022 * *
 ◆ 8.00m - ◆ 2.70m - ■ 2.70m
 ⚡ 300W - ⚖ 315.00kg
 STARS-COMETE-FLASH

TO ORDER

TEDDY
 SND021 *
 ◆ 5.50m - ◆ 2.50m - ■ 2.50m
 ⚡ 325W - ⚖ 172.00kg
 STARS-FLASH

TO ORDER



Decorative baubles not included



Description	Height	∅	P(W)	Weight	Parts number	○	●	
Conical fir tree 3m	3,00 m	1,18 m	24 W	49 kg	3	SV301	SV301W	
Conical fir tree 5m	5,00 m	1,80 m	60 W	241 kg	6	SV501	SV501W	
Conical fir tree 10m	10,00 m	3,43 m	248 W	985 kg	23	SV1001	SV1001W	TO ORDER
Conical fir tree 14m	14,36 m	5,80 m	640 W	2371 kg	49	SV1401	SV1401W	TO ORDER
Conical "crossing" fir tree 8m	8,00 m	2,78 m	200 W	585 kg	17	SV801-P	SV801W-P	TO ORDER
Conical "crossing" fir tree 12m	12,00 m	4,08 m	440 W	1174 kg	33	SV1201-P	SV1201W-P	TO ORDER



SAPIN VERT PRE ILLUMINE ◆ 2,10m - ◆ 1,35m - ■ 1,35m
GP157W ✨ ⚡ 40W - ▲ 18,00kg

SAPIN CONIQUE ◆ 1,40m - ◆ 0,60m - ■ 0,60m
GSV140B ✨ + FML180 ⚡ 0,20W - ▲ 15,0kg
GSV140 ✨ + FML180W





ROMANTICA
SL043W ✨
◆ 2.80m - ◆ 2.20m - ■ 2.20m
⚡ 140W - ▲ 58.30kg - 📏 226

VERDE
SL045V ✨
◆ 3.00m - ◆ 2.25m - ■ 2.25m
⚡ 180W - ▲ 45.50kg - 📏 299

NORDIKA 3D - ECO
SL041W ✨
◆ 3.00m - ◆ 2.40m - ■ 2.40m
⚡ 125W - ▲ 72.00kg - 📏 214

Decorative baubles not included



GRAND VEGA GREEN
SND019 ✨
◆ 6.25m - ◆ 2.20m - ■ 2.20m
⚡ 275W - ▲ 170.00kg - 📏 286

GRAND VEGA FROZEN
SND017 ✨
◆ 6.25m - ◆ 2.20m - ■ 2.20m
⚡ 275W - ▲ 170.00kg - 📏 286

VEGA GREEN
SND018 ✨
◆ 2.70m - ◆ 0.88m - ■ 0.88m
⚡ 30W - ▲ 25.50kg - 📏 46

TO ORDER






N BUBBLE
GX251LW * * * * *
◆ 5.00m - ◆ 2.50m - ■ 2.50m
⚡ 144W - ⚖ 362.00kg
FLASH

TO ORDER

N BUBBLE
GX251L * * * * *
◆ 5.00m - ◆ 2.50m - ■ 2.50m
⚡ 144W - ⚖ 362.00kg
FLASH

TO ORDER



N TOM
CX253LW * * * * *
◆ 5.00m - ◆ 2.50m - ■ 2.50m
⚡ 96W - ⚖ 323.00kg - 📏 2703
FLASH

TO ORDER





BJORK PM ◆ 5.00m - ◆ 1.65m - ■ 0.40m
 SL039W ✨
 ⚡ 20W - ⚖ 40.00kg
 FLASH

pot included.
 for facades only.



BJORK TREE ◆ 5.00m - ◆ 3.30m - ■ 3.30m
 SL005W ✨
 ⚡ 100W - ⚖ 205.00kg
 FLASH

BJORK TREE ◆ 5.00m - ◆ 3.30m - ■ 3.30m
 SL005 ✨
 ⚡ 100W - ⚖ 205.00kg
 FLASH





MAGIC
CX173LW ✨ ✨
◆ 5.13m - ◆ 5.00m - ■ 5.00m
⚡ 290W - ▲ 175.00kg
XLED-FLASH

MAGIC
CX173L ✨
◆ 5.13m - ◆ 5.00m - ■ 5.00m
⚡ 290W - ▲ 175.00kg
XLED-FLASH

TO ORDER



MINI MAGIC
GX266DC ✨ ✨
◆ 2.50m - ◆ 1.60m - ■ 1.60m
⚡ 178W - ▲ 41.00kg
FLASH-XLED

2 in 1 products!
You can choose from a warm white or pure white. By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/warm white flash.





LINE SL
SVL047
◆ 3.00m - ◆ 2.00m - ◆ 2.00m
⚡ 210W - ⚖ 44.50kg - ⚙ 235
XLED-FLASH

LINA
CX185LW
◆ 3.53m - ◆ 3.86m - ◆ 3.86m
⚡ 140W - ⚖ 60.00kg
XLED

RGBW TREE

Cycle of different preset animations, changing every two minutes.

FULL-COLOUR TREE
SV506RGBW
◆ 5.70m - ◆ 1.90m - ◆ 1.90m
⚡ 200W - ⚖ 113.00kg
RGBWW

TO ORDER



This tree includes Cherrylight® garlands with opaque globes, which diffuse uniform light in zingy colours that change randomly and automatically.

CHERRY TREE
SV505SCL
◆ 5.80m - ◆ 1.90m - ◆ 1.90m
⚡ 90W - ⚖ 120.00kg
RGBWW-FLASH


TO ORDER





FUTURA ◆ 2.50m - ◆ 6.00m - ■ 4.40m
 CX171RGBW ⚡ 600W - ⚡ 257.60kg
 RGBWW

TO ORDER



RGBW TUNNEL - Cycle of different preset animations, changing every two minutes.



CHERRY BOX ◆ 3.90m - ◆ 3.60m - ■ 3.30m
 CX070CL ⚡ 175W - ⚡ 235.00kg - ⚡ 1927
 FLASH-RGBW

TO ORDER

CHERRY BALL ◆ 2.75m - ◆ 3.00m - ■ 2.24m
 SL019CL ⚡ 58W - ⚡ 162.00kg
 RGBWW

TO ORDER



These decorations includes Cherrylight® garlands with opaque globes, which diffuse uniform light in zingy colours that change randomly and automatically.





ELIE
GX155LW ✨ □
◆ 4.22m - ◆ 4.00m - ■ 4.00m
⚡ 382W - ⚠ 386.00kg - 📏 441
STARS-FLASH

TATIANA
SL035W ✨ ✨
◆ 2.00m - ◆ 2.10m - ■ 0.60m
⚡ 60W - ⚠ 22.50kg
XLED



TITAN
CX070LR ✨ □
◆ 3.90m - ◆ 3.60m - ■ 3.30m
⚡ 260W - ⚠ 235.00kg - 📏 1927
FLASH

LUMI
CX154LW ✨ ✨ ✨ □
◆ 4.00m - ◆ 2.00m - ■ 1.80m
⚡ 135W - ⚠ 171.00kg - 📏 1367
FLASH

TO ORDER






N *TRADI ARCH*
CX252L * □ □
◆ 4.58m - ◆ 5.88m - ■ 0.99m
⚡ 568W - ⚡ 382.00kg
STARS-FLASH

TO ORDER

N *TRADI ARCH*
CX252LW * □ □
◆ 4.58m - ◆ 5.88m - ■ 0.99m
⚡ 568W - ⚡ 382.00kg
FLASH-STARS


TO ORDER

TO ORDER



N *LOVE ARCH*
SL050R * * □ □
◆ 5.00m - ◆ 3.00m - ■ 1.50m
⚡ 75W - ⚡ 70.00kg - ⚡ 832

TO ORDER




SELFIE LOVE
CX168LW * * * □ □
◆ 1.90m - ◆ 2.00m - ■ 0.92m
⚡ 20W - ⚡ 36.50kg - ⚡ 139

TO ORDER



SELFIE TREE
CX156LW * * □ □
◆ 2.47m - ◆ 2.20m - ■ 0.90m
⚡ 15W - ⚡ 53.50kg - ⚡ 83
FLASH



STARLIGHT
CX210LW * * □ □
◆ 0.90m - ◆ 2.35m - ■ 0.90m
⚡ 30W - ⚡ 34.00kg
FLASH



DEMI ARCHE COMETE
SL037W

◆ 2.90m - ◆ 1.10m - ■ 1.00m
⚡ 20W - ▲ 24.00kg - ⚡ 106
FLASH



PROXIMA PM
SL012

◆ 1.30m - ◆ 2.50m
⚡ 25W - ▲ 8.0kg
FLASH

PROXIMA PM
SL012W

◆ 1.30m - ◆ 2.50m
⚡ 25W - ▲ 8.0kg
FLASH

PROXIMA GM
SL013

◆ 2.00m - ◆ 3.50m
⚡ 45W - ▲ 6.0kg
FLASH

PROXIMA GM
SL013W

◆ 2.00m - ◆ 3.50m
⚡ 45W - ▲ 6.0kg
FLASH

BOULE XMAS
CX327LW

◆ 1.10m - ◆ 1.00m - ■ 1.00m
⚡ 25W - ▲ 6.6kg
FLASH

DEMI ARCHE FEU D'ARTIFICE
SL036W

◆ 2.90m - ◆ 1.00m - ■ 0.90m
⚡ 21W - ▲ 32.00kg - ⚡ 70
FLASH



DEMI ARCHE FEU D'ARTIFICE
SL036

◆ 2.90m - ◆ 1.00m - ■ 0.90m
⚡ 21W - ▲ 32.00kg - ⚡ 70
FLASH

BOULE XMAS
CX327L

◆ 1.10m - ◆ 1.00m - ■ 1.00m
⚡ 25W - ▲ 6.6kg
FLASH

SYLVESTRE GM
SL033

◆ 2.10m - ◆ 2.50m - ■ 2.50m
⚡ 45W - ▲ 8.8kg
FLASH

SYLVESTRE GM
SL033W

◆ 2.10m - ◆ 2.50m - ■ 2.50m
⚡ 45W - ▲ 8.8kg
FLASH

SYLVESTRE PM
SL032

◆ 1.40m - ◆ 1.65m - ■ 1.65m
⚡ 40W - ▲ 7.6kg
FLASH

SYLVESTRE PM
SL032W

◆ 1.40m - ◆ 1.65m - ■ 1.65m
⚡ 40W - ▲ 7.6kg
FLASH





BLIZZARD ARCH ◆ 3.47m - ◆ 4.95m - ▣ 0.95m
 ⚡ 100W - ⚠ 115.00kg - ⚡ 337
 FLASH - FL900E-COMETEe

TO ORDER

GOLD ARCH ◆ 3.47m - ◆ 4.95m - ▣ 0.95m
 ⚡ 100W - ⚠ 115.00kg - ⚡ 337
 FLASH - FL900E-COMETEe

TO ORDER

Ballasting option, possible upon request.



ASTRAL ARCH ◆ 3.75m - ◆ 4.93m - ▣ 1.00m
 ⚡ 80W - ⚠ 88.00kg - ⚡ 205
 FLASH - XLED

TO ORDER



QUADRILLE ARCH ◆ 3.75m - ◆ 4.93m - ▣ 1.00m
 ⚡ 60W - ⚠ 81.50kg - ⚡ 205
 XLED - STARS-FLASH

TO ORDER


QUADRILLE ARCH ◆ 4.00m - ◆ 6.20m - ▣ 0.70m
 ⚡ 138W - ⚠ 283.00kg - ⚡ 754
 XLED-STARS-FLASH

TO ORDER





ASTRAL FONTAIN ◆ 2.00m - ◆ 4.00m - ■ 4.h
 SLO44W ✨ ✨ ✨ □
 ⚡ 120W - ⚙ 82.00kg - 📶 122
 XLED



BLIZZARD FONTAIN ◆ 2.00m - ◆ 4.00m - ■ 4.00m
 SLO40 ✨ □
 ⚡ 140W - ⚙ 55.00kg - 📶 122
 XLED





3D DECOR


Funny animal containers



By encouraging today's youth to recycle is a major challenge that we have answered with creativity and fun. We have made this vital step a fun and playful collective act thanks to creating containers in the form of funny animals.

Placed in city centres or by beaches, whales, trains and other cute creations house recycling containers. The plastic bottles collected are recovered by specialist organisations who process the bottles to provide the raw materials we injected into our printers for the production of structures in Recyprint, our material made from PET (polyethylene terephthalate) from the food industry.

Thanks to Recyprint, we make beautiful and responsible Christmas decorations!



3D DECOR

Funny animal containers

1. **SIMON**
GX110 ■ ■
TO ORDER

◆ 2.00m - ◆ 1.50m - ■ 3.30m
▲ 54.50kg - ⚡

SIMON
GX110-UK ■ ■
TO ORDER

◆ 2.00m - ◆ 1.50m - ■ 3.30m
▲ 54.50kg - ⚡

2. **BERGAMOTE**
GX109 ■ ■
TO ORDER

◆ 2.30m - ◆ 3.88m - ■ 1.70m
⚡ - ▲ 71.50kg - ⚡159

BERGAMOTE-UK
GX109-UK ■ ■
TO ORDER

◆ 2.30m - ◆ 3.88m - ■ 1.70m
⚡ - ▲ 71.50kg - ⚡113

3. **GAIA**
GX108 ■
TO ORDER

◆ 2.30m - ◆ 4.00m - ■ 2.10m
⚡ - ▲ 82.00kg - ⚡643

GAIA-UK
GX108-UK ■
TO ORDER

◆ 2.30m - ◆ 4.00m - ■ 2.10m
⚡ - ▲ 82.00kg - ⚡643

4. **BULLE**
GX107 ■
TO ORDER

◆ 2.30m - ◆ 3.70m - ■ 2.10m
⚡ - ▲ 86.00kg - ⚡745

BULLE-UK
GX107-UK ■
TO ORDER

◆ 2.30m - ◆ 3.70m - ■ 2.10m
⚡ - ▲ 86.00kg - ⚡745



1.




3.




2.



4.



Decoration suggestion to adorn a small-size container, available on demand, ask your business manager.





3D DECOR

Bi-season arch & tree

Discover our bi-seasonal urban furniture which changes over the seasons according to the chosen decoration kit.

First of all select your base:

- A bright arch composed of pure white LEDs, livened up with wooden benches
- A shade tree endowed with pure white LED spots and a white wooden bench base equipped with USB plugs.

Then, for a colourful summer look, add the SUMMER passive decoration kit to this base.

For a frosted look for year-end celebrations, add the WINTER bright decoration kit.



3D DECOR

Bi-season arch & tree

To order the decorations displayed on this double page, select the references described hereafter:



1. **BASE ARCH**
SLI34
◆ 3.5m - ◆ 5.0m - ■ 3.6m
⚡ 40W - ▲ 245.3kg
With light
- KIT ARCH SUMMER**
KIT2-134
39 passive decorations
▲ 21.7kg

2. **BASE ARCH**
SLI34
◆ 3.5m - ◆ 5.0m ■ 3.6m
⚡ 40W - ▲ 245.3kg
With light
- KIT ARCH CHRISTMAS**
KIT1-134
39 light & passive decorations
⚡ 403W - ▲ 41.0kg



3.



5.

3. **BASE**
GX242L
◆ 3.0m - ◆ 3.2m - ■ 3.2m
⚡ 40W - ▲ 127.0kg
With light
- KIT SUMMER**
KIT2-242
36 passive decorations
▲ 38.0kg


4. **BASE**
GX242L
◆ 3.0m - ◆ 3.2m - ■ 3.2m
⚡ 40W - ▲ 127.0kg
With light
- KIT CHRISTMAS**
KIT1-242
27 light & passive decorations
⚡ 240W - ▲ 56.7kg

5. **PALM**
GX243LW
◆ 3.6m - ◆ 3.2m - ■ 3.2m
⚡ 24W - ▲ 160.0kg
With light




4.





3D DECOR

Tree corset



Embellish your tree trunks!

Our tree corsets will adorn and light up your trees while protecting them and ensuring optimal hold.

Available in a wide array of colours, there are unlimited combinations to liven up your urban areas or green spaces with style and creativity.

Customised project, contact us.





3D & 2D DECOR

Letter & spotlights


Decorate roundabouts of your town or village with our 2D lettering printed in Bioprint and mounted on a frame.


Each letter is equipped with two warm white spotlights that will enhance your decorations even at night.

Letters available in 1,40m and 2m height.



Custom project, letter 3D possible.





2D DECOR


Dressing city barriers & planters

Adorn your urban furniture with colourful environmentally-friendly decorations!

Polar theme, tradi or star — customise the decoration of your town barriers or planters.

You can choose the background colour of the decoration as well as the motif which will be applied on top, everything will be tailor-made in Bioprint, our biodegradable, recyclable material.

Customised project, contact us.



Garlands summary

1 Garlands

158 — 171

2 Curtains

172 — 185

3 Stalactites

186 — 191

4 Ceilings

192 — 193

5 Braids


194 — 200

6 Decorations

201 — 239

- ◆ Height
- ◀▶ Length
- ▣ Width
- P(W) Wattage
- ||| Number of strings
- 🔌 Number of garlands that can be connected end-to-end
- ⚡ Voltage
- ⊠ Weight
- White cable
- Black cable
- Green cable
- Silver cable
- Brown cable
- ▨ Transparent cable
- ☀ Pure white Led flash
- ☀ Warm white Led flash
- ☀ Flash Duocolor
- Pure white Led
- Warm white Led
- Blue Led
- Red Led
- Amber Led
- Pink Led
- Green Led
- Multicoloured Led
- Led Duocolor
- 🏠 Indoor/outdoor use
- 📄 rubber Type of cable
- ⚡ 230V Supply voltage
- 💧 IP66-69 Protection rating
- 🔌 incl. Power supply included
- 🔨 IK06 Shock resistance index
- ☠ 230V Octoplus by blachere® 230V exclusive range
- ☠ 24V Octoplus by blachere® 24V exclusive range

Blachere LEDs



By considering practical use in their innovative designs, our R&D department has devised the all-new LED+ in both static and slowflash editions to make your projects come alive! Our new and exclusive LED range is the outcome of a long-term collaboration with Nichia®, the world leader in LEDs. The range is:

+ bright, + robust, + long span, + consistent in terms of color

The new technical features of LED+:


- ▶ **Design is optimized and registered** to promote the luminous efficiency of our product (inverted cone principle).
- ▶ **Thermal dissipation is maximized** for longer LED life
- ▶ **Uniform phosphorus deposition** for a uniform lighting effect.
- ▶ **2 years guarantee**
- ▶ **Optimum protection index: IP66 / IP69**
- ▶ **Octoplus 230V Connection System by Blachere IP67**

LED+ range: higher performance, lower energy consumption

Blachere is committed to meeting environmental and energy challenges: **In 2024, we will be lowering the power consumption of our LED+ range in order to reconcile illuminations with energy efficiency.**

Following extensive work on the energy performance of our LEDs, **we have reduced the power of our LED+ range by 15% on average, while retaining its brightness and lifespan.** (the wattage of each product has been updated in our technical information tables).

As a result, **our products consume less energy and yet maintain the same high light density.**



Our standard LED model!


Bright and stable (lifespan and colour), our Classic LEDs has also inverted cones (homogeneous light diffusion).

Its production is closely followed to make sure the quality is optimal and competitive on the market.
 230V model: IP66
 24V model: IP55



Sparklight® garlands & Duo Colors® Garland *with flash*

N



◆	LED	FLASH	P (W)	🔌	■
20.00m	120 🟡	40 ☀️	14	5	530WWF

product info


2 products in 1!
 Your garland can be either warm white or pure white. Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection p 32-33).



Sparklight® garlands *Led+ & slowflashes*



requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043+ type.



▶ with flash

◀	LED	SLOWFLASH	P (W)	🏠	□	■
20.00m	108 ○	52 ⦿	10	5	FL590BF+	FL590F+
20.00m	108 ●	52 ●	10	5	FL590WBF+	FL590WF+
20.00m	108 ●	52 ⦿	10	5		FL590BLF+
20.00m	108 ●	52 ⦿	10	5		FL590RF+

▶ static

◀	LED	P (W)	🏠	□	■
20.00m	160 ○	10	5	FL590-B+	FL590+
20.00m	160 ●	10	5	FL590W-B+	FL590W+
20.00m	160 ●	10	5		FL590BL+
20.00m	160 ●	10	5		FL590R+

accessories needed to operate these products

			□	■
1,50 m	230V power supply cable		FY08-B+	FY08+
0,30 m	bridge rectifier	690W max	FY043A-B+	FY043A+
0,20 m	bridge rectifier	230W max	FY041A-B+	FY041A+

INNOVATION 2024
Our optimised LED+ :
-15% reduction
in consumption electrical
(on average)
+brightness

product info

Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating.
Maximum rating allowed for a
230V product
- Flexible connectivity thanks to
the extensive Octoplus 230V by
Blachere range.

2 YEARS GUARANTEE

conditions : contact us

Sparklight® garlands with flash or static



20 m

2 x 10 m

510-FX

▶ 100% flash

510BW-FX, 510W-FX, 510B-FX, 510R-FX, 510P-FX, 511-FX, 511B-FX, 512-FX, 512W-FX, 508-B, 508, 508W-B, 508W, 508B, 512C, 512CW

◀	FLASH	P (W)	☐	■
20.00m	80 ○	6	5	510-FX

▶ with flash

◀	LED	FLASH	P (W)	☐	■
20.00m	90 ○	30 ○	8	5	512-FX
20.00m	90 ●	30 ○	8	5	512W-FX
20.00m	150 ○	50 ○	12	5	511B-FX
20.00m	150 ●	50 ○	12	5	510BW-FX
20.00m	150 ●	50 ○	12	5	510B-FX
20.00m	150 ●	50 ○	12	5	510R-FX
20.00m	150 ●	50 ○	15.5	5	510P-FX

▶ static

◀	LED	P (W)	☐	■
20.00m	200 ○	15	5	508-B
20.00m	200 ●	15	5	508W-B
20.00m	200 ●	15	5	508B
20.00m	120 ○	8	5	512C
20.00m	120 ●	8	5	512CW

product info

Proven reliability.
Power supply with connecting socket included.
Wide range of Octopus 230V by Blachere accessories available.

High flash concentration on FX models.
Increased waterproofing thanks to optimum protection rating.






Sparklight® 24V garlands with flash or static



with PVC cable




▶ with flash

◀▶	LED	FLASH	P (W)	🏠	■
20.00m	168 ○	28 ⦿	5	5	FL502-FX
20.00m	168 ●	28 ⦿	5	5	FL502W-FX
20.00m	168 ●	28 ⦿	5	5	FL502B-FX
20.00m	168 ●	28 ⦿	5	5	FL502R-FX

▶ static

◀▶	LED	P (W)	🏠	■
20.00m	196 ●	5	5	501W

with rubber cable



▶ static

◀▶	LED	P (W)	🏠	■
20.00m	196 ●	6.2	4	501CW
switch-mode power supply 24V dc 25W - sold separately				PRTR24V

product info

Very low voltage ideal for safe installations within the reach of the public.

High protection rating to withstand dirt and moisture. Long lengths are possible by connecting several garlands using one transformer.


Ref 501CW: more durable rubber cable, ideal for permanent use.

Wide range of Octopus 24V by Blachere accessories.

Micro light + PRO® Range *garlands*



19,20 m



▶ Micro light + PRO garlands



◀	LED	P (W)	☑	■
19.20m	192 ○	15	2	501+
19.20m	192 ●	15	2	501W+

product info



This new Micro light + PRO range has been designed to be more powerful and brighter, while remaining low consumption and with a homogeneous wide angle light diffusion.

Power supply with connection plug included.





Controllable RGB garland *with changing colours*



description	◄	LED	P (W)	📶	■	
RGB - 5V	3,75 m	25 RGB	7,5	2	FL525RGB	
Caméléon Control box	input voltage	output voltage	No of pixels	P (W)	No of outputs	Ref
	230V	5V	10 x 50 = 500	150	10	PRX10RGB

product info

Customise the lighting, colour and look of your trees, monthly, weekly or for special events throughout the year.


For a tree of 8 m 10m:

- 20 FL525RGB strands for 10 radii of 7.50 m (2x3.75),
- a PRX10RGB box
- the Cameleon application on your smartphone.

Maximum colour spectrum thanks to RGB LED technology. Bluetooth 5 communication between sets, wifi communication between phone + sets.



Controllable RGBWW garland with changing colours



□			Nb leds	◀	P(W)
FLRGBWW-A	1-128	12,80 m	1-128	12,80m	20
FLRGBWW-B	129-256	12,80 m	129-256	12,80m	20
PRXRGBWW2	Cameleon+ Kit (power supply + 26V/200W transformer + animator - 2 outputs)				
FY2B-PVC	Y connection for 4 outputs				
PRX-CO1+	Gateway box				
OR-TABLET	Programming tablet				

product info

RRGBWW garland for a mix of colours with a single selectable warm white tint.

Customisable predefined animations.

Wireless configuration using the Cameleon+ effects programmer. LED spacing: 10cm.




1. Warm white

2. Flash

3. Warm white + flash

«Sobrillance» Concept Champs-Élysées



▶ Flash Joyleft Led Super Bright® flash

◆	◀	FLASH	P (W)	⌌	⏏	■
6,00m	2,00m	80 ◉	20	8	5	260-F

▶ Static curtains Led+

◆	◀	LED	P (W)	⌌	⏏	□	■
5,00m	2,00m	540 ●	60	15	9	FL75W-B+	FL75W+
7,00m	2,00m	750 ●	60	15	9	FL72W-B+	FL72W+
10,00m	2,00m	1050 ●	69	15	9	FL79W-B+	FL79W+

accessories needed to operate these products

1,50m	power supply cable		□	■
0,30m	bridge rectifier	690W max	FY043A-B+	FY043A+
0,20m	bridge rectifier	230W max	FY041A-B+	FY041A+

INNOVATION 2024
Our optimised LED+ :
-15% reduction
in consumption electrical
(on average)
+brightness


product info

Sobrillance is the combination of a static warm white curtain and a Super Bright flash curtain.

Vary the sequences with our remote controlled/programmable clock and create a living light show in your street!
On special request.




Curtain Joylight Led Super Bright® flash



◆	◆	FLASH	P (W)	⏏	⏏	■
6,00 m	2,00m	80 ⦿	20	8	5	260-F

Garland Sparklight Led Super Bright® flash



◆	FLASH	P (W)	⏏	■
40,00m	80 ⦿	20	2	560-F

Livree en rouleau de 40m.

info produit

Sobrillance is the combination of a static warm white curtain and a Super Bright flash curtain.


Vary the sequences with our remote controlled/programmable clock and create a living light show in your street! On special request.



Joylight® curtains Led+ with slowflashes or static



requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043+ type...



▶ with flash

◆	◀	LED	SLOWFLASH	P (W)	⌈	⌋	□	■
1.50m	2.00m	150 ○	60 ☉	13	15	27	FL74BF+	FL74F+
1.50m	2.00m	150 ●	60 ☉	13	15	27	FL74WBF+	FL74WF+
3.00m	2.00m	240 ○	120 ☉	25	15	18	FL70BF+	FL70F+
3.00m	2.00m	240 ●	120 ☉	25	15	18	FL70WBF+	FL70WF+
5.00m	2.00m	360 ○	180 ☉	60	15	9	FL75BF+	FL75F+
5.00m	2.00m	360 ●	180 ☉	60	15	9	FL75WBF+	FL75WF+
7.00m	2.00m	510 ○	240 ☉	60	15	9	FL72BF+	FL72F+
7.00m	2.00m	510 ●	240 ☉	60	15	9	FL72WBF+	FL72WF+
10.00m	2.00m	690 ○	360 ☉	69	15	9	FL79BF+	FL79F+
10.00m	2.00m	690 ●	360 ☉	69	15	9	FL79WBF+	FL79WF+

▶ static

◆	◀	LED	P (W)	⌈	⌋	□	■
1.50m	2.00m	210 ○	13	15	27	FL74-B+	FL74+
1.50m	2.00m	210 ●	13	15	27	FL74W-B+	FL74W+
3.00m	2.00m	360 ○	25	15	18	FL70-B+	FL70+
3.00m	2.00m	360 ●	25	15	18	FL70W-B+	FL70W+
5.00m	2.00m	540 ○	60	15	9	FL75-B+	FL75+
5.00m	2.00m	540 ●	60	15	9	FL75W-B+	FL75W+
7.00m	2.00m	750 ○	60	15	9	FL72-B+	FL72+
7.00m	2.00m	750 ●	60	15	9	FL72W-B+	FL72W+
10.00m	2.00m	1050 ○	69	15	9	FL79-B+	FL79+
10.00m	2.00m	1050 ●	69	15	9	FL79W-B+	FL79W+

accessories needed to operate these products

			□	■
1,50 m	230V power supply cable		FY08-B+	FY08+
0,30 m	bridge rectifier	690W max	FY043A-B+	FY043A+
0,20 m	bridge rectifier	230W max	FY041A-B+	FY041A+

INNOVATION 2024
Our optimised LED+ :
-15% reduction
in consumption electrical
(on average)
+brightness

product info

- Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.

2 YEARS GUARANTEE

conditions : contact us



Joylight® Curtains with flash or static




▶ with flash

◆	◀	LED	FLASH	P (W)	⌈	⌋	□
0.80m	2.00m	140 ○	28 ○	14	14	30	21CBFX
0.80m	2.00m	140 ●	28 ○	14	14	30	21CWBFX
1.50m	2.00m	210 ○	30 ○	15	15	25	24CBFX
1.50m	2.00m	210 ●	30 ○	15	15	25	24CWBFX
1.50m	2.00m	210 ●	30 ○	15	15	25	24CRFX
1.50m	2.00m	210 ●	30 ○	15	15	25	24CBLFX
3.00m	2.00m	420 ○	56 ○	33	14	16	20CBFX
3.00m	2.00m	420 ●	56 ○	33	14	16	20CWBFX
3.00m	2.00m	420 ●	56 ○	33	14	16	20CRFX
3.00m	2.00m	420 ●	56 ○	33	14	16	20CBLFX
5.00m	2.00m	900 ○	90 ○	55	15	12	25CBFX
5.00m	2.00m	900 ●	90 ○	55	15	12	25CWBFX
5.00m	2.00m	900 ●	90 ○	55	15	12	25CRFX
5.00m	2.00m	900 ●	90 ○	55	15	12	25CBLFX
7.00m	2.00m	1200 ○	120 ○	80	15	8	22CBFX
7.00m	2.00m	1200 ●	120 ○	80	15	8	22CWBFX
10.00m	2.00m	1350 ○	135 ○	84	15	8	29CBFX
10.00m	2.00m	1350 ●	135 ○	84	15	8	29CWBFX

▶ static - high light density

◆	◀	LED	P (W)	⌈	⌋	□
1.50m	2.00m	342 ○	30	18	20	24C-B
1.50m	2.00m	342 ●	30	18	20	24CW-B
3.00m	2.00m	540 ○	35	18	15	20C-B
3.00m	2.00m	540 ●	35	18	15	20CW-B
5.00m	2.00m	900 ○	65	18	9	25C-B
5.00m	2.00m	900 ●	65	18	9	25CW-B
7.00m	2.00m	1080 ○	72	18	9	22C-B
7.00m	2.00m	1080 ●	72	18	9	22CW-B
10.00m	2.00m	1350 ○	58	18	10	29C-B
10.00m	2.00m	1350 ●	58	18	10	29CW-B



product info

Ideal for decorating facades, trees or for cross-street motifs.


Up to 30 curtains on the same power supply.

Compatible with the entire range.

Connection options with the Octoplus 230V by Blachere® accessories.



ECO Led *curtains static*



◆	◀	LED	P (W)	⌈	⏏	□
1.50m	2.00m	210 ○	15	15	20	ECO24-B
1.50m	2.00m	210 ●	15	15	20	ECO24W-B
3.00m	2.00m	360 ○	20	15	15	ECO20-B
3.00m	2.00m	360 ●	20	15	15	ECO20W-B
5.00m	2.00m	576 ○	30	16	12	ECO25-B
5.00m	2.00m	576 ●	30	16	12	ECO25W-B
7.00m	2.00m	750 ○	50	15	7	ECO22-B
7.00m	2.00m	750 ●	50	15	7	ECO22W-B
10.00m	2.00m	1050 ○	55	15	6	ECO29-B
10.00m	2.00m	1050 ●	55	15	6	ECO29W-B


product info

Unbeatable value for money with proven reliability.

NEW: Octoplus 230V by Blachere connection system

An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.

Joylight® 24V curtains with flash




◆	◀	LED	F.	P (W)	⌈	Ⓜ	□
3.00m	2.00m	300 ○	60 ◉	12.5	15	2	FL203-FX
3.00m	2.00m	300 ●	60 ◉	12.5	15	2	FL203W-FX
3.00m	2.00m	300 ●	60 ◉	12.5	15	2	FL203B-FX
3.00m	2.00m	300 ●	60 ◉	12.5	15	2	FL203R-FX
3.00m	2.00m	300 ●	60 ◉	12.5	15	2	FL203P-FX



Joylight® Slowglow curtains



2,00 m



product info

New animation exclusive to Blachere Illumination. Gentle lighting snowflake effect.


Compatible with the entire range.

Connection options with 230V Octoplus® accessories by Blachere®

◆	◀	LED Slowglow	P (W)	⌈	Ⓜ	□
1.50m	2.00m	120 ○	16	15	13	24SG
1.50m	2.00m	120 ●	16	15	13	24WSG
3.00m	2.00m	180 ○	15	15	12	20SG
3.00m	2.00m	180 ●	15	15	12	20WSG
5.00m	2.00m	210 ○	17	15	12	25SG
5.00m	2.00m	210 ●	17	15	12	25WSG
7.00m	2.00m	225 ○	17	15	12	22SG
7.00m	2.00m	225 ●	17	15	12	22WSG
10.00m	2.00m	270 ○	15	15	13	29SG
10.00m	2.00m	270 ●	15	15	13	29WSG



“Scintillance” curtains



◆	◆	LED	FLASH	P (W)		☐	☐
7,00m	2,00m	420 ●	80 ☼	55	10	-	ECO216W

product info

Recreate the most beautiful avenue in the world wherever you are!

Product and animation developed exclusively for the Champs Elysées now available for all our customers.

Blachere illumination official supplier of the « Champs Elysées » Committee.


A PRO version that exactly reproduces the effect on the Champs Elysées and an ECO version with a simplified effect.



Duo Colors® Stalactites *with flash*



4,50m



1,00m

product info

2 products in 1!
Your garland can be either warm white or pure white. Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection p 32-33).


◆	◆	LED	SLOWFLASH	P (W)	□	☑	□
1.00m	4.50m	180	60	15	36	15	330BWWF



Stalactitlight® Led+ with slowflash or static



requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043+ type...



▶ with slowflash

◆	◀	LED	SLOWFLASH	P (W)	⌈	⌋	□
0.80m	4.50m	120 ○	60 ⚙	13	48	20	FL390BF+
0.80m	4.50m	120 ●	60 ⚙	13	48	20	FL390WBF+

▶ static

◆	◀	LED	P (W)	⌈	⌋	□
0.80m	4.50m	180 ○	13	48	20	FL390-B+
0.80m	4.50m	180 ●	13	48	20	FL390W-B+

accessories needed to operate these products

			□	■
1,50 m	230V power supply cable		FY08-B+	FY08+
0,30 m	bridge rectifier	690W max	FY043A-B+	FY043A+
0,20 m	bridge rectifier	230W max	FY041A-B+	FY041A+

INNOVATION 2024
Our optimised LED+ :
-15% reduction
in consumption electrical
(on average)
+brightness

product info



Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating.
Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.

2 YEARS GUARANTEE

conditions : contact us



Stalactitlight® with flash or static



352-FX / 352W-FX / 352R-FX / 352B-FX / 354-FX
354W-FX / 352 / 352W / 354 / 354W

353C / 353CW

▶ with flash

◆	◀	LED	FLASH	P (W)	⌌	🔌	□
0.60m	4.50m	156 ○	48 ⦿	10	48	15	352-FX
0.60m	4.50m	156 ●	48 ⦿	10	48	15	352W-FX
0.60m	4.50m	156 ●	48 ⦿	10	48	15	352R-FX
0.60m	4.50m	156 ●	48 ⦿	10	48	15	352B-FX
1.00m	4.50m	180 ○	60 ⦿	10	36	15	354-FX
1.00m	4.50m	180 ●	60 ⦿	10	36	15	354W-FX

▶ static

◆	◀	LED	P (W)	⌌	🔌	□
0.60m	4.50m	180 ○	10	48	15	352
0.60m	4.50m	180 ●	10	48	15	352W
1.00m	4.50m	240 ○	12	36	15	354
1.00m	4.50m	240 ●	12	36	15	354W
1.50m	4.50m	320 ○	16	32	15	353C
1.50m	4.50m	320 ●	16	32	15	353CW


product info

An absolute must since its creation, this product is a best-seller owing to its reliability. Can be divided into sections for greater adaptability.

Compatible with the entire range.

Connection options with 230V Octoplus® accessories by Blachere®.

Ceilings with flash or static



► with flash



◆	◆	LED	F.	P (W)	⌈	⌋	■
30.00m	2.00m	588 ○	98 ⚙	30	7	3	414-FX
30.00m	2.00m	588 ●	98 ⚙	30	7	3	414W-FX

► static

◆	◆	LED	P (W)	⌈	⌋	■
30.00m	2.00m	686 ○	30	7	3	414
30.00m	2.00m	686 ●	30	7	3	414W



Micro light+ PRO® ceilings




► ceilings Micro light + PRO

◆	◆	LED	P (W)	⌋	⌈	⊠
1.50m	21.60m	720 ○	36	5	2	420+
1.50m	21.60m	720 ●	36	5	2	420W+



Duo Colors® Braids *with flashes*




◆	LED	FLASH	P (W)	📺	∅	□
7.50m	180	60	12	10	12cm	TSL4WWF

product info

2 products in 1!
 Your garland can be either warm white or pure white. Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection p 32-33).



LED+ Braided Garlands *with flash*




micro steel wire

▶ with flash

◀	∅	LED	FLASH	P (W)	☑	□
60.00m	6cm	648 ○	312 ◉	60	2	TSL60+
60.00m	6cm	648 ●	312 ◉	60	2	TSL60W+

Product delivered with power supply kit + rectifier and 60m roll.

Braided garlands *with flash or static*




▶ with flash

◀	∅	LED	FLASH	P (W)	☑	□
7.50m	12cm	210 ○	30 ◉	13	13	TSL3FX
7.50m	12cm	210 ●	30 ◉	13	13	TSL3WFX

▶ static

◀	∅	LED	P (W)	☑	□
7.50m	6cm	240 ○	13	13	TSL2
7.50m	6cm	240 ●	13	13	TSL2W


Nicia® garlands with flash



◀	∅	LED	FLASH	P (W)	📏	□
6.00m	6cm	432 ◯	48 ⦿	23	9	558-FX
6.00m	6cm	432 ●	48 ⦿	23	9	558W-FX



Nicia® garlands X-Led effect




▶ Set of 3 garlands

◀	LED	P (W) x1	■	□
3.00m	152 ●	9	FXL152	FXL152-B

N



Scrolling braid *two-colour*



◆	LED	P (W)	☑	□
6.00m	240 ●●	55	-	TSLBL-W
6.00m	240 ●●	55	-	TSLWW-W



Garland with 10 glittering candles *flame effect*




◆	◆	LED	P (W)	☑	☑	■
2.00m	3.00m	●	12	10	2	FL910B

product info

Very beautiful and realistic candles garland thanks to its wax effect and a delicate and gleaming light diffusion.

Easy to install on the twigs of your tree thanks to its integrated clip.


Multicoloured Cherrylight® Garland



◀	LED	P (W)	🔌	■
20.00m	160	4	3	FL555C



Multicoloured Cherrylight® curtains



◀	▶	LED	P (W)	🔌	■
2.00m	1.50m	180	15	15	FL224C
2.00m	3.00m	300	25	10	FL220C




Bunch Light® RGBWW Bouquets

Create a magnificent multicoloured field of light!

N



KBRGBWW




Our new Bunch Light® RGBWW Bouquets can be placed on the ground to create animated and multicoloured luminous surface. they can be customised to create an overall lighting design. Each lighting pearl can be controlled like a pixel to create a multicoloured field of light. The rods are flexible and move with the wind, making a lively and poetic show.



This product is sold per set of 6 bouquets, each made up of 8 RGBWW lighting pearl. For any customised project, please contact your account manager.



Hanging bouquets indoor & outdoor



drawing of installation:



► Indoor use



∅	Colour	LED	FLASH	P (W)	
0,80 m	Silver	441 ○	63 ○	18	FCL080A
0,80 m	Gold	441 ●	63 ○	18	FCL080C
Indoor transformer for FCL bouquet - sold separately				25	PRTR24VI

► Outdoor use




∅	Colour	LED	FLASH	P (W)	
0,80 m	Silver	441 ○	63 ○	18	FCL080A-E
0,80 m	Gold	441 ●	63 ○	18	FCL080C-E
Outdoor transformer for FCL bouquet - sold separately				25	PRTR24V

product info

The hanging bouquets animated with flash with a gold or silver decoration, good daytime effect.
Working with a PRTR24VI or PRTR24V transformer - sold separately.
Compatible with 24V Octoplus extension leads.

Xled® hanging motifs




► set of 5 decorations

◆	◀	decorations	LED SMD	P (W)	■
3,00 m	1,20m	ø 25 cm	270 ○	25	FXL920E
3,00 m	1,20m	23 x 20 cm	270 ○	25	FXL920S



X-Led® sparkling stars




► set of 10 stars


◆	◀	ø	2D LED stars	LED	P (W)	■
3,00 m	2,00m	25cm	10 ○	250	18	FL900E
3,00 m	2,00m	25cm	10 ●	250	18	FL900EW
3,00 m	2,00m	25cm	10 ●○	250	18	FL900EWW
3,00 m	2,00m	25cm	10 ●●●●	250	18	FL900EM

► individual stars

	2D LED stars	LED	P (W)	□
12D sparkling star ø25cm connected on FYPRT9 only (not supplied)	1 ○	25	3	G-FL900
12D sparkling star ø25cm connected on FYPRT9 only (not supplied)	1 ●○	25	3	G-FL900WW
230V -> 24V transformer with Octoplus connector				FYPRT9B



Hanging balls with flame effect



► set of 5 spheres


◆	◀	animation	🕒	P (W)	■
3,00 m	1,20 m	glittering	5 🟡 ø 20 cm	18	FL920LU

► individual sphere

1 ball ø20cm - to connect on FYPRTR9 only	1 🟡 ø 20 cm	3	G-FL920LU
230V -> 24V transformer with Octoplus connector			FYPRTR9




Hanging balls with animations



FL920M / G-FL920M
Random and unsynchronized colour change

60 cm suspension and safety wire



► set of 5 spheres

◆	◀	animation	🕒	P (W)	■
3,00 m	1,20 m	RGB	5 RGB ø 20 cm	24	FL920M

► individual sphere


1 ball ø20cm - to connect on FYPRTR9 only	1 RGB ø 20 cm	5W	G-FL920M
230V -> 24V transformer with Octoplus connector			FYPRTR9



Bulbs *Nostalgia XL*



60 cm suspension and safety wire



▶ set of 4 bulbs


◆	◀▶	💡	micro LED	FLASH	P (W)	■
2,00 m	2,00 m	∅28 cm - H 50 cm	400 ●	200	18	FL930BB

▶ individual bulb

			micro LED	FLASH	P (W)	□
1 bulb - connection on FYPRT9B only (not supplied)			100 ●	50 ●	4	G-FL930BB
230V -> 24V transformer with Octoplus connector						FYPRT9B



Stalactite *Nostalgia by Blachere®*




FL361W

▶ stalactite

◆	◀▶	LED	💡	P (W)	▮	🔌	□
1,00 m	4,50 m	48 ●	48	20	15	12	FL361W

Decorative Hanging spheres N




▶ set of 4 spheres

◆	◆	💡	micro LED	FLASH	P (W)	■
2,00 m	2,00m	ø30cm	400 ●	200 ●	18	FL930A



Tree net honeycomb light N



product info

This net makes easy the decoration of tree trunks... with light. Thanks to its honeycomb mesh, it is placed around the trunk and adjusted to the diameter.



Ergonomic and practical, it will take you on average 10 times less time to dress your tree trunks than with a traditional garland!

The colour of the cable (brown) allows it to be less visible during the day and is exclusive to Blachere Illumination.

◆	◆	LED	FLASH	P(W)	🔌	■
2,00m	2,00m	204 ●	52 ●	11	7	802W-F
2,00m	3,00m	306 ●	78 ●	16	5	803W-F

X-Led® stems

Double drop double-sided




FXL08-B22

Suspension attachment and securing required during installation

◆	◀	LED	P (W)	⏏	🔌	■
0,50 m	2,70m	320 ○	12	5	2	FXL055
0,80 m	2,70m	480 ○	17	5	2	FXL085

X-Led stem for B22/230V socket FY03B22 accessories

◆	LED	P (W)	■
0,80 m	96 ○	2	FXL08-B22
Multi ends power supply			FY04FXL



product info


A smooth double-drop animation, exclusive to Blachere, registered design, bringing success to the brand especially with the Champs Elysées project.

Double-sided stems for 360 degree brightness. Multiple uses on facades, crosstreet motifs or tree decorations.

Multi-output accessory FY04FXL : 20 stems on a single power supply !



Light stems with flash



product info



Very light weight products that can be suspended from all kinds of branches.

Set of 6 suspensions.

◆	◀	LED	FLASH	P (W)	⏏	🔌	■
1,20m	1,20m	480 ○	120 ⚙	50	6	3	950-FX
1,20m	1,20m	480 ●	120 ⚙	50	6	3	950W-FX



Branches *Micro Led*





product info

Super easy installation. It will ideally decorate lamp posts and facades. Accessories sold separately.

◆	LED	P (W)	⏏	📏	📦
1.20m	288 ○	6	24	4	BRIN288
1.20m	288 ●	6	24	4	BRIN288W
extension cable 2m					FY04W-PVC
switch mode power supply 24V dc-25W					PRTR24V

Twigs *Multi-motifs*



product info

Save 40 % on installation time!

Quick and easy tree wiring thanks to the double-output Y connector FY030M.

Operates with 24V transformer 24V FY04BRIN.



3 outputs for twig BRIN180/180W supplied with 3 x 2m extension leads for connecting up to 6 sets of 3 branches on a single power supply.

► set of 3 twigs

◆	LED	P (W)	■
3x1.80m	3x161 ○	3x5	BRIN180
3x1.80m	3x161 ●	3x5	BRIN180W
24V - 3 output transformer for BRIN180/180W			FY04BRIN
double output Y connector			FY030M



Foldable suspensions



► Led Classic compatible with OctoPlus 230V range
requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type...



◆	∅	LED	FLASH	P (W)	□
0.60m	0.60m	70 ○	6 ⦿	4	G-SPHERE
0.60m	0.60m	41 ○	4 ⦿	4	G-STAR

► Micro light + PRO compatible with OctoPlus 24V range



◆	∅	LED	P (W)	□
0.60m	0.60m	144 ○	12	G-SPHER+
0.60m	0.60m	144 ●	12	G-SPHERW+
0.60m	0.60m	88 ○	10	G-STAR+
0.60m	0.60m	88 ●	10	G-STARW+
0.60m	0.60m	136 ○	12	G-MONT+
0.60m	0.60m	136 ●	12	G-MONTW+

compatible with PRTR24V or OCTOPLUS 24V accessories

product info

These foldable suspensions are aesthetic by day thanks to the white lacquering of the metal structures (available in Led Classic or Micro light + PRO). Power supply sold separately.



Compatible with the entire range.





Spherical suspensions *foldable*




DKOB50W



DKOB80W





Ø	LED	FLASH	P (W)	☑
0.45m	212 ●	108 ●	10	DKOB50W
0.75m	400 ●	200 ●	15	DKOB80W
indoor transformer (sold separately)				PRTR24VI



MAISON DU CHOCOLAT
PARIS

Ledmosphere *garlands*




product info

New garland packaged in rolls and mounted on a steel wire which will allow an easy installation and a greater resistance. Compatible with the Octoplus 230V range. Carabiners supplied.

◀	💡	P (W)	🔌	■
10.00m	30 ●	14	10	600W
50.00m	150 ●	70	2	650W



Garlands with B22 sockets



product info

Customise your garland with different bulbs suggested on p239 and make up your own eye-catching effect.

Replace your old incandescent bulbs with LED bulbs, new technology with vintage look but more economical so more ecological.

► Rolls of B22 socket garlands - plug not included

◆	description	cable section	B22	B22	B22
100.00m	roll of garland 1 socket/m	2 x 1,5 mm ²	■ G098C	■ G098CN	
100.00m	roll of garland 2 sockets/m	2 x 1,5 mm ²	■ G099C	■ G099N	
100.00m	roll of garland 3 sockets/m	2 x 1,5 mm ²	■ G100C	■ G100CN	
50.00m	roll of garland 4 sockets/m	2 x 1,5 mm ²	■ G112C	■ G112CN	
50.00m	roll of garland 5 sockets/m	2 x 1,5 mm ²	■ G113C		
100.00m	roll of garland 3 sockets/m	2 x 1,5 mm ²			□ G100C-B

► garlands with B22 sockets - plug included

◆	description	cable section	B22	B22
9.00m	garland of 20 sockets	2 x 1,5 mm ²	■ G1C	■ G1CN
15.00m	garland of 40 sockets	2 x 1,5 mm ²	■ G2C	

Bulbs

B22 & E27 & starflash®



LDL B22/E27 range (registered design)



LDLH B22 SMD range




LDLFL-B22



F722-L / F732-L



In outdoor use, must be mounted on garland with B22 sockets minimum IPX4 with waterproof seal fitted.



flash

description	B22	E27	B22	B22	B22	
type of globe	polycarbonate	polycarbonate	polycarbonate	polycarbonate	polycarbonate	
ø of globe	45 mm	45 mm	45 mm	36 x 115 mm		
voltage	230V	230V	230V	230V	230V	
intensity	3,68VA	3,68VA	3,68VA		0,5J	2J
wattage	16mA max/0,5W	16 mA max/ 0,5W	16mA max/0,5W	3W	1W	1,3W
packing	set of 25	set of 25	set of 25	unit	unit	unit
pure white	LDL11-B22	LDL11-E27	LDLH11		F722-L	F732-L
warm white	LDL11W-B22	LDL11W-E27	LDLH11W			
amber	LDL12-B22	LDL12-E27	LDLH12	LDLFL-B22		
red	LDL13-B22	LDL13-E27	LDLH13			
blue	LDL14-B22	LDL14-E27	LDLH14			
green	LDL16-B22	LDL16-E27	LDLH16			
pink	LDL18-B22	-	LDLH18			

product info

The LDL series is a classic of Blachere lighting. A registered model, the particular arrangement of the LEDs in the bulb globe gives a «filament effect» similar to the incandescent bulbs of yesteryear.

The polycarbonate globe guarantees an increased solidity (IK06).


The LDLFL-B22 recreates the effect of a flame, regardless of the mounting direction.

F722-L / F732-L
A historical product that is easy to use on a B22 lampholder. Produces 1 flash approximately every 3 seconds.

Low power consumption bulb - Note : use the appropriate power (16mA i.e 3,68VA) to calculate the rating of your network (cable section area, circuit breaker, power required etc.). Use 0,5W per bulb to calculate the power consumption.



Fil lumière®



The use of inverted cone LED (see diagram) enables Blachère LED Garlands and Fil lumière products to offer exceptional luminosity. Can be divided every meter.

PLATINIUM/ECO

30 Led/m



inverted 320° LED cone vertical position

LED+

50 Led/m



Horizontal LED

DUO COLORS®

30 Led/m



N



	Fil Lumière® eco	Fil Lumière® Platinum	Fil Lumière® Led+	Fil Lumière DUO COLORS®
density per led	30	30	50	30
P (W)/m	3,5	4	3,5	3,5
Roll	90,00m	50,00m	25,00m	25,00m
∅	1,20cm	1,20cm	1,30cm	1,30cm
IP	IP55	IP66-69	IP66	IP66
Couleur câble	■	■	■	□
○	NL5011	NLEDU51	NLED51+	
●	NL5011W	NLEDU51W	NLED51W+	
●	NL5012	NLEDU52	NLED52+	
●	NL5014	NLEDU54	NLED54+	
●	NL5016	NLEDU56	NLED56+	
●			NLED57+	
●			NLED58+	
●	NL5013	NLEDU53		
●				NLEDWW

product info


Fil lumière® LED+ and Platinum : Ideal for highlighting facade.

Supplied with 3 special LED power supplies, 3 end caps, 3 connectors. Strictly for professional use.

Cannot be sold in shops.



Pre-lit *swag garland*




▶ swag garland per unit

◆	◀	LED	P (W)	🔌	■
3.00m	35cm	400 ●	30	6	GP303W
4.00m	35cm	500 ●	38	4	GP304W



Fir garland stalactites *with flashes*




◆	◀	LED	F.	P (W)	🔌	🔌	◊	□
0.60m	4.50m	156 ○	48 ✪	13	48	15	○	GP138L
0.60m	4.50m	156 ●	48 ✪	13	48	15	●	GP139L-W





Synthetic pre-lit fir garlands (set of 2)



▶ with flash

◀	∅	LED	FLASH	P (W)	🔌	■
2,70m	0,30m	180 ●	60 ◉	11	10	GP134LWFX

▶ static

◀	∅	LED	P (W)	🔌	■
2,70m	0,30m	240 ●	11	10	GP134L-W

product info


Great classic for traditional street decorations.

Quick-fit accessories, extension leads, multi-socket connectors Octoplus® 230V by Blachere®.

Inflatable baubles ceiling lights



Using a conventional inflation gun





► Four-baubles set


∅	couleur	référence
50 cm	●	BG50-1
50 cm	●	BG50-3
50 cm	●	BG50-2
50 cm	●	BG50-4



Gobo projector RGBW



dimen- sions	LED	⚡	☒	P (W)	Gobo size	reference
648 x 344 x 273 mm	RGBW	100-240V 50/60Hz	16kg	250W	66 mm	PRJPGOBO1
501 x 400 x 350 mm	Wall mount for PRJPGOBO1					PRM-GOBO1
501 x 252 x 400 mm	Pole mount for PRJPGOBO1					PRP-GOBO1




Led rounded projectors for tree or pole



PRJA-W / PRJA

► Rounded projectors for trees (set of 2)

dim.	LED	tension	P (W)	ref
180 x 55 x 24 mm	2x6	24V	2 x 6W	PRJA
180 x 55 x 24 mm	2x6	24V	2x6W	PRJA-W
black switch-mode power supply 24V dc 25W (for a set of 2)				PRTR24N
elastic strap for PRJA-W and PRJA projectors				FYSDOW
protective and adhesive foam (set of 10)				FY-MOUS



Led projector decorative



► Led decorative spotlight - unit - IP65 - class 1


LED	voltage	P (W)	reference
	230V	6	PRJP-03W+



DMX controllable LED projectors and wall washers



PRJP3-DMX



PRJR2-DMX

PRJR1-DMX

DMX controllable LED projectors

dimensions	LED	spreading angle	⚡	☒	P (W)	reference
320 x 212 x 195 mm	18 RGB	45°	230V	5kg	70W	PRJP3-DMX

Tailor-made project, get closer to your account manager

DMX controllable RGB wall washer

◀	LED	spreading angle	⚡	☒	P (W)	reference
58 cm	18 RGB	45°	230V	2,6kg	45W	PRJR1-DMX
110 cm	24 RGB	45°	230V	6,7kg	80W	PRJR2-DMX
6 m	DMX extension lead					FY5P-DMX
6 m	DMX signal extension lead					FY5S-DMX

RGBW Projector

Dimensions	LED	Tension	Description	reference
21 cm x 12 cm x 15 cm	6 led x 5W RGBW	230V/50Hz	RGBW DMX	HLPJRJPMX

Option: controllable with infrared remote control (distance 3 to 4 m max). Simple functions.

product info

New range of RGB strip lights. Perfect for facades or monument illuminations.

Use of the SMD RGB led for a better lighting result.

Independent controller bringing greater autonomy thanks to the 10 pre-programmed animations or DMX interface box ref PR-DMX. For more information, please contact us.

TECHNICAL SECTION



CONTROL SYSTEM

For optimised energy management



It's time to speed up the «Smart City» movement to save more energy.

The challenge of eco-design and sustainable facilities, as well as smart energy management, are all part and parcel of a global eco-friendly urban policy. Blachere Illumination is committed to working alongside towns and cities and developing innovative solutions to protect our planet and our future.

With our lighting management systems, you can remotely manage lighting times and detect anomalies at the click of a button.

This will make it easier for cities to manage their electricity resources and keep them under control, in line with the city's aspirations for environmental protection and sustainable development.

Smart, energy-efficient systems for a sustainable city:

- ON/OFF switch (remote)
- timers
- energy-saving control systems:
 - autonomous
 - global system (SMART CITY)
 - event settings (Cameleon+)






ON/OFF LIGHT BOX WITH REMOTE CONTROL

With this remote control switch on your display, you can install and connect it to the street lighting in advance and switch it on manually with the remote control on the day the lights are switched on.

Compatible with TEMPO systems.

Ref : TERUP - ON/OFF box
 Ref : TERUP-C - Remote control (can control several TERUPs)



«TEMPO+» BOX

Your display with the TEMPO+ box and disconnect it from the street light network - you can also set the lighting times you want.



At the touch of a button, select 5, 6, 7, 8, 9 or 10 hrs of operation then an automatic switch-off. Octoplus compatible.

Ref: TEMPO+



«TEMPO2» BOX (UNIVERSAL)

Fit your display with the TEMPO2 box and disconnect it from the street light network. It is automatically programmed For 7 hrs of operation.




Compatible with Octoplus and/or any other displays.

Ref: TEMPO2

“SAVER + MASTER» SYSTEM


- Creation of display sets
- Calendar programming (day & switch-on time)
- Optimised switch-on times.
- Secure communication network.



Fit your light displays with “SAVER” boxes. One of the displays will be the «group leader» and will have a “MASTER” box. Distance between a SAVER and MASTER: max. 50m.


The MASTER box can be programmed with the switch-on times/days and will transmit the same information to all the SAVERS.

Pre-programmed system or that can be programmed by the customer via the dedicated mobile app.



“SAVER + SUPER MASTER» SYSTEM

- Track energy savings
- Creation of display sets
- Calendar programming (Days & times when sets are switched on)
- Remote management of lights
- Remote control management
- Alert management (anomalies)
- Real-time view of displays
- Optimised switch-on times
- Secure communication network
- Customisable interface
- Lighting scenarios (staggered lighting, etc.)




Equip all your displays with «SAVER» boxes. One of the displays has a «SUPER MASTER» box.

This controls all the «SAVER» boxes and transmits the same information to them (time/day of switching on/off).

At the same time, the «SUPER MASTER” sends information to the central system (PC + web interface) via GSM network (SIM card).

Manage all the settings for your town/city on your PC.

System requires a custom study



OCTOPLUS BY BLACHERE®

Exclusive



Octoplus by Blachere® 230V connector, protection rating **IP67**, according the European standard EN60529 on the degree of protection provided by enclosures.



Safety extra-low voltage connector 12/24V

Octoplus is the connector that enables **fast and multiple connection** between our decorations and most of our range of garlands. Each item that is marked "Octoplus" can therefore **be connected** to another "Octoplus" item. This means **the combination of items is infinite** just by simplifying the electrical connections.


Octoplus®: Example of use No.1



For a transverse motif

	QTÉ	PAGE
FY08-B+	1	240
FY043A-B+	1	240
FY01-3B+	1	240
FL390WBF+	1	187
FCL080G-E	2	199
FYPRT9B	2	242
FYT-B+	2	240

To install on steel wire with PVC sheath







For a width of 4.50m

FY08-B+	1	240
FY043A-B+	1	240
FY01-2B+	1	240
354W	1	189
FYT-B+	2	240
FYPRTR9	2	242
G-FL900	2	204

To install on steel wire with PVC sheath



Réf.	Quantity	Page
FY08-B+	1	240
FY043A-B+	1	240
FY01-3+	2	240
BTX8	1	240
508R-FX	10	163
FY030+	4	240
FYPRTR9	1	234
G-FL900	1	204
FY03B22	1	241
FXL08-B22	1	210
F722-L	1	227





Diagram/Picture	Description		■	□
	Power cable 230V - 1.5m - HO5RN-F - 2x1mm ² with male plug and female Octoplus connector	Euro	FY08+	FY08-B+
		UK	FY08-UK+	FY08-BUK+
		Swiss	FY08-S+	FY08-BS+
		Wieland	FY08-W	FY08-BW
	AC/DC bridge rectifier (compulsory) for LED+ with Octoplus connector (M+F)	1A/230W	FY041A+	FY041A-B+
		3A/690W	FY043A+	FY043A-B+
	Octoplus extension 230V - HO5RN-F - 2x1mm ²	1m	FY01-1+	FY01-1B+
		2m	FY01-2+	FY01-2B+
		3m	FY01-3+	FY01-3B+
		5m	FY01-5+	FY01-5B+
		10m (2X5m)	FY01-10+	FY01-10B+
	Set of 5 end-caps plugs		FY1C+	FY1CB+
	T connector 230V		FYT+	FYT-B+
	Y connector 230V		FY030+	FY030-B+
	W connector 230V		FY031+	FY031-B+
	Collector - 230V - HO5RN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total		FY023+	FY023-B+

Diagram/Picture	Description	Obs.	■	□
	IP66 multi-socket box with 4 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX4	BTX4-B
	IP66 multi-socket box with 8 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX8	BTX8-B
	230V adaptor Sparklight and Stalactites (connector 2017 -> connector 2018)	-	FY230F2	FY230F2-B
	230V adaptor Sparklight and Stalactites (connector 2018 -> connector 2017)	-	FY230M1	FY230M1-B
	B22 bushing with M/F Octoplus connector	5W max	FY03B22	FY03B22-B
	Elasticated "SPECIAL TREE" connector to let the tree grow without any restrictions	set of 5	FY07A	.
	20cl tube of silicone sealant for full sealing of connectors (extreme environment)	-	NLC60	-
	IP66 quick connector for HO5RN-F cable	-	BT04	-
	Protective and adhesive foam	set of 10	FY-MOUS	-



Schéma/Photo	Descriptif	Obs.	■	□
	1m extension PVC cord 24V Connectors M-C1/F-C2		FY01-PVC	FY01B-PVC
	2m extension PVC cord 24V Connectors M-C1/F-C2		FY02-PVC	FY02B-PVC
	5m extension PVC cord 24V Connectors M-C1/F-C2		FY05-PVC	FY05B-PVC
	2 output connector PVC 24V Connectors M-C1/F-C2		FY2-PVC	FY2B-PVC
	3 output connector PVC 24V Connectors M-C1/F-C2		FY3-PVC	FY3B-PVC
	230V -> 24V transformer with Octopus connector	10W max	FYPRT9	FYPRT9B
	Transformer 230V / 24V with Octopus connectors	100W		PRTR100W
	collector 24V - PVC L: 80cm - 4 sockets - spacing 20cm		FY024	FY024-B

Electrical accessories for LED Platinum fil lumière®



NLC95-12 fil lumière® Led power cord kit
The kit includes: 1 rubber power lead of 1m with plug and polarized connector + integrated AC/DC bridge rectifier, 1 power lead spin, 1 full spin, 1 pot of glue and 1 end cap.

NLC51L-12 Glueable L connector

NLC92-12 Standardized glueable central "spins"

NLC54-12 Glueable insulation end cap

Fixing accessories for Led fil lumière®



Repair kit for Led Platinum fil lumière® - 230V - IP55 - ø 12mm

For Blachere Illumination motifs only

NLKL01-12	10 m of fil lumière®	white Led	○ (type NML41),	2 power leads	glue	10 connectors,	5 end caps
NLKL02-12	10 m of fil lumière®	blue Led	● (type NML42),	2 power leads	glue	10 connectors,	5 end caps
NLKL06-12	10 m of fil lumière®	red Led	● (type NML46),	2 power leads	glue	10 connectors,	5 end caps
NLKL01W12	10 m of fil lumière®	warm white Led	○ (type NML41W),	2 power leads	glue	10 connectors,	5 end caps




Photo	Infos	Ref
	Heart shape eye for ø 4mm cable set of 10	D001
	Heart shape eye for ø 6mm cable set of 10	D011
	Cable gripper for ø 4mm cable set of 10	D002
	Cable gripper for ø 6mm cable set of 10	D012
	Steel cable ø 4mm 100m roll	D005
	Steel cable ø 6mm 100m roll	D006
	Steel cable ø 4mm with PVC sheath ø 6mm 100m roll	D015
	Steel cable ø 6mm with PVC sheath ø 8mm 100m roll	D016

Photo	Infos	Réf
	Transverse unit for fas- tening to pole for ø 11mm cable pair	MA011
	Eyebolt L : 150mm set of 2pcs	D033
	Galvanized steel shackle ø 10mm	MA002
	Mixed stretcher unit - M10 L : 22 to 30cm	D004
	ø 6mm Snap hook WLL 80kg	D0M7T
	safety sling L : 60cm WLL : 70kg	D026




Ref: C001
differential circuit-breaker
equipped with a waterproof
power plug.
(for poles)
Note : box subject to modification
according to availability




230V - IP55 protection housing
with insulated transformer (for a large
quantity of Spark Light /Octoplus)
with 8 AC/DC Octoplus rectified
outputs. (Ideal to reduce leakage
current).

Note : box subject to modification
according to availability

Ref: PIX01
Horizontal bracket
H:0,90 m - L: 1,10 m
inter distance max: 1,00 m -max load: 25 kg





Inverted cone
1 PIX03 (up)
1 PIX04 (down)
2 curtains H : 5m

Cylinder
2 PIX03
2 curtains H : 5m

Christmas tree
1 PIX04 (up)
1 PIX02 (down)
1 curtain H : 3m


Free composition
2 PIX03
1 FL74WBF+
1 FL900E



PIX02 / PIX03

PIX04

Circular brackets
Put together low-price 3D decorations
on your columns with our circular brackets
(inner diameter adjustable)

PIXECO
Horizontal bracket
H : 0,25m - L : 0,80m
max load : 10kg


Ref	∅	Perimeter	pole ∅	usable with
PIX04	25 cm	0,80 m	60 à 120 mm	Curtains
PIX02	60 cm	1,90 m	60 à 200 mm	
PIX03	130 cm	4,00 m	60 à 200 mm	

“Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information”

FIX01 (pair)
Fastening device for pole




FIX01P (pair)
Strengthened fastening devices for poles (storm conditions) (wind area 3)





“Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customised quotation. Contact our sales department for information”

FIX01M (pair)
Fastening devices for facades



FIX01MC (pair)
Fastening devices for curved pole



Each fastening must be individually strapped twice (see diagram). For motifs exceeding a height of 3.5m, it is essential to use three fasteners per motif.
Ref: D007
Stapping box including 1 cutting pliers and 1 stapping pliers.
Ref: D008
Stainless steel strap Roll of 50m thickness : 0,7mm
Ref: D009
Staple-clip for steel strapset of 100
Ref: D010
Black protection strip for Stainless steel strap - L: 10 ml / 10 mm



D008



D007

D010

D009



FYS060N
Fixing of decorations on masts.
Black strap: l: 15mm, L: 600mm, 8cm mini ratchet, LC 50 daN
This strap is reusable and does not slip

Picture	Infos	Réf
	To complement your decorations, we can provide you with our real fir trees sustainably cultivated and processed with flake finish based on fireproof natural cellulose fibre. Contact our sales department and choose your colours and finish.	
	Pyramid ballast 25kg Base 38 cm x 38 cm with carry handle	PLOSAC25
	Mounting base for 3D motif ø : 800mm	PLA800OR
	Mounting base for 3D motif ø : 1200mm	PLA1200OR

Picture	Infos	Réf
	Technical data : - Full kit with solar panel, 12V gel batteries, power regulator and protection against discharges. - Gel batteries for 2400 cycles with 30% discharge. - Prevent battery damages with low power protection . - 24V or 230V output to indicate with your order. - Can be fixed on floor. + : - 50% of battery consumption after 12 hours. - Easy to move with flexible rubber wheels with high degree of resistance to abrasion. - No maintenance and easy installation. KITSOL	
	20W panel power 7.2W power output DAILY PROGRAMMER: selecting the days and times when the decor is switched on. 8 to 10 hours of sunshine required for 7 hours of operation PIXSOL2	
	12W panel power 4W power output DAILY PROGRAMMER: selecting the days and times when the projector is switched on 8 to 10 hours of sunshine is required PIXSOL3	

Picture	Infos	Réf
	Square Carpet Blue 4m x 4m	GPC300B
	Round carpet Blue ø : 3m	GPR300B
	Square Carpet Red Square Carpet Blue 4m x 4m	GPC300R
	Round carpet Red ø : 3m	GPR300R

Picture	Infos	Réf
	White cotton carpet roll 30m x 2,6m	GP500
	Red carpet roll 10m x 2m	GP510R
	Red - ø 140mm Lot de 16	B14-1
	Gold - ø 140mm Set of 16	B14-2
	Red - ø 200mm Set of 9	B20-1
	Gold - ø 200mm Set of 9	B20-2
	Red - ø 250mm Set of 9	B28-1
	Gold - ø 250mm Set of 2	B28-2
	barrier Opéra H : 1,20m L : 2,00m	BARR01
	White pine barrier H : 0,80m L : 1,80m	GP506-B

262 BALLASTING ILLUMINATIONS

Dress up your blocks as pretty gifts



GX165L - Santa Rock : 460 kg

- GX165L +
- . 3 x KPLO100B + KGIVO3 + KGIRO3 + KGIBA3
- . 3 x KPLO040 + 2 X KGIVO2 + KGIRO2
- . 2 x KPLO020 = KGIRO1+ KGIBA1

Use our magical gifts to hide the concrete blocks in your decorations!

Depending on the features of your decoration, put together your own ballast kit and wrap your gift (size & colour).

Technical details:


1. Choose your block

Reference	description	dimensions
KPLO100B	Concrete block - 100kg	0,37 x 0,37 x 0,37m
KPLO040	Concrete block - 40kg	0,30 x 0,30 x 0,20m
KPLO020	Concrete block - 20kg	0,20 x 0,20 x 0,20m

2. Choose your cover

reference	description	dimensions	colour
KGIBA1	Block cover - PM	0,2 x 0,2 x 0,2m	blue / silver
KGIBA2	Block cover - MM	0,3 x 0,3 x 0,2m	blue / silver
KGIBA3	Block cover - GM	0,37 x 0,37 x 0,37m	blue / silver
KGIRO1	Block cover - PM	0,2 x 0,2 x 0,2m	red / gold
KGIRO2	Block cover - MM	0,3 x 0,3 x 0,2m	red / gold
KGIRO3	Block cover - GM	0,37 x 0,37 x 0,37m	red / gold
KGIVO1	Block cover - PM	0,2 x 0,2 x 0,2m	green / gold
KGIVO2	Block cover - MM	0,3 x 0,3 x 0,2m	green / gold
KGIVO3	Block cover - GM	0,37 x 0,37 x 0,37m	green / gold

Wrapping steps (13 clips are supplied)



KPLO100B + KGIRO3



KPLO040 + KGIBA2



KPLO020 + KGIVO1

Enter the reference for the decoration + the block + the cover

INDEX



AR001	104
AR002	104
ARCOM	104
ARTOT02	104
CIME2	113
CIME4	113
CIME6	113
CIME7	113
GP157W	119
GSV140	119
GSV140B	119
GX042L	86
GX047L	83
GX048LW	76
GX070CL	131
GX070LR	133
GX079L	83
GX081LW-2	110
GX082LW	110
GX083LW	110
GX086L	99
GX086L-A	99
GX087L	92
GX088L	98
GX092L	88
GX093L	88
GX097L	98
GX098L	98
GX102L	102
GX102LW	95
GX103L	105
GX103L-A	105
GX105L	90
GX107	144
GX107-UK	144
GX108	144
GX108-UK	144
GX109	144
GX109-UK	144

GX110	110
GX110-UK	110
GX112L	102
GX112L-UK	102
GX114LW	75
GX115LW	92
GX116LW	76
GX117LW	76
GX118DC	89
GX118L	103
GX119L	103
GX132L	93
GX133L	99
GX145L	82
GX145L-A	82
GX146L	105
GX147L	84
GX148L	93
GX149L	81
GX151L	90
GX152L	90
GX153L	97
GX154LW	133
GX155LW	132
GX156LW	135
GX159L	86
GX160L	83
GX163L	84
GX164L	85
GX165L	91
GX165L-A	91
GX166L	91
GX166L-A	91
GX167L	91
GX167L-A	91
GX168LW	135
GX171RGBW	130
GX172LW	100
GX173L	126

GX173LW	126
GX182L	96
GX182L-A	96
GX184L	138
GX184LW	138
GX185LW	128
GX193L	95
GX194L	89
GX195L	103
GX200L	81
GX204L	102
GX205L	85
GX206L	85
GX210LW	135
GX242L	149
GX244L	95
GX245LW	87
GX247L-A	95
GX248LR	97
GX249L	85
GX249L-A	85
GX250L-A	82
GX251L	122
GX251LW	122
GX252L	134
GX252LW	134
GX253LW	123
GX256LW	100
GX257LW	100
GX258L	101
GX258LW	101
GX259LW	101
GX260L	102
GX260LW	102
GX261LW	92
GX262LW	87
GX263L	94
GX264LW	94
GX265LW	86

GX266BC	127
GX267LW	95
GX308L	98
GX327L	137
GX327LW	136
IPL028B	51
IPL031W	35
IPL035	51
IPL039	63
IPL039W	63
IPL042W	114
IPL043R	65
IPL043W	65
IPL069	55
IPL070B	65
IPL070R	65
IPL070W	65
IPL072W	55
IPL075B	55
IPL075W	55
IPL076	54
IPL076W	54
IPL081W	35
IPL082W	35
IPL084	55
IPL087W	35
IPL094W	61
IPL101W	29
IPL108W	38
IPL110	39
IPL110W	39
IPL114W	77
IPL115W	35
IPL117W	55
IPL118W	55
IPL120	42
IPL120B	42
IPL120R	42
IPL120W	42

IPL122	49
IPL124	51
IPL126	55
IPL126W	55
IPL127	39
IPL127W	39
IPL128	39
IPL128W	39
IPL129	27
IPL129W	27
IPL130	27
IPL130W	27
IPL131	27
IPL131W	27
IPL132	39
IPL133	39
IPL134W	77
IPL135	35
IPL135W	35
IPL139W	77
IPL140W	77
IPL141W	63
IPL142R	65
IPL143	25
IPL143W	25
IPL144	25
IPL144W	25
IPL145W	63
IPL146B	41
IPL146R	41
IPL146W	41
IPL147B	41
IPL147W	41
IPL148B	41
IPL148R	41
IPL148W	41
IPL149B	49
IPL150	49
IPL151W	63

IPL158W	29
IPL160	49
IPL189B	59
IPL189R	59
IPL189W	59
IPL190B	59
IPL190R	59
IPL190W	59
IPL191B	61
IPL191R	61
IPL191W	61
IPL199	23
IPL199W	23
IPL200	23
IPL200W	23
IPL201	23
IPL201W	23
IPL202W	29
IPL203W	29
IPL226W	29
IPL228B	59
IPL228W	59
IPL230	25
IPL230W	25
IPL231W	29
IPL257	47
IPL257B	47
IPL257W	47
IPL258	47
IPL258B	47
IPL258W	47
IPL259	47
IPL259W	47
IPL260W	47
IPL265W	75
IPL266W	75
IPL267W	75
IPL268W	75
IPL270R	73

IPL270W	73
IPL271R	73
IPL271W	73
IPL272	22
IPL272W	22
IPL282BC	33
IPL283BC	33
IPL284BC	33
IPL285BC	33
IPL286BC	33
IPS264W	78
IPS280	78
IPS280W	78
IPS281W	78
IPS289W	78
IPS290	78
ITGL100	36
ITGL101W	36
ITGL102	66
ITGL102W	66
ITGL104	66
ITGL104W	66
ITGL105	66
ITGL105W	66
ITGL111	67
ITGL111W	67
ITGL112	67
ITGL112W	67
ITGL117R	68
ITGL130W	68
ITGL131	66
ITGL131W	66
ITGL141	68
ITL009	28
ITL020B	53
ITL020W	53
ITL021	52
ITL022	53
ITL022W	53

ITL025W	61
ITL027W	63
ITL028B	50
ITL033W	34
ITL035	50
ITL043W	38
ITL051	69
ITL051B	69
ITL051R	69
ITL051W	69
ITL052	69
ITL052B	69
ITL052R	69
ITL052W	69
ITL053	69
ITL053B	69
ITL053R	69
ITL053W	69
ITL059W	54
ITL061	28
ITL072W	54
ITL076W	54
ITL077W	34
ITL082W	61
ITL083W	61
ITL084W	73
ITL094W	60
ITL101	52
ITL101W	52
ITL102	52
ITL102W	52
ITL105	50
ITL109W	61
ITL113W	74
ITL115	53
ITL115W	53
ITL118W	54
ITL120	42
ITL120B	42


ITL120R	42
ITL120W	42
ITL126	48
ITL127	38
ITL127W	38
ITL129	139
ITL129W	139
ITL130	26
ITL130W	24
ITL132W	38
ITL135	34
ITL135W	34
ITL160	48
ITL161	24
ITL161W	24
ITL162W	60
ITL163	48
ITL165W	74
ITL166B	40
ITL166R	40
ITL166W	40
ITL167	48
ITL191B	60
ITL191W	60
ITL218W	29
ITL226W	28
ITL227B	58
ITL227W	58
ITL232W	28
ITL233	26
ITL234W	58
ITL261	46
ITL261B	46
ITL261W	46
ITL262	46
ITL262B	46
ITL262W	46
ITL266W	74
ITL275R	72

ITL276R	72
ITL276W	73
ITL277W	73
ITL278W	72
ITL279R	73
ITL279W	72
ITL282BC	32
ITL288BC	32
ITL291	24
ITL291W	24
KIT1-134	148
KIT2-242	149
KIT2-134	148
KIT2-242	149
KITNDK-A	112
KITNDK-B	112
KITNDK-E	112
KITNDK-F	112
KITNDK-O	112
KITNDK-R	112
PIXSOL2	79
PL250	43
PL250B	43
PL250W	43
PL344	43
PL344W	43
SC014	107
SC015	107
SC016	107
SC017	107
SC018	107
SC019	107
SC020	107
SC021	107
SC022	107
SC023	107
SC024	107
SC025	107
SL005	125

SL005W	125
SL012	136
SL012W	136
SL013	136
SL013W	136
SL019CL	131
SL032	137
SL032W	137
SL033	137
SL033W	137
SL035W	132
SL036	136
SL036W	136
SL037W	136
SL038B	97
SL038R	97
SL038W	97
SL039W	124
SL040	141
SL041W	120
SL043W	120
SL044W	140
SL045V	120
SL046W	115
SL047	128
SL048	116
SL049W	116
SL050R	135
SL134	148
SL135W	139
SL136	139
SL136W	139
SLED010W	115
SND017	121
SND018	121
SND019	121
SND021	117
SND022	120
SOCL42	81

SOCL43	88
SOCL47	87
SOCLGX81	113
SOCLGX82	113
SOCLGX83	113
SV1001	118
SV1001W	118
SV1201-P	118
SV1201W-P	118
SV1401	118
SV1401W	118
SV301	118
SV301W	118
SV302	114
SV302W	115
SV303	114
SV303W	115
SV501	118
SV501W	118
SV502	114
SV502W	115
SV504A	93
SV504B	93
SV504C	93
SV505CL	129
SV506RGBW	129
SV801-P	118
SV801W-P	118
TGL139W	53
TGL157	36
TGL157W	37
TGL158LW	77
TGL169LW	75
TGL247LW	76
TGL70LW	69
TGL70LWW	69
TGL71LW	69
TGL71LWCL	69
TGL71LWW	69

TGL72LW	69
TGL72LWW	69
TL311R	62
TL311W	65
TL312R	62
TL312W	65
TL347W	29
VL045W	55
VL046	27



- **Directeur des ventes France :**
Christophe Rey · 06 30 07 35 31
- **Responsable régional Nord :**
Joao Vitoria · 06 74 35 65 68
- **Responsable régional Centre :**
Sébastien Bouvet · 06 08 80 47 66
- **Responsable régionale Sud :**
Aude Grojsman · 06 74 48 50 41

- **Chef de projet Studio Blachere Illumination - Paris :**
Cédric Parcineau · 01 42 77 66 15
· 07 77 26 37 76
- **Directrice administration des ventes :**
Géraldine Esposito · 04 90 74 73 23

- **Responsable distributeurs nationaux :**
Françoise Grégoire · 04 90 74 73 20
· 07 84 11 22 41
Nathalie Soustelle · 04 90 74 73 34

BLACHERE *FRANCE*

- **Île-de-France Est**
Sophie Duquesnoy · 06 08 00 57 52
Assistante, Sarah Galizzi · 04 90 74 73 61
- **Île-de-France Ouest**
Véronique René · 06 08 80 47 65
Assistante, Sarah Galizzi · 04 90 74 73 61
- **Nord - Picardie**
Barbara Cheysens · 06 31 59 64 07
Assistante, Anais Truphémus · 04 90 74 73 94
- **Champagne - Ardennes**
Matthieu Mairie · 06 79 47 06 26
Assistante, Anais Truphémus · 04 90 74 73 94
- **Alsace - Lorraine**
Olivier Radreaux · 06 07 67 39 46
Assistante, Morgane Bonelli · 04 90 74 70 47
- **Savoie - Haute Savoie**
Maëva Rigoureux · 06 42 56 43 70
Assistante, Stéphanie Imbert · 04 90 74 96 22
- **Rhône - Sud Bourgogne - Jura - Isère - Loire**
Soizic De Vanel · 06 70 12 41 62
Assistante, Delphine Borel · 04 90 74 96 24
- **Bourgogne - Centre - Limousin - Auvergne**
Maxime Bavouzet · 06 78 52 33 82
Assistante, Stéphanie Imbert · 04 90 74 73 90
- **Bouches-du-Rhône - Var**
Xavier Le Penven · 06 84 02 80 04
Assistante, Delphine Borel · 04 90 74 96 24
- **Côte d'Azur - Monaco**
Bruno Morin · 06 37 62 41 21
Assistante, Stéphanie Imbert · 04 90 74 96 22
- **Vaucluse - Ardèche - Cantal - Haute Loire - Drôme**
Delphine Ha · 06 48 79 99 62
Assistante, Delphine Borel · 04 90 74 96 24
- **Occitanie - Pyrénées - Méditerranée - Aveyron**
Justine Gausson · 06 47 04 59 85
Assistante, Sandrine Sarrazin · 04 90 74 70 45
- **Sud-Ouest**
Nicolas Montenon · 07 85 88 19 50
Assistante, Sandrine Sarrazin · 04 90 74 70 45
- **Pays de Loire - Poitou**
Sophie Pintiaux · 06 85 23 77 43
Assistante, Stéphanie Imbert · 04 90 74 96 22
- **Bretagne - Basse Normandie**
Régis Danais · 06 30 07 35 09
Assistante, Nadège David · 04 90 74 73 60
- **Corse**
M. Gabbiati Fabrice · 06 29 31 51 19
Nadège Dauberte · 04 90 74 73 63



Blachere Illumination s.a.s

22 Allée des Bourguignons
84400 Apt - France
tél : +33 (0) 413 068 002
fax : +33 (0) 490 747 367
sales@blachere-illumination.com
www.blachere-illumination.com

Géraldine - tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com

Léa - tél : +33 (0) 490 747 642
l.alves@blachere-illumination.com

Marion - tél : +33 (0) 490 747 330
marion@blachere-illumination.com

Irène - tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com

Marie - tél : +33 (0) 490 747 044
marie@blachere-illumination.com

Cathy - tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

Blachere *international*

Afrique/Africa

Blachere Illumination Afrique
Rue du Caire - Route de M'Saken
4081 Zaouiet Sousse - Tunisie
tel : +216 73 386 601
fax : +216 73 386 650
email : gregory.roux@blachere-factory.com

Asie Pacifique/Asia Pacific

Blachere Illumination Asia Pacific
Unit B, 17/F., United Centre
95 Queensway, Admiralty,
Hong Kong
email : hkoffice@blachere-illumination.com

Autriche/Austria & Allemagne/Germany

Blachere Illumination GmbH
Krenglbacher Straße 7- 4631 Krenglbach
tel : +43 (0) 7249 46400 - 0
email : office@blachere.at

Belgique/Belgium

Blachere Illumination Belgique
Z.I. des hauts sarts
Rue de Hermée 225, 4040 Herstal
tel : +32 4 275 02 81
email : info@blachere-illumination.be

Brésil/Brasil

Blachere Iluminação Brasil
Estrada Antiga de Itu, 1111
CEP: 06695-570 Itapevi - São Paulo
tel : +55 11 94772-7571
email : paulo.braga@blachere-illumination.com.br

Canada/Canada

Blachere Illumination Canada
3400 14th Avenue, Unit 18
Markham, Ontario L3R 0H7
tel : +1 905 475 6553
email : info@blachere-illumination.ca

Colombie/Colombia

Blachere - City Lights
Carrera 33N. 19-26 - Bogotá
tel : +57 601 646 6000
email : jklahr@blachere.co
comercial@blachere.co

Croatie/Croatia

Blachere Illumination Croatia
Gospodari svjetla d.o.o.
Medsave 4B
10430 Samobor
tel : +385 1 8877 660
email : info@gospodarisvjetla.hr

Danemark/Denmark

Blachere Illumination - JADA GROUP APS
Norgesvej 2
6230 Røddekro
tel : +45 70 20 00 03
email : info@jadagroup.dk

Espagne/Spain

Blachere Iluminación España s.a
Calle Corazón de María, 70-8E
28002 Madrid
tel : +34 91 388 28 77
email : info@blachere-illumination.es

États-Unis/USA

Blachere Illumination USA Inc.
PO Box 41, 4198 State Highway 14 W
Christopher, IL 62822
tel : +1 618 724 1500 - fax : +1 618 724 4500
email : info@blachere-illumination.us

Europe Centrale/Central Europe

Blachere Illumination Central Europe
Karadžičova 8/A
Bratislava 821 08, Slovakia
tel : + 421 918 428 040
email : info@blachere-illumination.sk

Finlande/Finland

Blachere Illumination Finland - Lohikari
Ruoholahdenkatu 24
00180 Helsinki
tel : +358 9 565 7750
email : lohikari@lohikari.fi

Hongrie/Hungary

Blachere Illumination Hungary
H-2142, Nagytarcsa, Csonka János út 4, K
épület
tel : +36 70 389 1475
email : info@blachere-illumination.hu

Italie/Italia

Blachere Illumination Italia - Lumiworks Srl
Via Euippa 22
73100 Lecce
tel : +39 376 0563212
email : info@lumiworks.it

Mexique/Mexico

Blachere Iluminación México
3 Oriente No. 416 Centro.
74200 Atlixco, Puebla. México.
tel : +52 244 44 51 281
email : contacto@blachere.com.mx

Moyen-Orient/Middle East

Blachere Illumination Middle East
FAB Property Management Buildings
Building 22 Warehouse 3 DIP 1
Dubai - United Arab Emirates
tel : +971 4 254 8856 - mobile: +971 50 506
92 31
email : m.soltay@blachere-illumination.ae

Norvège/Norway

Blachere Illumination Norway - Eurosign
Stanseveien 21
0975 Oslo
tel : +47 23 00 85 00
email : salg@eurosign.no

Pays-Bas/Netherlands

Blachere Illumination Netherlands - Avontuur
Blokdijk 3 - 1608 HH Wijdenes
tel : +31 229 50 12 22
email : info@avontuur.net

Pologne/Poland

Blachere Illumination Polska
Jasna 39 - 86-070 Czemplewo
tel : +48 790 785 896
email : info@blachere-illumination.pl

Portugal/Portugal

Blachere Portugal - Comércio de iluminação Lda
Variante de Cernache - IC2, Km 184 - Antanhol
3040-573 Coimbra
tel : +351 239 487 030
email : info@blachere-illumination.pt

Rép. Tchèque/Czech Republic

Blachere Illumination Czech Republic
Ostrá Horka I/511 - 760 01 ZLÍN
tel : +420 602 227 226
email : pesek@blachere-illuminations.cz

Roumanie/Romania

Blachere Illumination Romania
Cluj Napoca, Str. Anatole France, nr. 22, et. 2
birou 2, Judetul Cluj, cod postal 400463
tel : +40 75 705 08 66 - fax : + 40 31 845 13 73
email : office@blachere-illumination.ro

Royaume-Uni/UK

Blachere Illumination UK Ltd
Gladstone Place, Ladybank, Fife, KY15 7LB
tel : +44 (0)1337 832 910
email : sales@blachere-illumination.co.uk

Suède/Sweden

Blachere Illumination Sweden
Gustavslundsvägen 143,
167 51 Bromma
tel : +46 (0)72 601 66 46
email : andreas.phamgia@blachere-illumination.se

Suisse/Switzerland

Blachere Illumination Swiss SA
Route de Denges 28C
CH - 1027 Lonay
tel : + 41 21 886 00 90
email : office@blachere-illumination.ch

Turquie/Turkey

Blachere Illumination Aydınlatma
Hasanpaşa Mh. Lavanta Sk.
Polat İs Merk.26/3
Kadıköy-Istanbul
tel : +90 532 660 69 23
email : msoltay@blachere-illumination.com.tr

SEASONS & URBAN COLLECTION 2024

Browse our collections of decorations for the summer as well as for your events and activities throughout the year.



Going paper-free

Here at Blachere, above and beyond just being deeply concerned about sustainable development and our carbon footprint, we are constantly looking for ways to increase the efficiency of the tools we use, which has naturally led us towards going paper-free.

Though the «zero paper» business is somewhat of a Utopian ideal, going paper-free considerably reduces the amount of printouts we produce and, as a consequence, our impact on the environment. The paper tools we do continue to use are printed on paper from sustainably managed forests at our «Imprim'vert» accredited printers.

Our interactive catalogue, available on our website or by email on request, gives you access to multiple additional media: videos of our decorations and installations, how they look in the daytime, work in progress photos and technical information about the products.

Visit us at www.blachere-illumination.com



